

UNIVERSITY OF CALIFORNIA, SAN DIEGO
SCRIPPS INSTITUTION OF OCEANOGRAPHY

Temporal and Spatial Dynamics of a Tidepool Fish Assemblage
in San Diego, California

A dissertation submitted in partial satisfaction of the
requirements for the degree Doctor of Philosophy in
Oceanography

by

Jana L. D. Davis

Committee in charge:

Professor Lisa Levin, Chair
Professor David Checkley
Professor Paul Dayton
Professor Trevor Price
Professor Paul Smith
Professor Clint Winant

ABSTRACT OF THE DISSERTATION

Temporal and Spatial Dynamics of a Tidepool Fish Assemblage in San Diego, California

By

Jana L.D. Davis

Doctor of Philosophy in Oceanography
University of California, San Diego
Scripps Institution of Oceanography, 2000
Professor Lisa A Levin, Chair

In a rocky intertidal tidepool habitat, factors like temperature, salinity, oxygen, and wave energy fluctuate tidally, daily, seasonally, and interannually. Unlike sessile organisms, motile organisms can adjust their location in response to environmental fluctuations; therefore, they may not fit into general intertidal ecological models based on sessile emergent communities. Fish populations were sampled at several sites in San Diego, California, from 1996 to 2000 to test effects of temporal environmental variability on habitat use, assemblage structure, and population dynamics of the major tidepool fishes of San Diego, California: *Clinocottus analis* (woolly sculpin), *Gobiesox rhessodon* (California clingfish), *Hypsoblennius gilberti* (rockpool blenny), *Girella nigricans* (opaleye), *Gibbonsia elegans* (spotted kelpfish), and *Paraclinus integripinnus* (reef finspot). These fishes were found to spatially and temporally partition tidepool habitat among species and ontogenetically within species.

Habitat use and assemblage structure were variable on the three temporal scales addressed in the study (diel, seasonal, and El Niño Southern Oscillation). Middle intertidal fishes used high and low intertidal pool differently depending on time of day. Fishes used higher tidepool during the fall, when sea level is seasonally highest. Recruitment and growth were seasonal and were the main influence on temporal variability in population growth rate of the assemblage dominant, *C. analis*.

Changes in population dynamics and assemblage structure were observed during the 1997-98 El Niño event. *C. analis* population size declined due to changes in early life-history (larval and juvenile) processes, including a drop in recruitment. *P. integripinnus* population size increased during the El Niño event. The combination of these two changes led to higher species evenness during El Niño. One species, *G. nigricans*, experienced a morphological shift (increases in dorsal spot number) associated with El Niño. Because the study spanned only one El Niño event, generalization to other ENSO events is not possible. However, as ENSO predictability increases, future studies will be able to test the generality of these results.

Rocky intertidal fishes of San Diego do not conform to the density-dependent, space-limitation model proposed for many rocky intertidal taxa that are sessile and emergent. Rather, community and population regulation appear forced by pre-recruitment processes, like many tropical reef fishes. Future studies targeting the larval stage will enable further identification of specific larval vital rates important in controlling population dynamics.

ACKNOWLEDGEMENTS

Many, many thanks to several groups of people who were invaluable during the last five years. I would not have been able to complete the time series used in this dissertation without the amazingly generous, extremely efficient, and wonderfully dedicated field help of Nicole Dederick, Erin Hubbard, Andy Juhl, Julie Frost, Edward Vowles, and Doug MacIntyre during the last year of data collection. They are all truly wonderful people.

I would like to thank my committee members, David Checkley, Paul Dayton, Trevor Price, Paul Smith, and Clint Winant, for all of their patience, input, and ideas over the past several years. They have all read various drafts, often multiple drafts, of each chapter and given me great advice. I also greatly appreciate the generosity of Jim Enright, who supported me as a graduate research assistant during my first year at SIO.

This work would not have been possible without the generous support of various organizations. These include the Department of Defense National Defense Science and Engineering Graduate Fellowship Program, the J.M. Hepps Graduate Fellowship Program, the California State Sea Grant Program, the Mildred Mathias Foundation, AICZ-165PD Sigma Xi, the PADI Foundation, Sigma Delta Epsilon Graduate Women in Science, and the SIO Graduate Department.

The Biological Oceanography Curricular Group has provided a wonderful environment in which to learn about oceanography, chat about science, and interact with