
PART V

DATA REPORT.

TEMPERATURE, SALINITY, OXYGEN and pH in outer Los Angeles Harbor June 1971 to November 1973 CIRCULATING COPY
Sea Grant Depository



edited by Dorothy F. Soule and Mikihiko Oguri

Published by The Allan Hancock Foundation Harbors Environmental Projects

and

The Office of Sea Grant Programs University of Southern California Los Angeles, California 90007

> February 1974 USC-\$G-3-74

MARINE STUDIES OF SAN PEDRO BAY, CALIFORNIA

PART V

DATA REPORT

TEMPERATURE, SALINITY, OXYGEN AND pH IN OUTER LOS ANGELES HARBOR JUNE 1971 TO NOVEMBER 1973

Edited by

Dorothy F. Soule and Mikihiko Oguri

Published by

Allan Hancock Foundation
Harbors Environmental Projects
and
The Office of Sea Grant Programs
University of Southern California
Los Angeles, California 90007


February 1974 USC-SG-3-74

Acknowledgments

Research reported herein was supported, in part, by NOAA office of Sea Grant, No. 04-3-158-45. The U.S. Government is authorized to produce and distribute reprints for government purposes notwithstanding any copyright notation that may appear thereon.

Additional field investigations and research support have been provided by the Allan Hancock Foundation, University of Southern California, the Los Angeles Harbor Department, the Tuna Research Foundation, Pacific Lighting Service Company, Southern California Gas Company, and the U.S. Army Corps of Engineers.

Cover photograph by John Soule



MARINE STUDIES OF SAN PEDRO BAY, CALIFORNIA. PART V.

DATA REPORT
TEMPERATURE, SALINITY, OXYGEN, AND pH IN OUTER
LOS ANGELES HARBOR, JUNE 1971-NOVEMBER 1973

by Harbor Environmental Projects

Allan Hancock Foundation University of Southern California Los Angeles, California 90007

Under funding by Pacific Lighting Service Company and the USC Sea Grant Program, monthly readings of temperature (degrees C), conductivity (conversion based on the method of Weyl, 1964, to salinity), dissolved oxygen (DO₂), and pH were taken in the outer Los Angeles Harbor. In 1971-72 a Martek II was used, and in 1973 a Martek III was added, to obtain profiles in depth at one meter increments.

Difficulties inherent in measurement include occasional poisoning of the $\rm O_2$ probe by contact with sulfide when $\rm DO_2$ levels were low. Winkler oxygen analyses were taken periodically to develop a curve for standardization. The drop in salinity readings in 1973 may be an artifact, due to inherent calibration differences, although the shape of the curves remains consistent. No data available presently indicate other reasons for the sizeable salinity changes.

The Allan Hancock Foundation initiated, in 1973, a data bank for physical, chemical, and biological data on the Los Angeles-Long Beach Harbors and adjacent waters from which the present data report is extracted.

Scripps Institute of Oceanography has published a Data Report annually on surface water temperatures at shore stations along the United States west coast; such data can be used for comparison with harbor temperatures (SIO, 1970, 1971, and 1972). The Port of Los Angeles and the Department of Water and Power have recorded temperatures at the surface and at 20 foot depths in the harbor for some years. Graphs of the high and low temperatures from 1969-1972, compiled from those sources are included in Soule, 1974.

Because the Allan Hancock Foundation harbor monitoring program was expanded in January-February 1973, at the request of the U.S. Army Corps of Engineers, to cover all of the

harbor area, station designations were changed. The outer Los Angeles Harbor stations changed from 01-07 to A1-A7, and stations were added to cover Long Beach Harbor (B), the inner Harbor (C), and the area between the Los Angeles and San Gabriel Rivers (D). Station 08 in West Basin then shifted to a C6 designation.

Because of the original limitations in time, personnel, and funding, it has not been possible to monitor the entire area more frequently than the monthly intervals. However, monitoring for the Tuna Research Foundation has been conducted biweekly at the outfalls area and in Fish Harbor. Since the occurrence of low oxygen episodes in November 1973, monitoring has been conducted for Star Kist Foods on a daily basis in that area. Although the monthly readings show the seasonal trends, they often do not coincide with the lowest oxygen episodes nor with the highest, supersaturated oxygen periods that are produced by phytoplankton blooms. Readings as low as 0.0 ppm DO₂ and as high as 16.0 ppm DO₂ have been observed.


MINIMA AND MAXIMA OF PHYSICAL WATER QUALITY PARAMETERS. The graphs presented herein are produced by computer plot. Single monthly readings are taken at each station at one meter increments to give profiles of parameters with depth. Each monthly segment shows readings at 0, 5, 10, 15, and 20 meters on the horizontal axis and the appropriate unit of temperature, salinity, dissolved oxygen or pH on the vertical axis. Dotted lines connect the highs and lows to show seasonal trends, while solid lines between the dotted lines indicate changes in the profile with depth.


Complete data, from which the graph points are taken, are presented in the computer printout tables following the graphs. In some instances, more than one reading was taken in a month, as indicated by duplicate readings for various depths.


LITERATURE CITED


- Scripps Institute of Oceanography. 1970. Data Report. Surface water temperatures at shore stations, United States west coast, 1969. Univ. Calif., S.I.O. Ref. 70-26, 23 p.
- Scripps Institute of Oceanography. 1971. Data Report.
 Surface water temperatures at shore stations, United
 States west coast. Univ. Calif., S.I.O. Ref. 71-23.
- Scripps Institute of Oceanography. 1972. Data report. Surface water temperatures at shore stations, United States west coast. Univ. Calif., S.I.O. Ref. 72-62.
- Soule, D. F. 1974. Thermal effects and San Pedro Bay.


 In Marine Studies of San Pedro Bay, Part III. Allan
 Hancock Foundation, Univ. So. Calif., p. 1-20.
- Weyl, P. K. 1964. On the change in electrical conductance of seawater with temperature. Limnol. and Oceanogr., 9(1):75-78.















1972 SALINITY DATA STATION: 01 SEA BUDY (7)-12) DATA: DEPTH METERS / SAL PPT










STATION* 01 SEA BUOY (?1-72)
METERS / DIS OXG PPM





STATION: RL SEA BUDY METERS / DIS OXC PPM














85

FOUNDATION HANCOOK 2 4 7 7 4

PHYSICAL_CAIA_BEPOKI

ACFAN

8a

PHYSICAL_CAIA__REPORT

3	NOS NOT H			2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
116:14:33	9X0 810	7.50		22.22.22.22.22.22.22.22.22.22.22.22.22.
12) LONGITUCE	SALINITY	34 4 • 4 2 cm		დ ყე • • • • • •
BUOY (71-72)	ATURE	6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		
	TEMPERATURE	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
01 SEA 033:41:57	T - F.	**************************************	# M 4 4 4 7 7 1 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	——————————————————————————————————————
STATION: LATITUDE	- DEPTH - BETERSEEET	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- du 4 10 4 5 6 6	000000000000000000000000000000000000000
ST	RECORDING DATE	AUG •71		SEPT - 71
k	5055 NOT 4-	ጠ ሲ ක ጪ ጪ ። • • • • ፋ ሥ ኤ ህ ሪ/ ይነ ው ርን ው ብ		
118114133	DIS OXG	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0 n •	
2) LONGITUCE	SAL INITY	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	19**	
8UOY (71-72) N	ATURE	4 4 0 0 4 4 4 4 4 6 4 4 4 6 4 4 4 4 6 4 4 4 4	4 m m m m m m m m m m m m m m m m m m m	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	TEMPERATURE	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
01 SEA 033:41:57	FEET			ୟ 4 4 • • • • • • •
STATION: LATITUDE	- DEPTH - METERSI-ESET	0 - m + 0 t 7 0 0 m m a	000000000	ଷ ୩ ୬ ୯ ୩ ୫
. S. J	RECORDING	JUNE • 71	JULY • 71	

0 U N C A T 1 0 N

Щ

A 0 0 0 X 4 E

A L L A Z

g6

PHXSICAL_CAIA_REPORT

PHYSICAL_CAIA_BERGEI

	118:1
1-72)	LONGITUDE 118:11
01 SEA BUOY (71-72)	N 76:14:50
STATION:	LATITUDE
	LONGITUDE 118:14:33 W
SEA BUCY (71-72)	LONGI
01 SEA B	N 49:14:EE0
STATION:	LATITUDE

	LATITUDE	# # # # # # # # # # # # # # # # # # #	N 76:1		LONGI TUBE	118:14:33	3	J	LATITUDE	033:41	201	z	LONGITUDE	118:14:33	,
RECORDING PATE	- 06.4T	TH -	TEMPE	ERATURE	SALINITY	DIS CXG	2032_NOL_1	RECORDING DATE	- DEI	PTH - FEET	TEMPE	EMPERATURE C	SAL INITY PPI	DIS CXG	PH PH SNOON CONC
•	,		,		•		- 1								
100	9	٠	٠	;	•	٥	9	001	0	٠	17.2	÷	36.30	Ů.	~
	10	٠	'n.	,	•	4	٠		0	٠	17.8			4	۰
	0	٠	٠		9		Q.		10	٠	17.2	•			7
	03	•		ċ	0	ų,	5		01	•	17.6	•		٥	9
	† 0	e nj	٠	Ů.	0	Q.			0≥	•	16.8	•		-	٦.
	S S	ė	ó	,	9	CI.	٧.		0	٠	17.5	•		٠	•
	90	ď.	4	ı,	٠.	ņ	2		03		16.8				
	20	M)	٠	a.	9	ď	Ŷ		m O		17.5	63.5		÷	
	90	ů	4	χ.	4	4	Ň		0	•	16.5				
	о О	,	٠	,	?	7	Ň		0	•	17.5			٠,	•
	2	å	٠	Ļ	4	ų	Ň		0.5		16.5			~	•
	1.1	ø Ø		7.	4	4	ď		0.5		17.5	-		_	
	12	o.	•	۲.	°	ď	ġ		90		16.5	61.7		`.	
	m ⊶	å	•	ċ	•	ď	ď		90	•	17.5	63.5		۲.	
	14	o O		7	ò	ď	Ñ		07	77)	16,5	61.7		٠.	
	15	å		Ĵ	•	N	Ñ		20	•	17.3	63.1			•
	16	å		9	4	Ŋ	Ç.		90	ė	16.5	61.7		۲.	•
	1.7	55.8	13+5	56.3	36.47	4.20	8+22		90	•	17.2	63.0		ن	
	1.8	o.		÷	4	٧	N		00		16.5	61.7		`	
									60	0	10.7	62.1		(Y	
DEC • 71			9.5	U	4 • E	6	•		10	å	15.4	59.7		1	
		•	9.5	ů.	4	3)	0		10	ě.	16.5	61.7		^	
	0.2	9.9	\$. \$	49.1	34 · 45	7.60	7.98		11	36.1	15.1	59.2		04.0	7.98
		ċ	9	8	4	~	O.		11	•	16.2	61.2		0	•
		'n	4	Ď	O O	÷	OP-		12	ċ	14.4	57.9		cri	
		٠	£.9	ů.	ev + no	9	0		12	ċ	16.1	61.0		N	
		Ċ.	S * 6	Ġ.	2.5	4	O.		13	Š	13.2	55.8		0	
		•	5.2	÷	4	'n	On .		13	å	16.0	₽•09		~	
		ċ	.	Ü	មា	∹	0		14	45.4	13.0	55.4		9	
		ġ.	5.1	œ.	ហ	7	O-		7	ů	15.2	55.4		7	
		Ň.	•	ů.	N I	ė	0		15	0	12.9	65 67 12		ö	•
		ċ	7.5	20		7	Э.		12	ċ	ó	55.0		7	•
		ď.	9.5	۲,	E) .	ņ	œ.		16	•	12.9	55.2		ō	
		Ň		ů	9	Ñ	æ		16	å	14.7	ស មិ		7	
		ព	8.2	ċ	0	4	00		17	'n	12.7	54.9		ď	
		o.	6	ċ	i.i.	ď	œ		17	ú	14.5	58.1		n	-
		o.	8.2	ò	9.7	ď	ŝ		1 0	÷	12.6	54.7		()	
		ທໍ	8.1		6.2	0	œ.			Ġ	14.2	57.6		7	
		Ġ	8.2	÷	9.1	7	œ		61	٠	12.6	54.7		Š	
										ò	14.0	57.5		Ö	
										ń	12.6	24.7		ō	-
										'n	13.9	57.0		d)	
										å	12.5	54.5		ů,	7.89
											13.9	67.0		×	ō
										Ň	12.5	4 4 10		0	Œ

z

ALLAN HANCOCK FOUNCATION

ALLAN HANCOCK FOUNDATIC

PHYSICAL __CAIA__BEPORT

PHYSICAL_CAIA_REPORT

	STATION: Latitude	00	SEA BUO 3:41:57 N	BUOY (71-72) N	2) LUNGITUDE	116:14:33		נ. מ	TATION:	01 033:41	SEA BUCY	(21-12) Y	2) LONGITUDE	116:14:33	<u>,4</u>
RECORDING DATE	- DEPTH	PTH -	TEMPERATURE C. E.	RATURE	SAL INITY PPI	015 0×G	5405 - NOT - 4	RECORDING DATE	METERS.		TEMPER	RATURE	SALINITY	DIS CXG	DAUD AUT T
					•	;		:	ć	6		,	4	Ų	ľ
22. NAL	0 .	•	٠.	7 F	200	0 Q			5 6	, M	0.41	7 4 6	1 60 60 60 60 60 60	0.6	'n
	200	3 4	7 17 1) ii		•	9 "		. ^	9			4	-	'n
	N M	9 0	E - 1 - 1	1 M) M		9 0	8.6			'n	ţ-	ď.
	4	13.1		52.3	5		-		0	71)	•		9	-	ū
	0	·o		52.7	•	8.80	7		0	16.4		57.2	4.1	۲,	iņ
	90		-	52.7	0				90	0			4.2	0	ű
	0.7	23.0	11.5	52.7	•		8+33		40	23.0	14.0	57.2		£.00	7.5¢
	90	26,2	•	52.7	•		7		6) O	Φ		57.2	4.6	u	ū
	00	29+5	11+5	52.7	35.90		F		60	Q.	•	*	4.6	4	ťζ
	01	32+8	11.5	52.7		9.20	m		10	N		57.2	4.6	Ŋ	ហ
		36.1	11.5	52.7	ů		n		11	•	•	٠	4.7	(1)	ú
	12	39.4	11.5	52.7			7		12	Q.	•	ř	8.4		9
	13	42.6		52.7	•		E		13	45.6	•	•	5.0	7	ø
	-	45.4	11.5	52.7	ď.		7		4	45.9	•	÷	5.0	۲.	ū
	15		-	52.7	5.5	00*5	n		15	5.64		57.2	5+2	┣~	ı,
	16	52.5	11.5	52.7	5.0		T)		9 #	N	•	÷	5.2	.	Ð
	17	55.8	-	52.7	35.50		P)		17	(n)	12.7	•	35.51	4.60	4
		•	÷	52.7	9.0	6.80	r.		18	Ō.	å	÷	5.7	•	4
	61	62.3		52.7	35.90		3		10	٢N	•	r)	5.5	ŀ	n
		'n		52.7	Ç.		8.43								
								APR +72	00	٠		ů	3.8	en .	•
FEB •72	00	0	Č,	÷	2.0	7.80	ď		70	•	ů	Ů.	٠. د	Ų.	۰
	10	E)	Ň	;	ው	7.50			0.2			ú	5.1		•
	0.2	6.6	٠		5.1	•			60			ů	5.1	۵	٩
	m 0	40	Ç.	*	5.1	9	m		0.4			56.6	υ •	۲.	•
	•		O.	•	35.40	E.10			0.5	å	14.5	ë	9.0	G	•
	9	16.4	å	•	ທີ່	0	P) 1		90	å	14.5	ĵ	5	Ŷ	۰
	9 (10.4	å i	9 1	₹ !	D .	M !		0.7	÷	14+5	58.1	36.00	5.10	•
	. (9 4	,		n ı	000	, ,		80	å	14.5	œ.	9	ŭ,	٠.
	D (7 0 0	i c			0 0	•		0.0	å	14.4	57.9	- ·	۰	•
	5	0 · 0	٠	•		0.4.	•		10	ď	14.0	÷	ě.	7	٠
	01	32.8	12.2	٠	9 .	7.90	η.		11	ô			6.3	•	•
		36+1	12.2	0.0	Un i	7. E0	(F)		12	5	•	•		Ŷ	Ċ.
	13	0	12.2	•	5.7	7.50	٠		13	Ö	•	ů		0	0
	e -	42.6	15.1	m	5.	7.90	ורים		14	'n	•	ď)		Ş.	a
	4	ů	12.1	•	e G	7. BO	היי		15	o.	•	ú		ų.	8
	9	ċ	٠	54.0	0	2.90	P)		16	ď		ų,		÷	Ċ,
	91	CV I	12.2	0.4.0	ů,	00.0	8.93		17	•	12.1	10		ů,	0
	11	55.8	•	0.40	35+70	04*/			18	29.0	12.0	9.00		¢•00	7 + 85
									1 9	Ň	12 + C	'n		Ŷ.	e)
									50	•		W.		.	ü

4 U

lla

4 ى z b o ¥ Ü ن Ų z ď z ∢

PHYSICAL_CAIA_EEPOGI

PHYSICAL DATA BERGRI

at m	1	
116:14:3	OIS OXC	7.30
1-72) LUNGITUDE 118:14:33 *	SALINITY	00 0.0 14.1 57.4 36.6c
Y (71-7)	A T URE	57.4
SEA GUC :57 N	TEMPER	14.1
033:41	TH - .5561	0 " 0 "
STATION: 01 SEA GUCY (71-72) LATITUDE 033:41:57 N LO	METERS.	00
r. S.	RECUROING - DEPTH - TEMPERATURE SALINITY DIS 0x6 DAIEYEMSEGEICEREII	JULY • 72
3	DIS OXG PH 16N-2505	8 • 2 2 2 4 4 2 2 4 4 2 4 4 4 4 4 4 4 4 4
# EE: # 1: # 1	DIS OXG	00-01
ONGITULE		00 0.0 13.5 56.3 36.10 01 3.3 13.5 56.3 36.10
2-U) A	ATURE	E + 90 20 20 20 20 20 20 20 20 20 20 20 20 20
SEA 600	темрея С	13.6
033:41	TH -	0 m
SIATION: 01 SEA 6007 (71-72) LATITUDE 033:41:57 N	- DEP	000
רָ מ	SCORDING - DEPTH - TEMPERATURE SALINITY DAIEMEIERS FEETCFPPI	AY .72

RECORDING DAIE	- DEPTH -	7 - FEET	TEMPERATUKE	ATURE	SALINITY	DIS OXG	5005 NOT 4	RECUROING LDAIE	- DE	06PTH - KS£\$\$I	TEMPEHATURE	ATURE E	SALINITY	015 0x6	1 00 L 1
MAY .72	0	0	13.5	56+3	36.10	10.00		JULY . 72	00	0	14.1	57.4	36.66	7.30	8.05
	10	3,3	13.5	56.3	6.1	05"5	8.24		0.1	E) * E)	14.0	57.2	35.54	7.50	6+10
	0.5	9.9	13.3	55.5	5 5	06*5	٠		62 O	9*9	12,3	54.1	36.67	7.20	9.11
	0 3	B * 6	13.1	55.6	35.72	29.5	ó•28		0.3	9-6	12.0	53.6	36,94	7.40	8-12
	4	13,1	13.1	55.0	35.53	5.60	٠		40	13.1	'n	53.6	36.95	7.30	E) 1 + D
	902	16.4	12.1	53.8	35.89	8.20	8.16		90	16.4	11.9	53.4		7.00	6.12
	90	19.7	12.0	53.6	35,55	7.60	8.13		Ç	19.7	11.7	53.1		0.00	8.11
	1 0	23.0	11.3	52.3	36.47	7.20	8.10		0 7	23.0	11.6	52.9		£.5C	e•11
	90	26.2	11.1	52.0	36.57	6+60	8.06		Ð	26.2	11+5	52.7		t.60	8.12
	о О	29.5	11.0	51.8	36.22	6.00	8+03		Ĉ O	٠	11.5	2.23		6.30	×12
		32.8	10.8	5 m 4	36.46	5.60	6.01		0.7	32.8	11.5	52.7		£.20	_
		36.1	10.0	51.1	٠	09.5	5.01								
	12	39.4	10.6	51.1	36.66	£.70	9.10	AUG 172	00	0.0	17.8	64.0	35.03		8.41
		42.6	10.3	80.0	36.95	5.30	7.98		70	5.43	17.5	63.5	35,37	Ą	8.41
		45.4	10.0	0.0		4.50	7.96		62	6.6	17.2	63.0	35.63	11.20	8 • 4 1
		49.2	10.0	20.0		06.4	7.96		E Q	8.6	17.2	63.0	35.63	11.70	6.41
		52.5	10.0	¢		4.50	Ū.		•	13.1	17.1	62°B	35.72	11,50	8.41
	1.1	55+8	10.0	ڻ		05.4	7.96		9 9	16.4	17.0	6246	35.55	11.20	8.41
	19	0.60	10.0	9C.0		00.4	O.		06	19.7	16.9	62.4	35.72	11.00	4 0
									0	m)	16.3	61.3	35+82	ú	8.37
JUNE 172	0	0	18.8	P • G ⊃	34.69	04.5	4		р 0	20.5	16.0	€0•B	36+65	10.40	8.37
	01	(i)	9 8 8	6.1.0	34.94	04.2	Ę		ф О	29.5	8 * G T	60.4	36•18	10.40	8.36
	6 0	9.6	•	65.8	35+11	06.42	6.38		10	32.8	15.5	56.9	36.45	6.70	
	P 0	9	18.6	65.0	35.15	Q	ď		1 7	36.1	15.0	55.0	36.64	04.5	~
	*	13.1	18.0	0.00	35.19	5 + 20	٠		12	4.00	14.8	56.6	36.83	05*5	8.33
	S	16.4	18.8	8.Co	35.2e	02.45	E.		E C	4 2 . 6	14.5	58+1	36.83	00.5	
	90	15.7	18.0	4.40	35.64	6.70	•		7 7	4 0 0	14.1	57.4		6.70	8.28
	٥٧	23.0	17.0	62.6	35.65	Š	(¥		15	ď	14.0	57.2		€ • 30	8-17
	60	26,2	16.0	ec.8	36.17	e•20	ď		91	Š	12.8	55.0		04.4	8.12
	•	29.5	ě	66.8	36+26	00°2	6.24		17	Ġ	12+8	55.0		0 0 0	8+12
	٥	32.B	15.6	55.4	36+73	7.40	3		1 B	29.0		0.40		5.30	7
		36.1	14.9	10 to 10	41	7.40	6.20								
		30.4	14.2	57.6	G6.93	20°2	8.19								
		42.6	14.0	£7.2	36.54	6.80	8 • 1 7								
		45.0	13.7	56.7		6.70	8.16								
		5.64	13.0	55.4		¢•60	7								
		57.5	12+2	54.0		ū	٠								
		υ. Θ	15.2	64.0		0 4 C	9.00								
	9 7	29.0	12.0	m		li.)	7.99								
		62.3	12.0	53 · 6		4. 30	Ġ								

OUNDATION

u.

HANCOCK

A L L A N

ROUNCATION HANCOCK X + 1 + X

PHYSICAL DATA BEPORT

PHYSICAL_DAIA__REPORT

-	LAIIIODE	03354155													
RECORDING	20	H	TEMPER	ATU	SALINITA		Ŧ	RECORD ING	ŀ	I HTG	TEMPERAT	RATURE	SALINITY	DIS CXG	
PAIE	METERS.	- 1	\$	<u> </u>		EBB	5005-8 <u>5</u> 1-4	DATE	METERS.		اد		I de la		ONOS-NOT-H-
SEPT 172	00		19.6	67.3	Q.	O.	35 EJ	NOV .72		0		59.4	4 .	95.5	9.24 42.64
	0	. E	•	66.9	Ψ	5	8 B 3 S			0.0	15.6	o	34+57	0 h • 5	N
	0.2		•	66.9	Ρ.	0.6	8.36		0 1	M ⊕ M	15.5	•	۲.	00.5	8+23
	03			66.7	- œ	4	8.35			ri) Fi	15.5	Ġ	4	09*5	(U
	4	13.1	•	66.0	0	0.0	8.35			0.0	ņ	ċ	4.7	5.60	ď
	\$0		19.0	66.2	-	ų	9,34		0.2	٠	15.5		a,	oo • 5	5
	000	1.0.4	18.9	0.99	35.15	9. EC	45.40		e o	8 • 6	15.5	ġ.	•	00-5	8.23
	0.7	~	18.7	65.7	P)	au	#E * #		0 3	ø.	•	69.4	34.74	5.60	N
	90		18.5	65.3	LD	9	~		* 0	13.1	å	0.9	۲.	5.60	N
	0	٠	18.0	64.4	40	0	T,		40	13.1	15.5	ů,	o.	B.90	O.
	01	ď		63.9	30	U	P		90	16.4	ņ	ď	24.63	00 • 5	8,20
	11	¢		63+9	00	0	m		90	•	٠	ċ	4 9	2+10	N
	15	,		r)	00	Ų	8.33		90	19.7	15.5	0. 0. 0.	φ.	00.5	N
	~	ď	•	ċ	173	٠	m		90		å	4.00	4	5.4.60	Ŋ
	4.	ú		59.7	-U	0	m		C 2	m	15.2	4.4	6 • •	09*5	ru:
	15	ď	15.4	ů	•		m		0.7	23.0	15.5	0.00	34+92	00*5	ď
		,							90	26.2	15+5	56.9	36*95	06 ° A	6.23
OCT 172	0	0.0	17.0	62.6	5 . 1	24.9	7		6.0	26.2	15.2	4.50	4	9 E E	N
	0			62.4	10		-		60	29.5	15.2	4 . Q	5 • 4	2.60	Š
	8		•	62.2	5		7		60	29.5	•	ţ	•	00*5	N
	10			62.2	24 15		-;		10	32.8	15.5	ò	5.0	00.5	O.
	0			61.9	4		_		10	32.8	15.2	ů	4.9	5.50	C)
	0	16.4	16.6	61.9	4.					36+1	15.2		34.92	24.60	6.21
	0	19.7		61.7	35.55		6.17		::	•	15.5	ċ	5.0	9 • 0 • 0	8,23
	0.7	'n	16.0	60.B	00		-		71	39.4	15.6	ů	9	8 · 50	N.
	n O	•0	15.9	60+6	(C)		-		12	49.65	15.2	Ġ	34.42	0 0 0 0	8,21
	э. О	Ċ,		60.4	5.6		-		13	42.6	15.2	ů	€ 6 € €	0 9 + 5	6.21
	10	N		60.4	5.6		-		13	42.6	5.5			0.0	ନ ଅକ୍ଟେମ୍ବ
	11		15+8	60.4	5.6		-		*	40.4	15.5	ው ው	5.1	00.5	4.24
	12	39.4		60.4	0.0		-		4 4	05 40 4	15.2	•	•	00.0	8.20
	1.3	44.6		₽. ₽.	5.7		e+15		91	o-	•	œ,	4	e+ 70	o 1 • 8
	14	45.0		4.20	φ. Φ.		8.13		12	0 t	15.5	50.0	35-10	6.90	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	11.0	49+2	15.0	98.0	36.00		6+13		91	52.5	•	-	 	06.8	ભા⊸
	16			58.6	S.		4		91	10 10 10 10 10 10 10 10 10 10 10 10 10 1	•	_	an a		6.17
	17			57+6	5.6		8.11		17	55.8		_	•		-
	9 1	29.0	13.5	56.3	36.10		4		17	55.6	15,5		ó	E• 60	Λ.
	19				36.4E		H-11		30	Gr.	14.2	•		อ (ถ)	-
	5.0		٠	ď	36.4€		6.11		81	•	٠	ċ	•	6.70	NI.
									61	62.3		ů.	35.4E	a 0 0	N
									61	r,	14.2	÷		e•30	-
									20	ů		ċ	4	e • 80	Ň
									21	8	15.3	υ. Υ.	5.4	6.70	
									22	72+2		Ů.	4	6.70	8,22
									E CI	•	15.3	ů	4	E+70	Q.

Z U

OUNCATI

u.

X O O O V V I

ALLAR

PHYSICAL_DAIA__BEDORI

13a

PHYSICAL_LEAIA_BEPOHI

3	NOS NOT H																						
118:14:33	DIS CXG	7.10	7.10	¢.80	7.20	6.50	7.00	7.20	7.10	7.10	6.50	7•10	7.10	7.10	7.00	6.0	6.90	7.20	7.20	7.20	7.10		
2) LONGITUDE	SALINITY PEI	32+79	32.98	33.07	33.07	33.26	33.73	33*6E	34.01	34.01	34+11	34 • 11	53.63	34.20	34.20	34.20	34.20	34.20	34,30	34.40	34.77		
BUOY (71-72) N	ATURE	55.0	0 81 9	55.6	55.6	55.6	55.6	55.6	55.6	4) 4)	55.45	55.6	64.9	55.6	55.6	95.6	55.6	55.6	55.0	85.8	55.8		
SEA BUD	TEMPERATURE	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.3	13.1	13.1	13.1	13.1	13+1	13.1	13.2	13.2		
01 SEA 033:41:57	1	0	10) 10) 10)	5+6	9.6	13.1	16.4	19.7	23.0	26+2	29.5	32+8	36+1	39.4	42+6	45.9	49+Z	52.5	555 €	0*69	62.3		
STATION: LATITUDE	- DEPTH -	0	0.1	0.2	٠ 0	0	65	0	40	90	60	10	11	12	M)	†	15	9	1.7	91	61		
v. 2	HECORDING DATE	.73																					
	ECC PA	A A																					
	PH 100 CCNC	34.46	8.43	8+42	30 51 51	6.42	8 • 4 2	0.47	8.42	8-41	8.41	8•41	8.42	8.41	8+41	9.40	6.40	8.34	6.3e	6.3 8	B. 38	6.39	36.38
11.6214733 #	DIS OXG PH	11.30 8.46	11.20 8.43	11,00 8,42	11.00 8.42	11.00 6.42	10.80 8.42	10.80 6.42	11,20 8,42	10.80 8.41	11.00 8.41		11.00 6.42	10.50 8.41	10.50 8.41	10.60 8.40	1C.80 8.40						10.60 8.38
ONGITUCE	SALINITY DIS DKG		11.20	11.00			10.80	10.80									10.80	16-70					
ONGITUCE	SALINITY DIS OXG	11.30	11.20	11.00	11-00	11.00	10.80	34.82 10.80	11.20	35.0e 1C.80	11.00	11.00	34.59 11.00	10.50	10.50	10.60	35.09 10.80	35.09 10.70	35.17 10.50	35+17 10+50	16.50	10.80	16.60
ONGITUCE	SALINITY DIS OXG	34.81 11.30	56.1 34.81 11.20	58.3 34.72 11.00	34.72 11.00	34.62 11.00	34-91 10-80	34.82 10.80	34.59 11.20	35.0e 1C.80	35.09 11.00	34.99	34.59 11.00	35.18 10.50	35.09 10.50	35.0% 10.80	58.1 35.09 1C.80	57.9 35.09 10.70	35.17 10.50	57*4 35*17 10+50	35+17 16+50	35.17 10.80	35.17 10.60
	TEMPERATURE SALINITY DIS OXG	14.5 E8.1 34.81 11.30	56.1 34.81 11.20	58.3 34.72 11.00	58.4 34.72 11.00	56.6 34.62 11.00	58.6 34.91 10.8U	14.8 58.6 34.82 1C.8C	56.1 34.59 11.20	57.6 35.0e 1C.80	14.5 56.1 35.09 11.00	58.1 34.99 11.00	58.1 34.59 11.00	57.9 35.18 10.50	56.1 35.09 10.50	58.1 35.0% 10.80	14.5 58.1 35.09 1C.80	57.9 35.09 10.70	57.6 35.17 10.50	14.1 57.4 35.17 10.50	1 57.4 35.17 10.50	1 57.4 35.17 10.80	14.1 57.4 35.17 16.60
ONGITUCE	ERATURE SALINITY DIS OXG	14.5 58.1 34.81 11.30	14.5 56.1 34.81 11.20	14.6 58.3 34.72 11.00	14.6 58.3 34.72 11.00	14.8 5£.6 34.82 11.00	14.8 58.6 34.91 10.8U	14.8 58.6 34.82 1C.8C	14.5 58.1 34.59 11.20	14.2 57.6 35.0e 10.80	14.5 56.1 35.09 11.00	14.5 58.1 34.99 11.00	14.5 58.1 34.59 11.00	14.4 57.9 35.18 10.50	14.5 Etal 35.09 10.50	14.5 58.1 35.0% 10.80	14.5 58.1 35.09 1C.80	14.4 57.9 35.09 1C.70	14.2 57.6 35.17 10.50	14.1 57.4 35.17 10.50	14.1 57.4 35.17 16.50	14.1 57.4 35.17 10.80	14.1 57.4 35.17 16.60
01 SEA BUDY (71-72) 033:41:57 h LONGITUCE	TEMPERATURE SALINITY DIS OXG	0.0 14.5 58.1 34.81 11.30	3.3 14.5 56.1 34.81 11.20	6.5 14.6 58.3 34.72 11.00	14.6 58.3 34.72 11.00	13.1 14.8 5£.6 34.62 11.00	16.4 14.8 58.6 34.91 10.8U	19.7 14.8 58.6 34.82 10.8C	23.0 14.5 50.1 34.59 11.20	26.2 14.2 57.6 35.0e 1C.80	29.5 14.5 58.1 35.09 11.00	32.8 14.5 58.1 34.99 11.00	36.1 14.5 58.1 34.59 11.00	39.4 14.4 57.9 35.18 10.50	42.6 14.5 Et.1 35.09 10.50	45.9 14.5 58.1 35.0% 10.80	49.2 14.5 58.1 35.09 1C.80	52.5 14.4 57.9 35.09 1C.70	14.2 57.6 35.17 10.50	59.0 14.1 57.4 35.17 10.50	62.3 14.1 57.4 35.17 16.50	65.6 14.1 57.4 35.17 10.80	68.9 14.1 57.4 35.17 10.60

1**4**b

14a

PHYSICAL_PAIA__BEPORT

PHYSICAL DAIA...REPORT

J	STATION: Latitude	∢ 0	SEA BUOY 13:41:57 N	^ 0	LONGITUCE	118:14:33			نده	STATION: LATITODE	A 1 G 3 3 : 4 L	SEA BUCY	>	LCNG1 TUGE	118:14:33	s
RECURDING DATE	- MEIERS -	77 H TEET	TEMPER	EMPERATURE	SAL INITY	015 CXG	PH 2002_MQ1_H	RECURD	RECURDING DAIE	- DEPTH METERS.ES	7H - -EEET	TEMPERATURE	ATURE	SALINITY	DIS CXG	5455_401_4_
100	00	9		40 40 40 40	4	7	8.15	d	13	00	0	÷	51.8		0.4.9	27.7
	0 0		m	55.0	Ň	N	8+15			01	E .	10.6	£1•1		02*5	•
	20		۱۳,	ď	3.0	7	8.15			0.2	0.0	ċ	50.5	30.46	େ 60	•
	. M		m	55.6	33,20	5.10	8.16			0 3	8.6	ċ	ċ	30.76	6+50	7.77
	1 4			u.	4	7	0.16			40	13.1	10.0	60.0	31.40	6.20	•
	, 50		lu)	S	33.40	6.20	8.16			0.5	16.4	5.5	48.0	31.60	6+00	
	9 0		13.1	4)	33,50	00.5	0.17			90	19.7	0 10	67.5	32.00	4.50	•
	0		,	51.0	33.60	9.20	8.17			10	63.0	છે. જે	47.3	32.10	07**	7.57
	10			ŝ	33.70	5.10	6.1e			80	26.2	8.5	47+3	32.00	4 - 20	
	9 0	25.5	i m	ı,	33,70	00*5	8.18			€0	29.5	8. 8.	47.3	32.00	4.10	•
	0.0	32.8	ุก	ú	33.70	6.30	5.15			01	32+8	6.3	46+9	32.20	4.10	7.57
	11	ψ	13.1	'n	33.60	5.10	8.19			1.	36+1	D 4	47.1	32.20	4.10	
	2	O.	13.1	ш	33+40	04.5	6119			12	39.4	8.2	46+8	32.40	4.10	
	m		13.1	ŝ	34.00	04.0	B+19			13	42.6	8•2	4¢•3	32.50	4-10	
		i in	13.1		34.00	05.42	8 1 9			4	6:04	8.2	4 4 4 5	32.50	4.10	
	1 47		1341	មា	34.00	5.30	6.19			15	÷	8.2	•	32.50	4.10	•
	-	,	13.1	3		01.5	e. 1 o			10	•	8.2	46.8	32.50	4.20	9
	21	, a	13.1	Æ)	34.00	6.30	8.19			13	55.8	8.2	Φ	32,50	4.10	7.62
	· 4	0,00	4	ż		r	8.19			10 =	ċ	6,2	46.8	32,50	4.20	٠
	9	•)						•						
17. HAM	0		15+7	66.3		0	'n	₩ ¥	473	00	0.0	•	56.5	Ð.	0	•
	10	, m		5.847	31.90	10.20	9•3≎			10	3,3		55.0	33.80	<u>خ</u>	•
	0		15.2	50.4	O.	, V	'n			9.0	9.9		53.8	33+70	7	6.51
	1 0	8.6	15.1	55.2		0.0				03	9 6		53.1	33.7C	ı V	5+46
	4		15.1	5.0	'n	16.10	Ŋ			0	13.1	•	52.7	33.70	a)	6.43
		•	15.1	55.2	32,30	16.10				0.5	16.4	11.5	52.7	33.60	4.50	6.41
	9.0	o	15.2	4.00	C)	10.00	N			90	2	11.3	52,3	33,50	Ų.	6.39
	20	m		55.2	32,30	oo a				40	177	•	51.8	33.40	7	6.38
	E 0	9	S.O.	9.60	4	-37	6.21			e o	Ð	0:11	51.8	33+70	به	26.9
	0.0	ď	4	64.6	32.70	30	7			60	29.5	10.4	5 1. 6	33.70	`	6.35
	0.5	32.8	4	57.2	32.40	8+50	7			10	œ	10.9	21.0	33.70	٠.	6.36
		ů	4	57.5	2.4	7				11	v)	10.0	-	33.70	`.	6.35
	2	4.96		57.5	2.0	7	7			12	4.66	10.9	9*15	33.70	÷	6.36
	i າ	- 21	3.61	57.0	32.60		8.14			13	45.6	•	4	33+70	04.5	6.3€
	4	ı K		56.9	8	4	7			4.	45.9			23.70		6.35
		0	1347	56.7	2.6					15	Q.	11.9	'n	33.70	÷	6+36
	9 -	0		(S)	4	-	7			91	-74	12,0	F)	33,70	•	6.3 6
	•	i								17	55.8	-	å	3+7	÷	6.36
										18	O.	11.0	ň	ς.	ç	6.3t
										61	62.3	11.9	53.4	Ė	3.60	٠
										20	9.50	11.9	m	33.80	3+50	Ç. ₩ 32

HANCOCK

ALEAR

15a

PHYSICAL_CAIA__REPORT

PHYSICAL_CAIA__6EPORI

														ı 1
- 13 13 14	— ОЕРТН — МЕТЕМБ-"ЕБЕТ"	TEMPE	TEMPENATURE	SALINITY	DIS OXG	PH 1972-052-05	RECORDING DAIL	* CEPTI	199	TEMPER S	MPERATURE CE	SAL INITY	DIS CXG	5475-N51-7-
	0	13.4	56.1	34.00	6.80	7.92	AUG •73	0.0	0.0	17.5	m	3.6	•	
	_	13.1	ň	•	7.20	Ç.		0	F)	17.1	62.B	3.6	7.70	
	0	12.9	ď.	•	7.40	0 1		0.2	9.9	16+6		3.5	E-10	•
	m ·	12.8	د	თ. ო	7.30	Ġ.		P) O	φ •	16.0		3.6	8.20	•
	* PT -	12. 12.	٠ د د د د	33.40	0 4 0	•		•	13.1	20°0	å	3.6	B.00	
	. 16.	12.7		3.8 B	7.70			ទ	16.4	15.3	ď.	3.7	6.00 E	•
	9 1	15+6 1-1-6	.	e .	7.40	•		9	19.7	14.7	•	3.€	E.20	•
	07 23.0	12.4	0.4°0	33+80	7.10	7.92		£ 0	23.0	14.2	57.6	33.50	E.20	7.34
	92.0	12.2	•	۳ . ا ب	7.20			80	26.2	14.0		3.6	7.90	•
	on i	12.0	m	, . ,	2.00	•		60	0.00 0.00 0.00	m	56.8	3.6	7.90	•
	35.	·	• •	7.0	9.0	7.86		0	32 . d	13.5	٠	4.0	7.80	•
	36	.	r	33.70	6.50			11	36.1	13.2		3.5	7.60	•
	ጣ	٠	÷	a) e e	6.50	•		1.2	39.4	13+1		4.5	ď	
	42	-	53.2	3.7	6.40	œ.		1.3	\$5.¢	13.0		9	7	
	45.	•	71	, a	6.50	œ.		4	4.0.4 Q.	12.6		3.4	7	•
		•		١,	6.50	•		15	48+2	12.7	54.5	3 + 4	•	7.25
	20	11.6	62.9	7.	6.40	2.90		0	52+5	12.7	•	3.4	a	٠
								17	55 6	12.6		33.40	0	
		_		33.40	7.50	7.92		18	20.0	12,6	•	4 4 5		•
	01 343	• :		33.40	06.7	15.		61	62.3	12.6	54.7	4	N	•
	V	• !	•	0 t	2 4									
	rn .		63.5	33.50	7.00	η . · · · · · · · · · · · · · · · · · ·	SEP1 • 73	00	0.0	ô	60.b	9	e.20	7
	at I		0.0	33.50	7.10	о		0 1	L)	15.8		~	04.8	8.11
	٠ د		63.0	33.50	7.00	7.94		05	0.0	15.8	•	۳. تا	B • 4 0	7
	9	16.7	ณ	33.40	2.00	•		0	9*8	ů	ô		8.40	7
	.u .	10.	c 2 • 1	33+40	6.90	ው ነ		4 0	13.1	'n	ċ	33.30	B.30	-
	8 56	16.6	61.	33.40	05.0	95.		90	16.4	15.8	ċ	m	8+20	8.11
	(A)	0 * 0 !		1 to		a .		90	19.7	15.7		33.30	8.20	7
	7 .	0 0)	000	9 (9 (9 (* '		20	23.0	ď	66.1	m	£*20	٦.
		4.	0 .	0000	00.	0 (80	•	ů		η	9.10	7
	, c) ·	7.	000	0 0	1 7 • 1		60	Dr.		Q.	33,30	e•10	•
	7 .		וש	٠,	9 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	٠,		01	N.		E)	P)	8+00	•
	e e		å.	•	01.0	~ 1			•	*	Q.	3.3	7.90	۰
	ر م	•		÷.	4	× 1		12	ው	4	æ,	3.3	7.60	9.04
	n i	12.4			٠	7.73		P)	42.6	÷	5643	33.36	7.60	•
	n n	٠	•	'n	4 0	7.73		*	47	÷	►	(†) (†)	7.30	۰
								9	49.2	4		33,30	7.40	8.01
								16	ċ	14.0	ř	E .	7.40	•
								17	'n	13.6	į	33.50	7.30	9
									ċ	13+0	65.4	33.40	7.20	7.96
								61	ณ้	12.0	4	33+30	7.00	÷
										12.4	5443	'n	0000	0


ALLAN HANCOCK FUUNDATION


PHYSICAL __CAIA___REPURI


*	5V55"NOT"4	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
118:14:33	DIS GXG	0000 Nam 2000
LCNG TUDE 118:14:33 *	SAL INITY	000 000 000 000 000 000 000 000 000
35 A BUOY 157 N	— DEPTH — TEMPERATUPE SALINITY DIS GXG PH METERS. FEETLS	17.0 62.6 17.0 62.6 17.0 62.5
A1 033:41		0 * * 9
STATION: A1 SEA HUOY LAIITUDE 033:41:57 N	- DEP	00 01 02
97	RECURDING DATE	DCT •73

	\$\pi \text{a} a
DOO OO DOO OO	
00000000000000000000000000000000000000	01110000000000000000000000000000000000


00000000000000000000000000000000000000	000000000000000000000000000000000000000
٠ ٤	٤٢٠
מכז	200


























1972 DISSOLVED OXYGEN
STATION: 02 R4 BUDY (71-72)
DATA: DEPTH METERS / DIS OXG PPM





STATION: A2 R4 BUDY
DATA: DEPTH METERS / DIS OXG PPM






1972 PH DATA







PHYSICAL CAIA REPORT

N O C N C M 1 1 C N HANCOCK A L L A N

PHYSICAL DAIA REPORT

	STATION: 02 R4 BUCY (71-72) LATITUDE 033:43:55 N	0.83:4	R& BUC) 3:55 N	Y (71-72	2) LONGITUDE 118:15:14	118:15:14	•	., _	STATION: LATITUDE	033:43	02 F4 BUCY (71-72) 033:43:55 N	(71-72	LONGITUDE 118:15:14 W	118:15:14	
0 2 0 0 0		11000	0 U O T U L	TAIL TAIL		0 to 0 kg	1	RECORD ING	- 0EP1	ı E	TEMPER	ATURE	SALINITY	oxo sid	ī
PAIE	밝	FEET	- !			E E E	E_IGN_GONG	DATE	METERS FEET CF	FEET	4	E	<u>P91</u>	Ì	5455_K21_4
12. AN111	00	0.0	16.0	60.0	32.90	7.10	8	SEPT •71	0	0.0	8.61	67.6	36.30	5.30	6.2
		, P)	0.00	0.00	32,50	7.10	8,32		10	5.3	19.3	66.7		4.40	8.22
		4	15.7	60.3	32.90	0.00	8.31		0.2	9*9	6.81	66.0		2.60	6.22
	9 4	13.1	15.6	60.1	33.00	¢•50	8.28		0.3	20	16.8	65.8		5.BO	3.22
	90	19.7	15.0	59.9	00 E	00.5	9.23		0	13.1	18.7	65.7		08.5	6+21
	10	23.0	15.2	9.00	1				0	16.4	17.0	64.0		8.60	51.8
	ď	29.5	15.1	10 10 10 10					90	19.7	16.6	61.9		7.60	9.06
	0	9.00	044	57.2					67	23.0	15.8	£0.4		7.10	8.02
	2 -	40.0	0.461	1 4 1 4					80	26.2	15.5	6.59		6.50	7+99
	. eq	40.0	12.4	10 U					60	29.5	15.4	2.59		t.90	7+99
	•))					10	32 . B	15,3	55.5		6.50	7.96
12) A IDI	00	0.0	19.8	67.6	33.84	10,50			11	36.1	15.2	56.4		6.30	7.95
		E 4 E	6.0	67.6		•			12	39.4	15.0	29.0		€•3¢	7+95
	· 6	9.6	19.6	67.3					13	45.6	14.5	56.1		6.40	7.94

0.0

7.20

34+18

AUG *71

999776994 9999776994 999989999

PHYSICAL DAIA BERDRI

PHYSICAL__CAIA__REPORT

	STATION: LATITUDE	0.2	02 R4 BUCY 033:43:55 N	R4 BUCY (71-72)	LONGITUDE	118:15:14	,	6	STATION: Latitude	02 K4 BU	64 BUOY :55 N	64 BUOY (71-72) :55 N	LCNGITUGE	118:15:14	*
RECORDING	- DEPTH -	7.H	TEMPER	TEMPERATURE CE.	SALINITY	DIS GXG	PH PHODINGT H	RECORDING DAIE	— ОЕРТН MEIERSE	TH - 	TEMPERATURE	ATURE	SALINITY	DIS OXG	PH 10N-20N2
OCT •71	00	0.0	17.4	Ð + Ð 9		5.10	8.15	12. VON	00	0	15.0	69.0	80 80 80 80 80 80 80 80 80 80 80 80 80 8	30.5	6.20
	00	0.0	17.9	2+50		9.50	8.24		01	Ε.) Ε.)	15.0	0.69	35,55	3.00	8.20
	10	3.3	17.4	6343		08*5	4 1 4		0 20	¢.6	14.5	56.1	30.01	3.20	8+20
	01	η • 1	17.9	64.2		5.50	6.24		03	9.8	14.5	58.1	36.01	3.20	6+20
	0.2	0	17.4	65.3		03+5	8.14		90	13.1	14.5	56.1	36.01	3.30	8.20
	0 2	9.0	17.9	64.2		5.00	8.25		0.5	16.4	14.5	56+1	36.01	3.40	B•20
	69	8.6	17.3	63.1		05*5	8,13		90	19.7	14.5	58.1	36.47	3.40	8.22
	£ 0	9.6	17.6	64.0		0 * * 5	8.25		7.0	23.0	15.0	99.0	36.00	3.40	8.22
	*0	13.1	17.1	62.8		04.0	9.12		90	26.2	15.0	55.0	36.00	0 to 0	8.22
	40	13.1	17.5	6.5 5		6+30	8.18		ď O	29.5	14.5	58+1	36+47	3+40	8.22
	90	16.4	16.7	62.1		5 10	50.8		0.7	32.8	14.5	56.1	36.47	0 t •	8+22
	0.5	16.4	16.9	62.4		7.65	8.14		11	36.1	14.5	58.1	36.47	3.60	8.20
	90	19.7	16.0	6C+8		7.41	8.11		15	39.4	14.5	58.1	36+47	3.50	8.22
	0.0	19.7	16.6	61.0		8 + S 0	8.08		n 1	45.6	14.5	58.1	36.47	(1)	8.20
	50	23.0	16.0	60.8		7.25	8.11		4	45.9	14.5	56.1	36.47	0 * * 10	8.20
	20	23.0	10.5	61.7		E.7G	8.06		15	7.64	14.5	56.1	36.47	6.0 6.0 0.0 0.0 0.0 0.0	8*18
	PO	26.2	16.0	60.8		7.25	8.09								
	80	26.2	16.4	€1•8		E.70	8.05	DEC •71	00	•	11.0	9*19	33*86	12,50	8.30
	ф О	29.5	15.8	60.4		7.05	6.07		70	M M	10.9	11.6	33.08	12.40	8.30
	0. 0	56-62	16.1	61.0		E.50	8.04		0.2	9.9	10.8	51.4	33.17	16.40	8.31
	01	32.0	15.1	56.2		7.10	8.07		03	9.6	10.9	51.6	33.57	12+20	8.31
	0.7	32+8	15.8	60.4		e.30	10.6		*	13.1	10.9	51.6	33,87	12.00	8.29
		36.1	15.0	59.0		7.48	g. 06		0.5	16.4	10.8	51.4	33.17	11.90	8.31
	11	36.1	15.4	59.7		6.20	10*8		90	19.7	10.8	51.4	33.67	11.90	8.28
	12	₹*6 F	14.4	57.9		6.00	7.647		20	23.0	10.B	51.4	33.67	11.90	8.27
	12	4.65	14.9	56.8		7.41	8.07		0 8	26.2	16.0	20.0	33.40	€.70	8.10
	13	42.6	13.9	57.0		E • 10	7.67		00	58.5	9.2	45.6	33,63	7.10	7.91
	1 1	42.6	14.6	56.3		7.40	8.0ò		0.7	32.8	0.6	48+2	33.82	6.40	7.87
	7 7	\$ 0	13.7	56.7		E.10	7.96		11	36.1	8.8	47.8	34.01	£= 00	7.63
	15	4 V	13.6	56+5		00°a	7.95		2 1	39.4	8.7	47.7	35.68	£.80	7.82
									€ 1	45.6	8.5	47.3	36.19	Ġ	7.80
									1.4	45.0	6.3	46.9	36.08	6-10	7.47

ALLAN HANCOCK FOUNDATION

PHYSICAL-FAIA--REPORT

PHYSICAL_DAIA__REPORT

	STATION: LATITUDE	02	02 R4 BUGY 033:43:55 N	Y (71-72	LONGITUCE	118:15:14	•		STATIUN; LATITUDE	02 R4 B 033:43:55	#4 BCC¥	(71-72)	LONGITUCE	118:15:14	•
RECORD ING	- 0£P	DEPTH -	TEMPERATUR	RATURE	SALINITY	oxo sta	ī	RECURD ING		+ ====================================	ш	RATURE	SALINITY	DIS CX6	T a
DAIE		13	4	F.	EBI	¥110	5465-NOT-4-	PAIL		_FEET	3	4		# OC	NO 10 10 10 10 10 10 10 10 10 10 10 10 10
247	00		11.9	4 F)	35,00	7.60	8 + 13	APE 172	00	0	10.5	61.7	ψ	14.20	7.2t
•	9 5	, m		4 (U)	35.00	7.50	m		61	E.	16.1	61.0	34.60	13.00	6.27
			11.9	4.6	35.50	7.50	8.31		20	9.9	16.0	8.00 8	DB.	12+20	5
	£ 0	0	11+8	53.2		8+00	8+33		0 3	8 9 3	15.5	56.0	35,10	10.30	8.16
	4		11.7	53.1	35,30	E • 00			40	ř	15.4	£9#7	E)	10.10	8.17
	. O	. 0	11.6	6-29	35.40	8.10	8.34		6.5	10.4	15,3	5.65	O.	2.50	B.14
	90	•	11.5	52.7	35.50	_ (T)	m		90	19.7		55.0	35.2€	6.50	0.0
			11.4	52.5	35.60	7.80	m		70	23.0		56.0	5	9	8.07
	0	9	11.4	52+5		7.90	6+34		60	26.2	14.5	58.1	φ • •	6.40	့
	9	,	1104	(A)	٦	-	6.34		ф Ф	0.0 0.0	14.5	1.90	35 B4	ů.	0
	01	· N	11.4	52.5	36.10	6.10	8.35		10	32.8	14.2	57.6	35.82	7.80	8.02
	: :	ı o	11.5	52.7	35.90	7	8.35								
		4	11.5	η (γ)	O.	ď	F 1	MAY . 72	ပ္	0.0	14.5	Q)	35.54	00.5	8.28
	. F	٠,	11.5	52.3	36.40	N.	8.36		10	D D.	14. 8	58.1	35.64	01.5	L.
		Ç	11.5	Ň	4	~	8.36		0.2	6.6	14.6	58. U	5.6	6.30	6.31
		•		52.7	4	۰	6.37		03	8.0	14.4	67.9	35.73	7.7C	∹
	16	. ~	11.4	N	.0	-	8.37		40	13.1	13.5	5e+3	36.10	7.60	Š
		v		52.5	0.0	۲.			90	16.4	13.1	ů	36.4E	7.20	7
	. 60			10 50 10 10	6	۲.	m •		90	10.7	13.0	¥.	36.67	7.20	∹
	! •								20	23.0	12.9	00 00 04 04	36.57	7.30	7
27.		0.0	12+6	53.6	35.00	6.60	8.28		0.8	8¢.2	12.5	0.4 0.0	56.77	7+30	7
		[1] 4 [1]	· CV	ď	4 0	7	8.27		6 0	8-6-3	12.1	54.6		7.10	₹
		9 4		40	34.80	6.70	4.27		10	32.8	11.5	Š		6.50	8.12
		9 0		10	15.10	6.60	8.26		11	56.1	11.4	0.2 0.5		m)	7
		•		1					15	39.4	11.0	51.8		6.70	٥
C.L.	00		14.7	5.6.5	34.45	6.50	7.58								
	10	r)		58.3	34.72	2,50	7.57	JUNE 172	00	0.0	16.3	5440	34.44	7.00	ď
	0.2	9*9	14.6	56+3	34.90	06.4	7457		5	E E	16.2	64+8	34.77	£•80	٠
	0.3		14.7	6e.5	34,93	5.80	7.57		0.2	9.9	30	0.4.0	34.86	6.90	n.
	0	13.1	1447	ů	34.99	5.80	7.57		€0	9 •	ď,	64.6	35.03	£.70	_
	0.05	•	14.0	58.3	35.08	Ω. Φ. Φ.Ο	7.57		40	13.1	16.3	61+3		5.70	
	0	19.7		ب	ų	5.70	7,57		င္ခ	10+4	16.1	61.0	90°	0 0 0	ë•15
	0.7	L.	14.5	8	L)	39*9	7.56		C	19.7	15.9	60.6	0.0	6.50	_
	60		14.0	57.2	35.54	04.0	7.55		0.7	43.0	15,5	9.09	36.80	6.50	_
	90				ų)	6.40	7.55		60	26.2	15.8	400	36.89	0 4 0	8.14
	1.0	9.40	4	•		080	7.55		60	29.0	15.5	D * 5 D	36.95	5+36	6.13
		1 0 P	13.7	50.7	5.5	4.80	7.50		01	34.	15+3	0.4 0.4		4.60	a.0e
	24	# 45 E		4)	u)	4 + 7 C	7.48		11	36.1	14.5	56.1		4 + 50	5.06
) •									# 6E	14.0	57.2		3.40	0

PHYSICAL DAIA BEPORT

PHYSICAL DAIA BEPORI

	STATION: Latitode		02 K4 BUCY 033:43:55 N	84 BUCY (71-72) 155 N	LENGITUEE	118:15:14		8 1	STATION: LATITUDE	02 R4 BU	84 BUCY :55 N	(21-12)	LONGITUDE	118:15:14	•
RECORDING DAIE	- DEPTH -	DEPTH -	TEMPERATURE	PATURE	SALINITY PPT	DIS CXG	DADS WOT H	RECORDING Date	— DEPTH _METERS£E	1H	TEMPERATURE C. F.	TURE	SALINITY	DIS OXG	T CONC
× 170	0	0.0	0	4	35. 31	0	0	OCT 133	ć	ć	17.5	7 2 7	40	r.	r c
	10	E .	100	65.3	35.11	04.5	\$ CV	•	0	n m	3.4	3 to 40	Ü	•	- V - G
	20	6.6	17.8	64+0	35.37	10.80	6.25		0.2	9.0	17.4	63.3	34.94		8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	60	8.6	17.0	02.6	35.55	00.5	8.22		63	9.6	17.3	63.1	35.03		6.21
	†	13+1	ò	ec•e	36+00	0 m • q	8.19		0.4	13.1	17.2	62.0	35.11		6+20
	9	16.4	15.6	60.1	30.18	7.4C	8.16		90	16.4	17.2	63.0	35.11		8.19
	90	19.7	15.0	59.0	36+46	7.00	8.12		90	19.7	17.1	65.8	35.20		6.18
	20	23.0	13.6	ID 4 U	36.57	5.20	8.07		0.7	23.0	17.0	62.6	35,20		b. 16
	et O	26.2	'n	4.33	36,95	5.10	8.07		e o	26.2	16.9	62.4	Ŋ		6.17
	0	25.5	12.2	54.0		00.0	8.08		о О	29.5	16.6	61.9	35.46		8.16
	10	32.8	11.3	52.3		4.E0	8.09			32.8	16.5	61.7	•0		8.15
									11	16.1	16.2	61.2	35.73		8+13
AUG .72	00	••	19.0	ů	34.54	11.60	E # # 9		12	\$*6¢	15.8	60.4	35.64		8.12
	ō	3.3	19.0	Ü	50.47	11.80	6.44			42.6	15.4	2.53	35.82		8+12
	0.2	9*9	17.5	m	35,11	12.00	8+42								
	03	8.6	16+1	;	35.73	_	8.37								
	40	13.1	15+9	ċ	35.82	5.10	8.30								
	0 U	16.4	15.2	# * * *	36.00	8.40	8.25								
	0	15.7	4.0	å	36.28	6.10	6.25								
	10	23.0	14.5	58 •1	36,56	6.70	6.17								
	0.8	26+2	14+2		36.75	5.20	8.15								
	0.0	29+5	14.1	۲.	36.84	0.5.4	8.14								
	01	32.8	13.8	ċ		4.10	8.10								
	11	36.1	13.5	ċ		3.40	6.05								
	12	39.4	13+2	ú		3.40	٥								
	-	42+6	E E	٠ 0 0		3.30	8.05								
SEPT +72	0	0.0	19.8	0.70	34.20		8.34								
	0.1	E	0.51	67.8	34.25		8.32								
	0.2	9.9	19.4	66.9	34.44		8.30								
	ń	9*0	19.1	96.4	34+86		8+30								
	* 0	13.1	ċ	å	34.94		8+30								
	9	10.4	ċ	66.7	34.86		8.31								
	90	19.7	ċ	9.99	35.02		56,33								
	0 7	23.0	ď	66.6	35.11		8,33								
	90	26.2	ò	66.6	35+15		8+33								
	ò	29.5	ċ	ċ	35.19		6.35								
		32.8	1001	ů	35.44		6.35								
		90	α • 9 •	6.4°	5.		ω. ω.								
	12	4 0 0	٠,		9		8.32								
	13	0	•	0 0	33.460		6.32								

PHISICAL_CAIA_REPORT

PHYSICAL_CAIA__BEPORT

2	STATION: LATITUDE	02	02 F4 BUCY (71-72)	(71–72	LONGITUDE	118:15:14	s	υ 1	STATION: LATITUDE	02	K4 BUCY 1:55 N	K4 BUCY (71-72)	LONGITUCE	116:15:14	•
RECORDING	- DEPTH -	H H H H	TEMPERATURE C	AATURE F	SAL INITY	DIS DXG	9405 Ha	RECORDING DAIE	- DEPTH - METERS FEET	TH - FEET	TEMPERATURE	ATURE	SALINITY	DIS OXC	PH 101 CDNG
4			i i				a c	DEC 172	00	0	14.0	57.2	34.5	11.00	F. 9.20
7 . AON	3 6	2 0	n 0	7 q			91.0		0	3•3	14.1	57.4	34+89	11+00	8.36
	3 -	2 ") (I	01.45	7 - 4 - 6	9 1 0		210	9*9	14.2	57.6	34.96	10.00	8.37
		1 P		9		9.10	60.0		0.3	8.0	14.2	57.6	34.99	10.00	8437
) v		0.00	34.10	7.EC	8+15		40	13.1	14.2	57+6	34.99	10.50	[7] #
	1 0	9	10 to	50.0	34.65	01.9	8.10		0 0	16.4	14.2	57.6	35•00	10.20	ņ
	7 0	0		0.00	34.65	e.20	8.10		90	19.7	14.2	57.6	35.17	16.20	8.38
) P1	8	15.0	0.63	34.19	7. EG	8.16		20	23.0	14.3	57.7	35.06	10.30	6.38
	4	13.1	12	59.5	34.83	6.20	8.11		60	26.2	14.3	57.7	35.06	10.00	8,37
	4		15.0	0.68	34.26	E.00	8.16		60	29.5	14.3	57.7	35.16	10+00	m
		4.4.	0.4	0 € 10 €	34.37	6.00	8+17		0.1	32.8	14.3	57.7	35+27	05.40	6.38
	9 0	16.4	15.3	(I)	34.63	7	8.12		11	36.1	14.3	57+7	E S	10.00	17
	9 6	19.7	F 45.		34.95	6.10	8.12		12	30.4	14.3	23.7	3	10.00	8,36
	9 6		15.1	20.00	34.46	7	8.18		E	42.6	14.3	57.7	5.2	5.E0	m)
	20	0.0	15.1	60.0	34.55	E+10	8.16		77	45.9	14.3	57.7	35,45	10.00	9*36
	0	23.0	15.3	60.0	34.83	6+10	8.12								
	9	26.2	15,3	5.5	34 • 92	8.10	8.12	SA. NAL	00	0.0	13.1	50.0	34.77	5.7¢	
	80	26.2	15.2	59.4	34 • 56	e 20	8.18		70	3.3	13.1	55.6	4	£.7¢	
	0	59.5	15.3	65.5	34.74	6.10	8.20		0.2	9.9	1.51	55.6	9	£.70	
	6	29.5	15.3	U	34.92	6.10	8.12		0	ر. و	13.1	55.6	35.15	0440	
	0.1	1 5 E	15.3	55.5	35.01	E+10	8+12		40	13.1	13.1	ų,	35.15	04.0	
	0	32.8	15.5	6.00	34.83	8.20	8.21		0.5	16.4	0 ·	2) ·	35.06		
	-	36.1	15.5	6.69	34+92	O P) * W	6.21		90	. 6	13.2	0.00 0.00	35.15	2.70	
	1.	36.1	15.3	9.59	35.01	e • 20	8.13		0.7	23.0	13.2	50°	35.15	O 1	
	13	40.0	15.3	10°00	34.92		8.14		œ O	26.2	m	in in	32.15	() ()	
	21	4 0 0	15.5	,	35.01	9.5C	6+22		0	58.5	m	65 B	5.	26.9	
		N	15.4	59.7	35.2E	08.9	8+22		10	32.6	13.2	1) () ()	35,25	6+60	
	. m	N	14.0	56.0	9	8.50	8.16			36+1	13.4	56.1	35.16	ۥ20	
		i id	15.4	55.7	35.2H		8.22		2	4.66	13.4	56.1	 	900	
	•	,			,				13	42.6	13.4	56.1	35.25	C+20	
									14	95.9	13.1	55.6	5.5	5.50	
									s	•	13.1	55.6	35.43	4	
									9 7	52.5	13.1	55.6	35.43	£+60	

PHYSICAL LAIA KEPORI

PHYSICAL_UAIA__BEPOHI

	STATIUN: L ATITUDE	4: FF O	RA BUCY 43:03 N	>	LUNGI TUDE	116:15:37		. J	STATION: LATITUDE	A2 033:43	R4 8UCY		LONGITUE	118:15:37	a.
RECORD ING		ı H	TEMPE	EMPERATURE	SALINITY	DKG SIG	Į,	RECORDING	- DEPT	Į.	TEMPERATURE	ATURE	SAL IN LTY	exe sta	ĭ
DATE	METERS	FEET	J	4	PPI		15N CONG	DAIE		EEET	J	4	100	- !	F. ION. CONC
FE8 173		0.0	13,1	55.6	32.10	•	30 40 40	APK • 73	00	0	12.0	53.6	32,10	CP.	
	0	۳ ۳	13.1	0.0°	32,30	E. BO	80.3		0 1	3,3	11.9	() ()	32.70	05	7.78
		0.0	13+1	55.6	32,50	e.e0	8.09		0.2	9.9	11.7	53.1	33.2C	•	
		9.6	13.1	55.6	32.60	8.70	80.8		Ç 3	60	11.4	52.5	33,60	∧	١.
		13+1	13.1	0 H	33.10	£•60	50.9		9		11.2	11 64 14	33.80		
		16.4	13.1	55.6	33.20	E+50	60.8		9.5	•	11.0	51.8	34.00	- Cu	١.
		19.7	1.4.1	55.6	33,30	6.40	E+05		90	19.7	10.9	51.6	32.60		7.76
		23+0	13+1	55.6	33.40	6.50	9.09		0.7	23.0	10.8	51.4	32+46		۲.
		26.2	13.1	55.6	33.40	E.60	6.10		90	A)	10.6	51.1	32.60	-	7.27
		2.0	13.1	55.6	33.60	8.EG	8+12		ა 0	O.	10.5	50.9	32+50	140	7.76
		32.8	13+1	55.0	33.90	6.60	8.12		0 4	C/I	10.4	50.7	32.70		7.76
	11	•	13+1	55.6	34.00		6.13		11	36.1	1 C. 2	4.00	32.80	•	7.76
		39.4	13+1	55.6	34.00		8.14		12	39.4	٠	50.4	32.50	1376	7.74
		42.6	13,1	55.6	34.00	E . 70	8.14		e -	45.0	ள ச	45.1	32.90	Ω.	7.60
HAR . 73			14.6	ų.	2.6	16.00	6.22	MAY .73	00	0•0			09 * EE	2.50	47.49
		E * E	14 t	56.1	`	10.00	6.21		0.1	3,3			33.60	7.80	5.72
	0.2	6. 6	14.3	57.7	2.0	10.00	8+22		02	9.9			33.70	0 4 0	6.74
		9.6	14.2	57.6	3.0	10.40	8.23		60	Ø.			34.20	£.60	6,64
		13+1		57.6	٠	10.40	8.24		40	13.1			33.80	6.40	6.62
		÷		57.6	3.1	10+10	6.22		0.5	ø			33.80	¢•40	09.0
		16.5	14.2	57.6	۳	05.5	8.22		90	0			33+80	¢.20	6.59
		23.0	14+3	57.7	3.0	10.20	6+23		20	23.0			33.70	٠.	95.0
		26.2	H 4.	57.7	3,1	10.00	8.23		80	26.2			33.70	6.10	6.57
		20.0		57.7	3.1	10+00	6.22		љ 0	29.5			33,70	¢•00	6.56
		32.8	14.2	57.6		10.00	6+22		0	Ň			33.70	5.10	6.50
	 -	1.0	14.2	Ľ	3.1	10.00	6.22		11	36+1			33.90	٠	6.44
	7 .	•	7 -	٠,	m r	•	d d		2	ò			33.90	8	6.37
) : -	0 0			ч.	20.0	•								
		,	•	•	•		0.00	JONE 73	0 6	o 1	5°51	9 · 0	34.10	2.00	o .
									7	ŋ ·	ů.	0	٥	2.5	J. O. D.
									0.5	9 9	0 • C •	60.4	9	7.00	6.07
									E 0	or i	15.3	55.5	_	6.50	8+07
									40	m,	15.7	60.3	'n	7.20	8.08
									9	å	15.8	60.4	9	7.00	8.06
									90	ů.	15.6	6¢.1	ហ្គ	6.70	90.8
									20	'n	14.1	57.4	o	6.80	8.01
									08	26+2	13.2	55°	ĸ.	6.50	66*2
									60	o.	٠	55.4	ō.	o	56.4
									10	32.8	11.7	53.1	~	ۥ20	7.94
									=	å	٠	00 00 00	3.6	6.10	7.93

FOUNCATION


HANCOCK

N - L - N N


PHYSICAL_LEAIA__REPORT

PHYSICAL_LOBIA__REPORT

Column C	<i>.</i>	STATION: LATITUDE	A2 R4 B 033:43:03	R4 BUCY 3:03 N	>	LONGITUCE	118:15:37			<u>67</u>	STATION: LATITUDE	A2 R4 BU 033:43:03 N	84 BUCY :03 N		LONGITUDE	116:15:37	3
1 1 1 1 1 1 1 1 1 1	RECORDING DATE	- DEF - METERS-	7TH -	TEMPER	RATURE	SALINITY	أيما		RECO.	40 ING	- DEPT	FEET	TEMPER	ATURE	SAL INITY PPT	DIS CXG	5483-481-A-
1		0		10	o	3.0	£•00	00.0	bCT	-	00	0.0	17.0	62.6	32.76	€.20	7.88
1		10		8	ų:	3.2	7.60	8.03			1 0	P) •	17.0	62.6	33,20	6.60	7.87
13 17 16 16 17 18 18 18 18 18 18 18		0	4	3	in in	4	7.60	8.01			0.2	6 • 6	17.0	62.¢	00 + EE	e•00	7.88
1.1 1.2) c	0		4	~	7 . 30	7,98			69	8*5	ů	5.50	ď	6.30	2.90
19. 19.		2 4	1 4 5 1		0.46	m	7.10	7.96			*	1 °E [16.4	61.5	r)	7.50	8.00
1 2 2 2 2 2 2 2 2 2) c	4 4 4	: ;	, P		0	7.93			90	16.4	16.1	61.0	P)	6.20	8.04
10 25.10 10.0 25.0 7.86 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20 10.0 25.20		0 4 D 6					00.4	7.92			90	19.7	10.0	9.00g	4	E+00	6.04
1 1 1 1 1 1 1 1 1 1		9 6	7 P C	•		- a		7.80			20	23+0	16.0	60.8	4	7.70	8.03
-73		- e	7 7 7	n d) ()) ()	0 0	7.82			10	26.2	15.3	9.00	4	7.40	8.00
7.7 3 0.0 12.0 11.0 12.0 12		n :	•			ין (00.4	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			9	29.5	15.8	400	3.5	7.20	•
10 30-1 10 30-) (•	,	•	7 "	000	7.75			10	32.8	15.6	60.1	4	6.90	
7.73 00 0.0 10.0 16.0 16.0 16.0 16.0 16.0 16		- ·	•	: .	• U P	, L	3 0				: 1	36.1	15,3	56.5	3.5	7.10	•
73		-	•	•	:	1) !				21	# # 55 E	15.0	25.0	3.5	7.00	
01 3.3 18.7 65.7 33.20 6.60 74.6 NOV 773 00 0.0 10.4 6145 33.210 7.00 0.0 13.3 18.7 65.7 33.20 6.60 74.6 NOV 773 00 0.0 0.0 13.3 16.4 6145 33.210 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 6145 33.20 7.20 0.0 0.0 10.4 10.7 10.2 10.4 6145 33.20 7.20 0.0 0.0 10.4 10.4 6145 33.20 7.20 0.0 0.0 10.4 10.4 6145 33.20 7.20 0.0 0.0 10.4 10.4 6145 33.20 7.20 0.0 0.0 10.4 10.4 6145 33.20 7.20 0.0 0.0 10.4 10.4 6145 33.20 7.20 0.0 0.0 10.4 10.4 6145 33.20 7.20 0.0 0.0 10.4 10.4 10.4 6145 33.20 7.20 0.0 0.0 10.4 10.4 10.4 10.4 10.4 10.4		0	0	18.8	65.6	33,00	6	7.44									
1	1	0	E # 5	18.7	65.7	33.20	9	7.46	>	173	0	0	10.4	61.5	3.1	7.00	7,98
1		0.5	9.9	18.5	65,43	33,50	6.50	7.44			0	(T)	16.4	61.5	e.	6.80	8,02
1		. O	0	17.5	63+5	33.60	04.9	7.44			0.2	0.0	10.4	61.5	2	7.10	8.04
10 15.4 16.7 15.2 13.46 15.8 15.4 16.7 16.2 13.46 16.5 15.4 16.7 16.4 16.5 15.4 16.7 16.4 16.5 15.4 16.7 16.4 16.5 15.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4 16.5 16.4		1 4	۱ M	2.01	62.2	33,70	7.90	7.40			60	6) * ()	16.4	61.5	ė	7.20	
1		. C	v	ė	62+1	39.40	8.00	7.39			4 0	13.1	16.4	€1+€	m	7.00	٠
7.3		90	·	¢	61.2	33.50	7.50	7.35			o ū	16.4	16.3	61+3	•	2002	50.0
08 26.2 16.0 60.8 33.46 7.20 7.34 09 23.0 16.2 61.2 33.30 6.40 09 26.2 16.0 16.0 16.0 16.2 61.2 33.30 6.40 93.45 7.20 0.6 10.2 61.2 33.45 7.20 7.29 10.0		6.7			61.2	33.40	7.30	7 . 34			90	19.7	16.3	61.3	r)	7.20	8•10
1 36.1 15.8 60.4 33.60 6.70 7.33 99 29.5 15.8 50.4 33.45 7.30 99 29.5 15.8 15.8 50.4 33.45 7.20 99 29.5 15.8		· τ	1 (16.0	60.8	34.65	7.20	7.34			60	23.0	16.2	61.2	'n		8.12
10 32-8 15-5 55-9 33-50 6-60 7-29 10-1 61-10 33-35 7-60 84 13-1 15-4 59-7 33-40 6-60 7-29 11 36-1 15-4 59-7 33-40 6-60 7-29 11 36-1 15-7 61-10 33-30 7-20 84 11 36-1 15-7 61-10 33-45 7-50 84 11 36-1 15-7 61-10 33-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 84 13-45 7-50 7-50 84 13-45 7-50 7-50 84 13-45 7-50 7-50 84 13-45 7-50 7-50 84 13-45 7-50 7-50 84 13-45 7-50 7-50 7-50 84 13-45 7-50 7-50 7-50 7-50 84 13-45 7-50		0	29.5	15.8	60.4	33.60	~	7.33			90	26.2	1604	61.2	ň	ņ	6+14
1364 154 594 3340 640 7226 11 364 640 3330 7420 8) -			0.50	33+50	ಿ	7.29			ф О	29.5	16.1	£1.0	'n	÷	8.15
73 00 0.00 15.3 56.5 33.40 6.40 7.26 11 36.1 15.8 6.6.4 33.45 7.50 8 73 00 0.00 16.2 61.2 33.30 6.40 7.90 12 39.4 15.7 6.6.3 33.45 7.20 8 03 9.8 16.2 61.2 33.30 6.40 7.90 7.90 7.90 04 13.1 15.4 60.0 33.40 6.40 7.90 7.90 05 16.4 16.4 7.90 7.90 7.90 06 19.7 14.2 58.3 33.40 6.40 7.90 07 23.0 14.2 58.3 33.40 6.40 7.90 09 26.2 14.2 58.3 33.40 6.40 7.90 09 26.2 14.2 58.7 33.50 7.20 7.90 10 22.2 14.2 56.1 33.40 7.20 7.90 11 36.4 13.4 56.1 33.40 6.70 7.90 11 36.4 13.4 56.1 33.40 7.20 7.90 11 36.4 13.		-			20.5	3.6	ហ	ď			0.1	32.8		٠	÷	a.	8.16
-73 00 0.0 16.2 33.00		-	•			3.6	*	ď				36.1			r)	u,	8.14
-73 00 0.0 16.2 61.2 33.00 6.60 01 3.3 16.2 61.2 33.30 6.50 02 6.6 15.2 61.2 33.30 6.50 03 9.8 15.4 56.7 33.40 6.50 05 16.4 15.6 60.1 33.50 6.50 07 23.0 14.9 58.8 33.40 6.70 07 23.0 14.0 58.8 33.40 6.70 09 26.2 14.2 58.8 33.40 6.70 10 32.8 13.7 56.7 33.60 7.20 11 36.1 13.4 56.1 33.40 7.20		1	•								12	•	ທໍ	ċ	ň	ru	8.14
01 3.3 16.2 61.2 33.30 6.50 02 6.6 15.2 61.2 33.30 6.40 03 9.8 15.9 66.0 33.40 6.40 05 16.4 15.6 60.1 33.40 6.60 05 16.4 15.6 60.1 33.40 6.80 07 23.0 14.6 58.8 33.40 6.80 09 26.2 14.2 57.6 33.40 6.70 10 32.8 13.7 56.7 33.50 6.70 11 36.1 13.4 56.1 33.40 7.20 12 39.4 13.2 55.8 33.40 7.20		00	0.0		61.2	3.0	6.60	7.86									
2 6.6 16.2 61.2 33.30 6.40 4 13.4 15.4 50.4 33.40 6.50 4 13.4 15.4 50.4 33.40 6.50 7 23.0 14.5 50.8 33.40 6.70 7 23.0 14.6 50.3 33.40 6.70 9 25.2 14.2 57.6 33.40 6.70 9 25.8 13.7 50.7 33.50 7.20 1 35.1 13.4 56.1 33.40 7.20 2 39.4 13.2 55.8 33.40 6.90		01		16.2	61.2	3,3	6+50	7.90									
3 9.8 15.9 60.0 33.40 6.50 5 19.7 15.4 59.7 33.40 6.90 5 19.7 14.9 58.8 33.40 6.80 7 23.0 14.0 56.3 33.40 6.80 8 26.2 14.2 57.0 33.50 6.70 9 29.5 13.7 56.7 33.50 7.20 9 39.4 13.2 55.8 33.40 7.20		0.5	9.9	16.2	61+2	3,3	6.40	7.92									
4 13.1 15.4 55.7 33.40 6.50 5 16.4 15.6 60.1 33.50 6.80 7 23.0 14.6 58.8 33.40 6.70 8 26.2 14.2 57.6 33.40 6.80 9 29.8 13.7 56.7 33.40 7.20 0 32.8 13.4 56.1 33.40 7.20 1 36.1 13.4 56.1 33.40 7.20 2 39.4 13.2 55.8 33.40 6.90		£0	9.0		60.09	3.4	£.50	7.93									
5 16.4 15.6 60.1 33.50 6.80 6 19.7 14.9 58.8 33.40 6.80 7 23.0 14.6 56.3 33.40 6.80 8 26.2 13.7 56.7 33.50 6.20 9 22.9 13.4 56.1 33.40 7.20 1 36.1 13.4 56.1 33.40 7.20 2 39.4 13.2 55.8 33.40 6.90		0	13.1		55.7	•	6.90	7.94									
6 1947 1449 5848 33440 6470 7 2340 1446 5643 33440 6480 8 2642 1442 5746 33450 6470 9 2245 1347 5647 33450 7420 0 3248 1344 5641 33440 7420 1 3641 134 5641 3340 7420		0 0	16.4		60.1	N)	•	7.96									
7 23.0 14.6 56.3 33.40 6.80 8 26.2 14.2 87.6 33.50 6.70 9 29.8 13.7 56.7 33.50 7.20 1 36.1 13.4 56.1 33.40 7.20 2 39.4 13.2 55.8 33.40 6.90		90	10.7	14.9	å	•		7.96									
8 26.2 14.2 57.6 33.50 6.70 9 29.5 13.7 56.7 33.450 7.20 0 32.4 13.4 56.1 33.40 7.20 1 36.1 13.4 56.1 33.40 7.30 2 39.4 13.2 55.8 33.40 6.90		60	23.0	14.6	ě	•		7.96									
9 29*5 13*7 56*7 33*50 7*20 0 32*8 13*4 56*1 33*40 7*20 1 36*1 13*4 56*1 33*40 7*30 2 39*4 13*2 55*8 33*40 6*90		90	26.2	14.2	57+6	10	6.70	7.96									
0 32-8 13-4 56-1 33-40 7-20 1 36-1 13-4 56-1 33-40 7-30 2 39-4 13-2 55-8 33-40 6-90		60	٠	13.7	56.7	ın -	7.20	7.96									
1 36.1 13.4 56.1 33.40 7.30 2 39.4 13.2 55.8 33.40 6.90		0.1		13.4	å	•	7.20	7.96									
2 39,4 13,2 55,8 33,40 6,90		11	•	13.4	ė	4.6	7,30	7.96									
		13		13.2	ŝ	3.4	6.90	7.94									



STATION: 03 R2 800Y (71-72) DATA: DEPTH METERS / TEMP CELSIUS



STATION: A3 R2 BUOY DATA: DEPTH METERS / TEMP CELSIUS


FEB. HAR. APR. HAY JUNE JULY RUG. SEP. DCT. NOV.

11. 00


11. 00

11. 00


1 5 1015200 5 101


















1972 DISSOLVED OXYGEN
STATION: 03 R2 BUDY (71-72)
DRTH: DEPTH METERS / DIS 0X6 PPM





STATION: AS DEPTH R2 BUOY METERS / DIS OXG PPH












STATION AS R2 BUOY DEPTH H ION CONC



PHYSICAL DAIA REPORT

PHYSICAL_CAIA_BEPORT

1		LATITUDE														
171 00 0.0 17.0 0.2.0 12.0 0.2	RECORDING DAIS	- DEP	17 - FEET	TEMPER	RATURE	SALINITY	DIS DXG	SNOO NOT 4	RECURDING DAIE		1H -	TEMPER	RATURE	SALINITY	D IS CX6	5985 <u>-M91-a-</u>
7.1 0.0 0.0 1.3 16.6 6.2 2 33.7 7 6.40 6.20 10 3.3 17.0 6.40 10 10 10 10 10 10 10 10 10 10 10 10 10	-	Ċ	Ċ	17.0	62.6	32,90	6.10	0 4	•	CO	0	•	;		மு	∹
19 19 19 19 19 19 19 19	•		P) * E)	16+8	62.2	32.70	F-10	9.40		00	0.0	ě	0.4.4	37.00	7.20	6.13
13.1 15.7 60.3 31.00 6.40 8.28 0.1 3.3 16.0 644. 13.1 15.7 66.2		r O	0	16.1	61.0	32,50	2.00	6.32		0	5.3	Ļ	63.7		6.00	
19.7 15.4 55.7 33.10 17.0 6.24 0.2 0.6 17.0 6.40 0.2 0.6 17.0 0.64 0.6 0.6 0.6 0.6 0.6 0.7 0.6		4	13.1	15.7	60.3	33.00	£.40	8.28		0.1	5,0	œ	64.4		00°8	6.17
1		90	19.7	15.4	2.53	33.10	02.5	8.24		0.2	0	17.8	64.0		e.1c	8+12
13 19 19 19 19 19 19 19		l •								0.2	9.0		64.2		6.00	61.8
1 3 1 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		00	0.0	1945	1.19	33.67				60	9.6	16.9	4.4		7.10	8.10
13.1 17.6 66.2 13.1 17.6 66.3 13.1 17.6 66.3		10	3.3	19.2	0.00					m o	9.6	17.6	63.7		ۥ10	8.12
1		03	9.6	19.0	66.2					40	13.1	ô	£1.0		£.50	8.06
1, 1, 1, 1, 2, 2, 2, 3, 5 1, 1, 2, 5 1,		0	13.1	17.8	64.0					*	13.1	17.4	63.3		7.10	F) 0 • 60
17. 17.		90	19.7	17.5	63.5					ម O	16.4	16.0	9.09		6.16	£•04
1		0.0	23.0	17.3	63+1					80	16.4	17.0	62.6		7.26	8.04
71 00 0.0 22.4 72.3 34.11 7.50 0.0 0 0 19.7 10.8 62.2 62.2 62.2 62.2 12.0 71.0 12.0 0.0 15.2 62.2 62.0 12.0 12.0 12.0 12.0 12.0 12.0 12.0 1		ı								90	Φ.	16.0	60.B		6.50	E•03
1.1 2.2 2.4 71.6 2.4		00	0	22.4	72+3	34.11	7.50	0*0		0	Ō.	16.8	62.2		6+60	8+03
02 6.6 21.8 71.2 04 13.1 20.2 0.8 4 6.2 05 15.4 19.1 20.2 0.8 4 6.2 05 15.4 19.2 20.2 0.8 4 6.2 05 15.4 19.2 20.2 0.8 4 6.2 05 15.4 19.2 20.2 0.8 4 6.2 07 23.0 19.8 67.6 25.0 11.2 0.0 2.2 08 26.2 17.3 63.1 09 29.5 15.7 6.3 09 29.5 15.7 14.5 5.3 13.6 09 29.5 15.4 14.5 14.5 5.3 13.6 09 29.5 15.4 14.5 14.5 14.5 14.5 14.5 14.5 14		0	E.	22.0	71.6					40	L.)		6.60		6.50	6.05
1		0	9.9	21.8	71.2					0.7	23.0	16.B	Ň		6.40	8.02
13-1 20-2 60-4 14-1 20-2 60-4 15-1 10-1 66-4 15-1 10-1 66-4 15-1 10-1 66-4 15-1 10-1 66-4 15-1 10-1 66-4 15-1 10-1 66-4 15-1 10-1 66-4 15-2 17-3 63-1 15-3 16-4 16-5 15-5 15-3 10-4 16-5 15-5 15-4 10-1 10-4 15-5 15-4 10-5 15-4 10-1 10-4 15-5 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 10-4 15-4 10-4 1		F 0	8+5	20.4	66.7					6 0	26.2	10.6	61.9		6. 50	6.02
19.5 16.4 19.1 66.4 19.1 16.4 19.1 66.4 19.2 16.4 19.1 66.4 19.2 16.3 16.4 19.3 16.4 19.4 19.5 16.4 19.5 19.8 67.6 25.2 17.3 19.8 67.6 15.6 26.01 11.8 19.8 67.6 26.01 12.5 6.8 19.8 67.6 12.5 6.8 19.8 12.5 19.8 67.6 12.5 19.8 67.6 12.5 19.8 67.6 12.5 19.8 67.6 12.5 19.8 67.8 12.5 19.8 67.8 12.5 19.8 67.8 12.5 19.8 67.8 12.5 19.8 67.8 12.5 19.8 67.8 12.5 19.8 14.5 12.5 14.5 14.5 12.5 14.5 14.5 12.5 14.5 14.5 12.5 14.5 14.5 12.5 14.5 14.5 12.5 14.5 14.5 12.5 14.5 14.5 12.5 14.5 14.5 12.5 14.5 14.5 12.5 14.5 14.5 14.5		0.4	13.1	20.2	4.60					60	29.5	15.7	ů		6.7C	9.00
1,000 1,00		:n •	16.4	1.61	66.4											
07 23.0 186.0 04.4 3.5 15.0 55.0 3		90	19.7	18.3	64.9					0	0.0	ŝ	å	35.55	1.00	8.12
71 08 26.2 17.3 63.1 71 00 0.0 19.6 67.6 36.01 35.5 E 71 00 0.0 19.6 67.6 36.01 11.80 6.35 0.0 16.4 14.5 58.1 36.01 02 6.6 19.6 67.6 36.01 12.70 8.40 0.5 16.4 14.5 58.1 36.01 02 6.6 19.6 67.2 36.0 12.40 8.40 0.7 23.0 14.5 58.1 36.01 04 13.1 19.4 67.2 46.4 14.5 58.1 36.01 05 16.4 19.2 64.6 12.2 0.6 14.5 58.1 36.01 06 19.2 64.6 19.2 64.6 14.5 58.1 36.01 06 19.2 64.6 10.2 14.5 58.1 31.6 07 23.0 16.4 10.2 10		0.7	23.0	16.0	4.40					10	E) * E	ŝ	ئ	36.00	1.40	6.11
**71 00 0.4 9.8 15.0 55.0 35.5 E **71 00 0.4 0.4 13.1 14.5 56.01 35.5 E 01 3.3 19.8 67.6 36.01 12.50 8.40 06 15.7 14.5 58.1 36.01 02 6.6 19.8 67.0 36.01 12.60 8.40 07 23.0 14.5 58.1 36.01 03 9.8 19.6 67.0 10.7 23.0 14.5 58.1 36.01 04 13.1 19.4 66.9 12.60 6.40 07 23.0 14.5 58.1 36.01 05 19.7 19.4 19.4 66.9 14.5 58.1 36.01 06 19.7 19.4 65.2 14.5 58.1 36.01 10.4 15.4 65.1 10.4 8.35 0EC 77.9 0.0 10.8 51.4 42.4 32.5		80	26.2	17+3	63.1					0.2	9.0	ņ	å	35.55	2+50	8∙1€
*71 0.0 0.0 19.8 67.6 36.01 11.80 6.35 0.4 13.1 14.5 58.1 35.01 0.1 3.3 19.8 67.6 36.01 12.80 84.40 0.5 16.4 14.5 58.1 35.01 0.2 6.6 19.8 67.6 54.0 0.7 23.0 14.5 58.1 35.01 0.4 13.1 19.4 66.9 12.6 6.40 0.0 14.5 58.1 35.01 0.5 16.4 19.2 66.6 19.7 14.5 58.1 36.01 0.5 16.4 19.2 66.6 10.7 14.5 58.1 36.01 0.5 16.4 19.2 66.6 10.7 10.8 14.5 58.1 36.01 0.5 16.4 10.6 10.7 10.8 10.7 10.8 10.7 10.8 10.9 10.9 10.9 10.9 10.9 10.9 10.9 10										60	8.0	ú	55.0	35.55	2.90	6.18
01 3.3 19.8 67.6 36.01 12.50 8.40 05 16.4 14.5 58.1 36.01 02 6.6 19.8 67.0 12.40 8.41 0.7 14.5 58.1 36.01 03 9.8 19.6 67.2 12.40 8.35 04 13.1 19.4 66.9 12.40 8.35 05 19.7 19.1 66.4 65.1 1 0.40 8.31 08 26.2 17.4 63.3 7.86 09 19.7 19.1 6.44 10.5 58.1 33.2 6 09 26.2 17.4 63.3 7.86 09 19.7 19.1 6.44 10.0 0.0 10.8 51.4 32.57 1 09 19.7 19.1 6.44 65.1 1 10.40 8.31 0.2 6.6 10.7 51.3 33.54 09 26.2 17.4 63.3 7.86 0.5 10.8 69.1 32.84 09 19.7 23.0 10.8 51.4 32.87 1 09 19.7 23.0 50.0 33.40 09 19.7 23.0 50.0 33.40 09 19.7 23.0 50.0 33.40 00 19.7 23.0 50.1 48.4 32.17		00	0	19.6	67.6	36.01	11.60	•		0	13.1	4	58.1	35.01	3.20	8.20
6.6 19.8 67.40 64.41 06 15.7 14.5 58.1 30.47 9.8 19.6 67.2 3.0 14.5 58.1 36.01 13.1 19.4 66.9 12.6 6.40 0.7 23.0 14.5 58.1 36.01 13.1 19.2 66.6 15.6 6.35 6.35 6.6 10.8 58.1 36.01 19.7 19.1 66.4 15.4 32 6.6 10.8 51.4 32.2 23.0 16.4 65.1 10.40 8.35 DEC 171 01 3.3 10.8 51.4 32.2 26.2 17.4 65.1 10.40 8.35 DEC 171 01 3.3 10.8 51.4 32.5 26.2 17.4 63.3 7.86 0.2 6.6 10.7 51.3 33.5 26.2 17.4 63.3 7.86 10.8 50.5 50.5 33.6 26.2 17.4 63.0 19.1 48.4 32.17 9.8 10.5 9.1 48.4 32.17 9.8 10.5 9.1 48.4 33.72 9.8 10.6 10.7 4	1	0 1	E)	19.8	67.6	36.01	12,50			90	16.4	÷	Ð	36.01	3,30	5.22
9.6 19.6 67.3 12.60 8.40 07 23.0 14.5 58.1 35.01 13.1 19.4 66.9 12.60 8.35 12.60 8.35 16.8 58.1 36.01 16.4 19.2 66.4 12.40 8.35 0EC 77 00 0.0 10.8 51.4 32.26 2.0.2 17.4 63.3 10.40 8.31 0.2 6.6 10.7 51.3 33.54 26.2 17.4 63.3 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.63 10.8 51.4 10.0 50.0 33.72		02	9.9	19.8	67.0		12.70	•		90	15.7	4	a)	36.47	04+7	8.22
13.1 19.4 66.9 12.60 E.39 08 26.2 14.5 58.1 36.01 16.4 19.2 64.6 15.40 B.35 0EC 171 0 0.0 10.8 51.4 32.26 23.0 16.4 65.1 10.40 B.35 0EC 171 0 10.8 51.4 32.26 20.2 17.4 65.1 10.40 B.35 10.8 51.3 33.56 20.2 17.4 63.3 10.8 50.9 33.64 20.2 17.4 63.1 10.3 50.5 33.40 20.2 10.0 19.7 9.5 49.1 32.84 20.2 20.2 9.1 46.4 33.72		n 0	9.8	19.6	67.3		12.60	•		6	23.0	4	å	36.01	3+40	8+22
16.4 19.2 66.6 12.60 8.35 DEC 77 00 0.0 10.48 51.4 32.26 23.0 16.4 65.1 10.40 8.31 0.1 3.3 10.48 51.4 32.57 1 26.2 17.4 65.1 10.40 8.31 0.2 6.6 10.7 51.3 33.26 26.2 17.4 63.3 7.90 7.86 0.3 9.8 10.5 50.0 33.40 0.0 19.7 9.5 49.1 10.0 50.0 33.40 0.0 19.7 23.0 5.1 48.4 32.17 0.0 26.2 9.1 48.4 33.72		0	13.1	19.4	60.99		12.60	٠		90	•	;	a,	36.01	3.40	8.22
19.7 19.1 66.4 12.40 8.35 DEC 171 00 0.0 10.8 51.4 32.26 12.50 16.4 65.1 10.40 8.31 DEC 171 00 0.0 10.8 51.4 32.57 11 20.2 17.4 65.1 10.40 8.31 DEC 171 00 13.3 10.48 51.4 32.57 11 20.2 17.4 63.3 50.5 33.54 0.0 19.7 9.5 49.1 32.84 0.0 19.7 9.5 49.1 32.84 0.0 19.7 9.5 49.1 32.84 0.0 19.7 9.5 49.1 32.84 0.0 19.7 9.5 49.1 32.84 0.0 19.7 9.5 49.1 32.84 0.0 19.7 9.5 49.1 32.84 0.0 19.7 9.5 49.1 32.84 0.0 19.7 9.5 49.1 48.4 32.17		90	16.4	19.2	9.79		12.60	8.36								
23.0 16.4 65.1 10.40 8.31 01 3.3 10.8 51.4 32.57 11 26.2 17.4 63.3 10.40 8.31 7.86 02 6.6 10.7 51.3 33.26 33.26 03 6.8 10.5 50.9 33.54 03.1 10.3 50.6 33.54 05 10.5 10.6 50.0 33.40 05 10.8 10.8 50.6 33.40 05 10.8 10.8 50.6 33.40 05 10.8 10.8 50.6 33.40 05 10.8 10.8 50.6 33.40 05 10.8 10.8 50.6 33.40 05 10.8 10.8 50.6 33.72		90	19.7	19.1	66.4		12.40	8.35		00	0.0	10+8	91.0	32.26	21.5	8.28
26,2 17,4 63,3 7.50 7.86 02 6.6 10.7 51.3 33.26 03 9.8 10.5 50.9 33.54 04 10.5 50.5 33.54 05 10.5 50.5 33.54 05 10.5 50.5 33.63 05 10.4 10.0 50.0 33.40 05 10.4 10.0 50.0 33.40 07 23.0 5.1 48.4 32.17 03 26.2 9.1 48.4 33.72		07	23.0	16.4	65.1		10.40	~		01		10+8	51.4	32.57	10.00	8.25
03 9-8 10-5 50-9 33-54 04 13-1 10-3 50-5 33-63 05 16-4 10-0 50-0 33-63 07 23-0 9-1 48-4 32-84 03 26-2 9-1 48-4 33-7<		90	26.2	17.4	ě		2.90	9		0.2	9.9	10.7	51.4	33+56	05.5	co.
04 13.1 10.3 50.5 33.63 05 16.4 10.0 50.0 33.40 05 19.7 9.5 49.1 32.84 07 23.0 9.1 48.4 32.17 03 26.2 9.1 48.4 33.72										60	8.0	10.5	60.0	33.54	0.45	
5 16.4 10.0 50.0 33.40 6 19.7 9.5 49.1 32.64 7 23.0 5.1 48.4 32.17 8 26.2 9.1 46.4 33.72									-	†	13.1	10.3	50.5	33,63	8.70	8.25
6 19.7 9.5 49.1 32.64 5.5 7 23.0 5.1 48.4 32.17 5.5 3 26.2 9.1 46.4 33.7< 6.0										0.0	16.4	10.0	50.0	33+40	6.10	ΛI
7 23.0 5.1 48.4 32.17 5.5 3 26.2 9.1 46.4 33.7< 6.0										90	19.7	0 0	40.1	32 + 64	000	6.0¢
3 26.2 9.1 46.4 33.7< t.0										0.7	Ð	7 * 5	46.4	32.17	5.50	٠
										8	•	9.1	46.4	33+7<	¢•00	80 °8

ALLAN HANCBOK FOUNDATION

PHYSICAL. CAIA. REPORT

PHYSICAL_CAIA__REPORT

	STATION: LATITUDE		03 K2 8UD) 033:43:22 N	KZ BUDY (71-72) I:28 N	LONGITUDE	118115137	•	ר א	STATION: Latitude	03 033:43	RZ BUCY (71-72) :43:28 N	(71-72	LONGITUCE	116:15:37	
RECORDING		- DEPTH - MEIEBSFEEI.	TEMPER	TEMPERATURE SE.L.	SALINITY	DIS CXG	H TON COVC	RECURDING DAIE	- 06P	PTH -	TEMPERATURE	ATURE	SALINITY	CIS CXG	44 2002_ND1_1_
. 742	0	0	11.9	4 7	35.10	7.70	8.30	JUNE . 72	00	0.0	17.9	64.2	(1 1 1 1 1	7.50	ช ณ •
•	0	P)	11.9	53.4	35.10	7.60	36.8		0	m m	17.3	54.5	35.28	7.40	
	02	9.9	11.7	53+1	35,30	7.50	8.31		0.2	6.5	17.9	5.49	5.3	7.60	C.
	€ 0	9.6	11.6	3) (A) (A) (A)	35.40	e.10	8.32		ΕO	8 6	17.5	63.5	5+7	7.50	ď
	0	13.1	11.6	52.9	35+40	E+20	8+32		•	13.1	17.5	C.3. U	5.5	7.20	Š
	3	16.4	11.5	52.7	35.90	e•10	8.33		0.5	16.4	17.0	62.0	9 * 0	96.9	Ą
	90		11.5	52.7	35.90	e.10	6.33		0	19.7	16.9	66.4	6.2	6+40	8.22
	0.7	23.0	11+5	25.7	35.90	8•10	6.32		0.7	23.0	16.0			2.20	O.
FEB •72	0	0	11.9	63.4	35.10	6.93	8+27	JULY • 72	00	0.0	19.2	66.6	. 0	11.20	8.32
	0	P)	12.0	53.6	35.00	6.80	8.26		0.1		16.4	t 5 • 1	5.2	11.80	8.36
	0.2	0.0	12.0	53.0	35.00	6.80	8.26		0.2	9.0	17.6	63.7	5.2	9.50	8.26
	60	0.0	12.0	53.6	35.10	6.60	84.25		£ 0	8 • 5	16.3	61.3	5.7	7.20	6.17
	0	13.1	12.0	53.6	35,10	6.50	e - 25		4	13.1	15.9	9.09	\$	E • 60	6+17
	0.5	16.4	12.0	53.6	35.10	6.50	6.25		o O	16.4	15.6	ů	36.18	6.0C	6.14
									0	19.7	15.0	0.64	0.1	9 * 60	8+37
MAR . 72	00	0.0	14.9	56.8	34.54	5+50	7.61		0.7	23.0	13.6	ò	9.0	4.70	8.10
	10	ы. Б.	15.0	29.0	34.64	5.70	7.61								
	0.2	9	14.8	58.6	41.1	6420	7. ć2	AUG .72	00	0.0	ċ	67.1	*		4
	60	9 6	14.6	5.00 5.00	35•0£	6+20	7.61		õ	М •	å	65.3	۲.	10.00	7
	*0	13.1	14.5	56.1	35.17	6-10	7.60		0 5	9.9		63.6	34.86	7.90	ņ
	60	16.4	14.4	57.9	35.26	04.0	7.58		60	9.6	ġ	£1.7	u)	4	Ε.
	90	19.7	14.2	57.6	35.45	4.50	7.53		4	•	15.9	9.09	5.B	û.	E)
	0	23.0	14.2	57.6	5.4	02*6	7.51		90	ø.	15+3	56.5	35*61	6.00	8.20
									ç ş	19.7	15.0	90*0	9	7	7
APR .72	0	0.0	-	62.6	34.33	-	8.78		07	23.0	14.7	56.5		٠.	₹
	6	3.3	16.	62.2	34.41	13+90	8.78								
	02	9.0	9 1	61.7	34.67	14.20	8.75	SEPT 172	ô	0	ċ	6.9	-		"
	E O	6 6	16.0	60.8	34.93	_	6.78		0	m m	ċ	68.0	N		•
	•	13+1	15.8	£0.	a)	16.10	6.77		N 0	0		67.45	ď.		-
	90	16.4	15.5	55.9	2.	24.5	8.77		۳ ن	O.	ď	e7.	• •		ו כיי
	90	19.7	15.2			7.50	8.76		o ·	13.1	Ġ.	66.9			m I
	0.7	23.0	15.1	2.59	5.4	6.20	8.75		G -	16.4		66.7	•		8+31
									90	0	19.3	£ 6 . 7	œ.		m ·
MAY . 72	00		15.	59.0	35.46	6.90	8.28		٥.	23.0	19.0	66.2	35+19		m)
	01	3.3	15	4.00	35473	e•70	8.28		00	26.2	٠	65.B	3		8.31
	0.2		1.5	55.0	35+62	8.40	8.27		Ŷ	Ų.	Ď	65.3	'n		7
	0 3		_	58.1	35.73	7.20	8.21		10	,	18.4	65.1	٥		n
	ô		3 • E	57.0	36.10	£.80	6.15								
	0.5	16.4	13.2	0.00 0.00 0.00 0.00	36.57	4 ·	8.11								
	90		12.9	55.2	36.14	<.10	61.8								

PHYSICAL__CAIA__REPORT

PHYSICAL_DAIA__REPORT

	STATION: LATITUDE		OBBIABIZE N	R2 BUCY (71-72) :28 N) LONGITUDE	116:15:37	•	ר א	STATION: LATITUDE	033:43	03 R2 BUCY (71-72) 033:43:26 N	(71-72	LONGITUCE	116:15:37	,
RECORDING DATE	- DEPTH -	DEPTH - RS_FEET	TEMPERATURE	RATURE	SALINITY	CIS CXG	Ph -5-150-5505	RECORDING	- DEPTH - JMETERSEEET		TEMPERATURE	ATURE	SAL INITY	DIS OXG	5475"R01"H"
	;	,		;	, , , , , , , , , , , , , , , , , , ,	, ,	c c	* Z * -	ò	0	0.61	สม เก	89 99 90	f. 40	
27. 130	9 6) r	0 0	4 4		2	, d	•		ι ()	3.1	10 10 10 10 10 10 10 10 10 10 10 10 10 1	35.05	4.0	
		9 4	9	4	40.4		8.26		0.2	6.6	13.1	55.6	35.05	06.4	
	1 P	90	18.0	4.49	40.4		8.20		0 3	Ф Ф	13.1	55,0	35.05	E+ 50	
	4	13.1	7.5	64.2	35.03		8.24		0	13.1	13.1	55.6	35.06	6+00	
	0.0	4.01	17.8	0.40	35.11		8+23		ថា	16.4	13.1	55.6	35.06	6.60	
	90	19.7	17.4	63.3	35.20		5+12		0	15+7	13.1	55.6	5.0	h 50	
	23	(F)	17.0	62.0	35,29		8.10		0.7	0463	13.1	55+6	45.54	2 • 50	
NOV • 72	3	0	15.6	66.1	34.66	5.20	£6.7								
	00	0.0	14.8	56.6	33.62	7	9.11								
	70	0°0	14.8	58.6	33.51	7.10	8.11								
	01	F)	15.b	4.00	34*46	4.50	7.95								
	0.2	9+9	15+8	4.09	34+51	5,20	7.98								
	0.2	9.9	14.0	56.6	34.00	7+26	8.13								
	60	9.6	14.8	56.0	34.1E	7.eo	8.14								
	03	9.9	15.6	60.1	34.75	5.20	7.98								
	4	13.1	15.6	60.1	34.75	€.70	6.02								
	0	13.1	14.8	56.6	34.36	E . 20	91.8 0								
	0.5	16.4	15.0	0.63	FE • 4E	0 m	8.17								
	90	16.4	15.4	69.7	34 + 92	6.30	8.06								
	90	19.7	15.3	() ()	3.4° 4.0	7.00	8°08								
	90	19.7	15.2	4 . 0.0	34.57	а •	51.8								
	C 0	23.0	4 ° 0 ° 1	; ,		, n , n	6.21								
	- e		0 6	ր Մ Մ Ա	1 P	7 . 40	2 0								
	9 6	26.00	មា ពិធី ពិធី	o do	30.00	000	8.21								
	60	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	15.6	60.1	a	e • • •	8.21								
DEC • 72	00	0.0	13.2	10 0 0	34.1	09.5	0 + 4 35								
		r) r)		56.7	34+23	11.00	6.39								
	0.2	9.0	13.8	56.8	34.51	10.80	6.40								
	ño	9.6	14.2	57.6	34.62	10.00	9.36								
	40	13.1	14.2	57.6	34.71	10.00	8,37								
	90	16.4	14.3	57.7	34.50	£+70	8.32								
	90	19.7	14+3	57.7	34.59	10+20	8.37								
	10	23.0	14.2	57.6	35.17	10+50	e• 38								
	90	26.2	14.3	57.7	35.08	10.00	G33								

PHYSICAL_EAIA__REPORT


PHYSICAL ... CAIA ... REPORT

	STATION: LATITUDE	∢ 0	3 R2 6UCY 33:43:28 N	>	LONGITUCE	116:15:37		vi j	STATION: LATITUDE	A3 0 83:43	R2 BUCY		LONGITUEE	118:15:37	\$
RECORDING	4G - DEPTH MEIERS FE	ЕРТН - 5	TEMPE	EMPERATURE	SALINITY	CIS DXG	2452_4UL_1.1	RECORDING DAIE	- DE MEIEKS	PTH -	TEMPER	SMPERATURE CE	SAL INITY PPI	DIS CXG	PH 2002-11-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
FEB 173	o	0	-	5641	9.	9.7c	00.8	LUNE • 73		0.0	200	61.7	- 61	6.40	7
		P * P	7	50.0	-	E.60	60*9			F)	ó	61.3	'n	6.50	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	0.2	9.9		55.6	32.00	8+60	8.05		0.2	9•9	15.9	60.6	33,60	6.70	8+04
	E 0	9.6	÷ H	55.6	2.1	7.30	8.03			D .	14.8	58.6	ь, •	ċ.30	0.02
	•	13.1	13.	55.4	2.6	7 + 7 C	8.06			13.1	4	å	'n	6.60	6.00
	\$ 0	16.4	13.	55.6	2.8	7.90	B.06			10.4	14.5	56.1	+	06*3	7.99
	90	19.7	13.	55+6	3.0	4.50	60.0			19.7	14.3		m	5.70	7.97
	0 7	23.0	13.	ů	3.2	7.20	90.8			23.0	13.0	4.00	'n	5.60	7 - 94
MAR 173	٥	0.0	14.		2.4	16.00	7	JULY *73		0.0		66.2	32.90	Ů.	7.92
	70	E * E	•	57.7	2.9	10.00	Ų			5.45		66.2	m	÷	7.96
	0.2	9.9	14.2	57.6	3,0	04.40	7		0	0 • 9	19+0	66+2	33+20	00.2	7.96
	0.3	9.6	14.	57.4	3.0	6.90	7			8.4		65,5	P)	7	7.95
	0	13.1	•	57.2	3.2	6. BO	7			13+1		44.6	33.40	Ņ	7.95
	90	16.4	14.		3.2	02 * 5	∹			10.4		64.0	e Fi	ď	7.95
	90	19.7	6.51	57.6	33.30	E.40	8.12			19.7	17.0	62.0	ň	7	7.80
	40	Ė	13.9	•	3.3	7.80	÷								
								FZ: 904	00	0.0	18.8	65+B	ED.	ď	7.53
APR 173	0	٥	11.	53.5	33.20	10.00	۲.		10	343	18.0	65.B		٩	7.53
	01		12.	9	3.1	10.00	۲.		20	6+6	18.2	•	9 + E	.0	7.54
	0.5	Φ	11.	m	3.5	10.30	۲.		03	9	17.2	63.0	3.5	9	7.46
	03	O.	11.	å	3,7	10.40	7.80		* •	13+1	16.6		3.6	7	7.40
	¢ O	13.	ä	52.0	4.4	10.30	00		0.5	10.4	10.1	61.0	33.60	7.50	7=37
	0	16.	÷	52.0	4.5	10.20			90	19.7		60+8	3+8	9	7.31
	90	2	-	51.8	•	Q9 • 2	7,79		P 0	53+0	15+7		J. f.	Ŋ	7.29
	07	23.	11.0	51.8	4	6.00	۲.								
								Sept +73	00	0	16.2	61.2		6+50	40
MAY 173	00	0 0		60°3	33.50	7.40	6.81		100	ή : • π) .	00 ·	4 .	, 1	Ŋ.	4.88
	01		, .	\$ 0 0 0 0	34.60	7.60	6,79		N 1	o :	0.01	- 1 - 0 - 0	٠	0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 +	•
	0 0			.	00.440	07.	n :		n .		e .	, , , , ,	; .	•	•
	9 6	•		٠,	200	000	0		# t	1+61	e O y)) ())) ()	,,	٠.	•
	*	-	7 !	•	74.6	7	0.0		D .		e D	V .	,	:	0
	60	ċ	,	ń	34.50	000	0.91		0	\ • • ·	•	o • •	•	0	æ
	, O	10	12.0	Ď.	34.00	4.70	6.51		0.4	23.0	4	œ.	m	4	9
	0	23	11.7		34.10	3.80	6.42		;	,					
								OCT +73	o .	0	2.2	0 + 0 + 0 +	32.50	6.10	7.88
									01	n •		62.6	•	04.0	
									0	9.9	ĸ.	e. • 39	m	4.00	Ŷ
									e 0	0.0		£2.8	e e	5.€0	Ð
									4	13.1	٠	62+1	r)	۲.	Ţ.
									o 0	16.4	16.4	61.5	33,45	0	٥
									90	15.7	16.2	é1+≀	r)	ru •	ď.


ALLAN HANCOCK FOUNDATICI

PHYSICAL_GAIA__REPURI


	STATION: A3 K2 BUCY LATITUDE 033:43:28 N	4 5 6 6 7 7 7 7 8 9 8 9	#2 BUC)	_	LONGITUCE	LONGITUCE 118:15:37 W	3
RECORDING DAIE	- DEPTH - TEMPERATURE	TH -	TEMPER	2ATURE	SALINITY	DIS DXG	DIS DXG PH PEK FILON CONS
NOV 173	0	0	16.7	62.1	33.20	7.80	6.14
	10	E. 4.E.	10.0	61.0	33.30	7.60	5.16
	0.2	9*9	16.5	61.7	33.36	7.40	8.16
	03	9.6	16.4	61.5	33.30	7.60	8.16
	40	13.1	16.2	61.2	33.30	e.10	8.16
	90	16.4	16.1	61.0	33.40	7.30	6.15
	90	19.7	16.0	60.8	33,35	7.20	8.15





STATION: 04 ENTRANCE TO FISH HARBOR (7)-72)
DATA: DEPTH METERS / TEMP CELSIUS




STATION' ALL ENTRANCE TO FISH HARBOR DATA: DEPTH METERS / TEMP CELSIUS 1973 TEMPERATURE DATA









1973 SALINITY DATA STATION: AN ENTRANCE TO FISH HARBOR DATA: DEPTH HETERS / SAL PPT







1972 DISSOLVED OXYGEN
STATION: D4 ENTRANCE TO FISH HARBOR (?1-72)
DATA: DEPTH METERS / DIS OXG PPM




STATION: AN ENTRANCE TO FISH HARBOR METERS / DIS DXG PPM






STATION: D4 ENTRANCE TO FISH MARBOR (71-72) DATA: DEPTH METERS / PH H ION CONC



1973 PH DATA
STATION: A4 ENTRANCE TO FISH MARBOR
DATA: DEPTH METERS / PH HIDN CONC



FGUNDATION

HANCOCK

ALLAN

41a

PHYSICAL_FATA__REPORT

PHYSICAL_CAIA__REPORT

11 04 ENTRANCE TO FISH HARBER (71-72)	LATITUDE 033:43:45 h LCNGITUEE 118:15:50
ENTRANCE TO FISH HARBOR (71-72)	LONGITUCE 116:15:50 M
***	LATITUDE 033:43:45 N
STATION	LATITU(

Marie Mari		LATITUDE	# :: m :: m :: o	Z 54:0		Siedies N LONGITUCE 116:15:5	116:15:50	3		LATITUDE	14:0 10:0 0	0 33:43:60		CONGITUDE 118:15:50	116:15:5(•
	RECORD ING	- OE	I HE		RATURE	SALINITY	CIS CXG	1	RECORD ING	- 3EP	ı I	TEMPER	ATURE	SALINITY	DXD SID	å
1 1 1 1 2 2 2 2 2 2	PATE	METEMS.	FEET	ł	F	199	-	2402 401-4-	- 1	. MEIERS.	FEET	3		198	FIGH	2002_NG1_H_
1		00	0.0		62.6	32.90	7.20	8.32	٠	00	0.0	10.1	56.2	35.33	7.30	7.88
7.1		0 1	E) * E)	÷	62.2	33.00	7.45	8.32		13	E) • E)	10.3	5C+3	35.14	7.40	7.88
1		m 0	9*6	ô	61.7	33.10	€.22	6.28		9.5	9*9	10.3	50.5	35.14	7.60	7.92
7.1 CO 0.0 2.2 0 71.6		40	13.1	•	61.2	33.00	4.65	8.17		60	ю Ф	10.4	50.7	30.40 10.00	7.60	7.92
7.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0										40	13.1	10.3	56.5	35.44	7.60	7,51
71 C0 0.0 22.0 71.6 34.1E 6.50 07 22.0 10.7 22.0 10.7 22.0 10.7 22.0 7.7 2.0 10.7 22.0 7.7 2.0 10.7 22.0 7.7 2.0 10.7 22.0 7.7 2.0 10.7 22.0 7.7 2.0 10.7 22.0 7.7 2.0		00	0			33.60				90	16.4	10.3	SC.5	35.54	7.70	7.92
71										φφ	19.7	10.5	50.9	35+25	2.45	7.93
1		00	0.0	22.0	71.6	34.16	6+50			0.7	23.0	10.3	5C.5	35.54	¢•30	7.89
71		10	B + B	21.7	71.1											
13 9.8 20.3 68.5 14.1 19.9 67.8 15.4 19.1 65.7 15.6 19.7 18.7 65.7 15.6 19.8 67.8 35.30 15.7 10.0 19.9 67.8 15.8 19.8 67.8 35.30 15.8 19.8 67.8 35.30 15.8 19.8 67.8 35.30 15.8 19.8 66.7 16.9 15.1 19.2 17.8 66.7 16.5 16.4 18.7 65.7 16.5 17.8 17.5 63.5 17.5 63.5 17.6 63.5 17.7 00 0.0 18.2 17.8 63.5 17.9 62.6 17.1 00 0.0 17.5 63.5 17.5 63.5 17.5 63.5 17.5 63.5 17.5 63.5 17.5 63.5 17.6 15.7 17.7 00 0.0 18.7 15.8 17.8 15.0 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8		0.2	9*9	21+6	402											
171 00 0.0 19.9 67.8		60	9	20.3	£8.5											
71 CO 0.0 19.1 66.4 71 CO 0.0 19.9 67.8 35.30 7.40 8 0.1 3.3 19.8 67.6 36.20 6.90 8 0.2 0.6 19.4 66.9 16.00 6.90 0.3 9.6 19.3 66.7 11.70 8 0.4 13.1 19.2 66.7 11.70 8 0.5 19.7 17.8 64.7 11.80 7.70 0.1 3.3 17.5 63.5 36.50 5.10 7.70 0.1 3.3 17.5 63.5 36.60 5.10 7.70 0.1 0.0 0.0 17.5 63.5 36.60 5.10 7.70 0.1 0.1 0.2 55.6 35.85 7.70 7.70 0.1 0.1 0.2 55.0 36.00 8 0.1 0.2 0.4 15.0 55.0 35.65 8 0.2 0.4 13.1 15.0 55.0 35.55 8 0.3 0.4 13.1 15.0 55.0 35.55 8 0.4 13.1 15.0 55.0 35.55 8 0.5 16.4 15.0 15.5 8 0.5 16.4 15.0		o	13.1	19.9	67.8											
71 CO		90	16.4	1 9 1	66.4											
71 CCC O = 0 19.9 67.6 35.30 7.40 B O = 0 0 19.9 67.6 36.20 6.90 B O = 0 19.4 65.9 10.00 10.00 O = 19.6 19.3 66.7 11.70 B O = 19.7 17.8 66.7 16.50 6.90 O = 0 19.7 17.8 64.8 35.40 5.70 B O = 0 0 0 18.2 64.8 35.40 5.70 B O = 0 0 17.5 63.5 36.50 5.10 B O = 0 13.1 17.5 63.5 36.60 6.30 O = 0 15.2 55.4 35.85 O = 0 15.2 55.4 35.85 O = 0 15.2 55.4 35.85 O = 0 13.1 17.0 55.0 36.00 O = 0 13.1 15.0 55.0 35.55 O = 0 13.1 15.0 55.0 O = 0 13.1 15.0 O = 0		90	19.7	18.7	65.7											
10 3.3 19.8 67.6 36.80 6.90 6.		00	0	6.61	67.8	35.30	7.40	8.15								
03		ī 0	3.3	19.8	67.0	36.20	e • 90	6.25								
03		20	9•9	19.4	66.9		10.00	8.27								
13.1 19.2 56.6 16.50 16.50 16.50 10.50		60	9.5	19.3	66.7		11.70	8.36								
10 10 10 10 10 10 10 10		* 0	13.1	19.2	9*99		16.50	8.30								
71 00 0.0 19.7 17.8 04.0 5.10 7 7 7 1 1 1 1 1 1 1		90	10.4	18.7	65.7		02.5	6.23								
1, 23.0 16.5 61.7 1.80 7 1.80 7 1.80 7 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1 1.80 1.80 1 1.80		90	19.7	17.8	0.40		5.10	7.99								
-71 00 0.0 18.2 64.8 35.40 5.70 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		67	23.0	16.5	61+7		1.60	7.71								
(1) 4.3 17.5 63.5 36.50 5.00 7 7 63.5 63.5 36.50 5.10 8 63.5 63.5 36.60 5.10 8 63.5 63.5 36.60 5.10 8 63.5 63.5 63.5 63.5 63.5 63.5 63.5 63.5		00	0.0	18.2	64.8	35.40	6.70	8+05								
(2 6.0 17.5 63.5 36.80 5.10 8 6 4.50 63.5 17.5 63.5 36.80 4.50 8 6.50 64		01	m F	17.5	63.5	36.50	00"3	66*2								
03 9.8 17.5 63.5 4.50 8 04 13.1 17.0 62.6 4.70 7 05 16.4 16.8 62.2 4.35.55 01 3.3 15.2 55.4 35.55 02 6.6 15.0 59.0 36.00 03 9.8 15.0 59.0 36.00 04 13.1 15.0 59.0 35.55 05 16.4 15.0 59.0 35.55		£2	9.9	17.5	6.03 6.03	36. EG	£•10	8.00								
04 13*1 17*0 62*6 4*70 7 05 16*4 16*8 62*2 4 35.55 4 35.05 7 7 01 3*3 15*2 59*4 35*85 7 7 02 6*6 15*0 59*0 36*00 03 9*8 15*0 59*0 35*05 6 8 04 13*1 15*0 59*0 35*55 8 6 5 05 16*4 15*0 59*0 35*55 8		03	6. 0	17.5	63.5		06.4	8.00								
05 16.4 16.8 62.2 4.30 77 01 3.3 15.2 55.4 35.55 7 7 01 3.3 15.2 59.4 35.82 7 7 03 9.8 15.0 55.0 36.00 88 04 13.1 15.0 55.0 35.55 8 65 15.4 15.0 55.0 35.55 8		40	13.1	17.0	62.6		4.70	7,98								
171 00 CaO 15.2 55.4 35.55 01 3.3 15.2 59.4 35.85 02 6.6 15.0 59.0 36.00 03 9.8 15.0 55.0 36.00 04 13.1 15.0 55.0 35.55 05 16.4 15.0 59.0 35.55		50	16.4	16.8	62.2		0 PP • 4	7.96								
1 3.3 15.2 59.4 35.82 7 2 6.6 15.0 59.0 36.00 8 3 9.8 15.0 55.0 36.00 8 4 13.1 15.0 59.0 35.55 5 16.4 15.0 59.0 35.55		0	0.0	15.2	55.4	35.55		7.82								
2 6.6 15.0 59.0 36.00 B 3 9.8 15.0 55.0 36.00 4 13.1 15.0 55.0 35.55 5 16.4 15.0 59.0 35.55		10	۳ ۳	15+2	59.4	35.82		7.88								
3 9.8 15.0 55.0 36.00 8 4 13.1 15.0 55.0 35.55 5 16.4 15.0 59.0 35.55		0.2	9.9	15.0	55.0	36.00		8.00								
4 13.4 15.0 55.0 35.55 5 16.4 15.0 59.0 35.55		03	9	15.0	55.0	36.00		80.8								
5 16s4 15e0 59e0 35e55		\$	13.1	15.0	55+0	35.55		8.16								
		r) O	16.4	15.0	55.0	35.55		8.16								

FOUNDATION

42a

N O T L A O A D O L T N N O O K

PHYSICAL_GAIA_.8EPORT

HANCOCK

N K 1 1 1 K

PHYSICAL_CATA__REPORT

04 ENTRANCE TO FISH HARBOR (71-72) 033:43:49 N LONGITUCE 118:15:50 M STATION: Latitude 04 ENTRANCE TG FISH HARBGR (71-72) 033:43:49 N LUNGITUGE 118:15:50 W STATION: LATITUDE

RECOKO I NG		- DEPTH -	TEMPE	TEMPERATURE	SALINITY	9x3 510	Ţ	RECORD ING	- DEPTH -	, i	Ä	AT URE	SALINITY	DIS CXG	T a a
DAIE	-	METERS LEET	5				3433 NAT 4		199488919N	1331	1		1	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7077-077-0
14N 172	0	٥	11.9	5.4	35.50	6.50	6.23	JUNE 172	00	0.0	17.8	64.0	20	9.00	8.12
	0		11.6	5.00	35.60	6.70	6.23		0	E)	17.8	64.0	5 . 2	4.70	8-12
	70	•	11.8	53.2	35.60	7.30	8.25		0 5	6. 6	17.3	€3•1	35.72	6.00	8.20
	0	9	11.7	53.1	35.70	7.20	8.27		0 3	9.6	17.3	63.1	35.72	4 + 60	8.12
	Ö	4 13.1	11.7	53.1	35.70	7.40	5.2e		4	13+1	17.0	62.6	٠. د	4.20	40.0
	ò	16	11.7	0341	7	7.55	6.28								
	ů	19.7	11.7	53.1	7	7.30	B 2.48	JULY #72	0	0.0	15.9	67.9	4.3	0° • 30	8+22
									0 1	E ·	19.7	61.5	34.61	4	8.23
FFH .72	0		12.1	•	34.80	£ . 20	e.1.e		0	9.9	17.9	64.2	5.8	7	8.12
•	. 0	0.00	12+2		34.90	6.20	8.17		0 3	9.0	17.2	63.0	5.3	٠	8.14
	O		12.2		34.90	6.20	8.16		đ	13.1	16.8	68.2	35.46	ů	8.20
	Ö		12+2		34+90	£+30	ė.18		90	16.4	16.5	61.7	35+73	KI.	8.1¢
	0	7	12+1		35.00	F + 10	8+19		90	19.7	16.0	60.8	36.00		8.13
	ő	5 16.4	12.1	53.8	35.10	5+50	5.20								
	ŏ		12.2		35,30	E+60	N	AUG .72	00	0.0	18.5	65.3	34.02	4.10	8-13
	Ö	Q.	12+2		35.30	t + 50	8.20		0	E.	17.3	63.1	34.7.	3.60	8.10
									0.2	9*9	17.0	62.6	34.68	3+10	8.15
MAR 172	0	0.0	15.0	55.0	34.73	5.30	7.62		e o	B • 6	15.9	60.00	35,37	() 4 4 ()	60.09
	•	m	15.0	69.0	34+51	£.30	7.63		0	13.1	15.2	55.4	35.91	3.60	£ • 05
	ō	٥	15.C	55.0	35.05	6.10	7.62		6.5	16.4	15.1	59.2	36.00	2.E5	8.04
	0	3 9.8	15.0	55.0	35.05	£ + 2 G	7.62		°o	19.7	15.0	55.0	36.00	2,20	8.01
	ō	13.1	14.9	58.8	35.27	F.20	7.62								
	ő	5 16.4	14.9	5E• 8	35.27	7.00	7.61	SEPT 172		0.0	20.2	6 E • 4	33.66		8.20
	ō	5 19.7	14.6	18 B + O	35.27	3.70	7.50			3.3	19.0	67.3	34+20		٠
										9.9	19.4	6.00	34+53		8.29
APR *72	۰		17.1	62.8	34.07	10.50	8 + 2 4			9	19.3	66.7	34+65		•
	•	F	17.1	62.9	34.07	10.90	8.21			13.1	19.3	66.7	34.86		•
	ŭ		17.0	(A) • (b)	34.24	11.10	52.9		0.5	16+4	19.2	9 • 9 9	٠		6.32
	0		16.5	61+7	34.56	10.20	8.22			О.	1 6 1	4.00	35.02		•
	ō	13	10.0	60.09	34.93	t.eo	6.06			23.0	19.0	66.2	35,19		•
	ŏ	6 19.7	15.5	0 5 0	35.10	05.0	7.04			۰	19.0	5.99	35.27		•
	1	8	15.9	éC.6	34.75	6.50	90.9		;			•	1	,	r
								OCT • 72	00	0.0	0.81	4.	50°C5) 1	2 1
MAY #72	αı		_	ф •	5.0	~	8.21		.	е •	18.0	6. 4.	34.94		2.90
	0		_	55.4	5 . 7	7.80	•		0 0	9.0	17.9	64.2	35+03		7.91
	•		15.0	55.0	5.5	7.60	6.25		03	00 U	18.0	04.4	34.94		7.94
	o	3 9.6	14.9	5 to 8	36.00	7.50	8.24		0 4	13.1	18.0	64.4	34.94		7.94
	Ġ	_	14.4	61.6	36.10	7.70	E 2 3		0.5	10.4	18.0	64.4	;		6.00
	٥	5 16.4	14.1	57.4	36.38	6.40	9.19		90	10.7	17.8	6.0 0	35.11		7.94
	90	~	13.5	54.3	36.36	÷	7.98								

z

OUNCATIO

ŭ.

H A N C D C K

ALLAN HANCOCK FOUNCATION

PHYSICAL_PAIA__SEPORT

PHYSICAL_DAIA_REPORT

A4 ENTRANCE TG FISH HAFBCF 033:43:45 N LONGITUDE 11E:15:50 M 셝

STATION:	34 GATRANCE	STATION: 04 ENTRANCE TO FISH HARBOR (71-72)	STATION:	4
LATITUDE	A 241641660	LONGITUCE 118:15:50 m		O

RECORD ING	- CEPTH	1 H I	TEMPER	TEMPERATURE	SALINITY	015 0X6	ą T	RECORDING	- 0EPTH -	- H	TEMPERATURE	ATURE	SALINITY	DIS OXG	ď
DAIE		FEET	3			¥ dd	SUDS NOT H	PAIE	METERSFEET	_EEEI	3		199	E 0.0	435 NOT-4-
NOV +72	00	0	15.9	9.09	34.46	3.50	7.02	FEH • 73	9	0	13.5	56.3	31.40	6.40	7.94
	00	0.0	15.0	56.0	43.74	4.70	8.00		0	3.3	13.2	55.B	32.00	6.50	7.96
	0.1	E.	14.0	8 . 3 G	34.05	5.80	8.02		02	9.9	E 96.1	55.9	32.00	7.50	8.06
	0 1	m • m	15.8	60.4	34.57	3.76	7.88		0 3	8.0	13.2	55.8	32.10	7.50	8.04
	0.2	9.9	15.8	60.4	34.57	3.60	7.88		0	13.1	13.2	55.B	32.70	4. INO	7.5B
	0.2	9.9	15.1	5.65	34.10	£+10	8.04		90	16.4	13.1	55.6	33.00	5.50	7.94
	6.3	0.7	15.2	4.63	34.47	£.70	8.10		90	19.7	13.1	55+6	33*10	5+20	7.92
	ຄວ	ø.	15.7	60.3	34.56	3.80	7.88								
	0	13.1	15.7	60.3	34.66	4.00	58.2	MAR 173	00	0.0	14.7	58.5	32,70	8+50	8.11
	40	13.1	15.4	26.7	34.47	5.20	8.02		10	m *	14.5	5e.1	32.90	7.20	8.07
	0 0	16.4	15.7	60.3	34.50	6.60	8.12		0.2	0	14.5	5E.1	32.90	7.40	8.0e
	0.5	16.4	15+8	4.00	34.57	05 + E	7.85		r O	9.6	14.3	57.7	33.10	7.20	8.07
	90	19.7	15.6	60.1	34.75	4.20	7,91		40	13.1	14.1	57.4	33+30	7.00	90.0
	90	19.7	15+9	60.6	34.35	7.40	8.16		0.5	16.4	14.0	57.2	33.40	E. BC	7.99
	0.7	23.0	15+6	60.1	34+75	4 + 20	7+90		90	19+7	7 9 €	67.0	33.50	06 * 3	8.00
0EC 172	60	0	13.7	56.7	34.32	11.80	66.43	APR - 73	0	0	12.1	80 F)	32.10	5.30	8.17
	0	5.00	13,7	26.7	34.66	11.00	6.39		10	e e	11.9	53.4	32.30	10.40	8.24
	0.2	9.9	14.1	57.4	34.52	10.70	8.39		0 0	9.0	11.5	52.7	32.50	5.10	d.18
	03	20 ° 0'	14.0	57.2	34.61	10.50	8.36		63	9	11.4	52.5	32.70	5.20	91.9
	ó	13.1	14.1	57.4	34.71	06.5	9 · G		4	13.1	11+2	52.2	33.00	00.5	8 . 1.7
	G 02	16.4	14.0	57.2	34.01	E . 80	6.30		5 Q	16.4	11.0	51.e	33.00	£.20	8.06
	90	19.7	13.7	56+7	34.BE	7.60	8.25								
								MAY 173	00	0.0	15.0	60.6	33.60	6. BQ	6.71
DAN 173	00	0.0	12.9	55.2	34.67	2.70			13	η •	15.4	28.5	33.70	5.40	49.0
	10	3.3	13.0	50 10 10 10 10 10 10 10 10 10 10 10 10 10	35.15	4.70			0.2	0	15.0	55.0	33*80	6.90	99+9
	0.2	9.9	13+1	55.6	35.05	6.20			£3	ο 2	14.5	58.1	33.50	4.60	6.56
	60	6 *6	13+1	55.6	35*16	6.10			40	13.1	14.1	57.4	34.10	4.10	19.9
	0	13.1	13.1	55.6	35,15	5.10			0	16.4	13.9	67.0	33.90	3.50	6+49
	0.5	16.4	13.1	55.6	35.15	4.90									
								JONE :73	00	0.0	16.6	¢1.9	34.00	6.00	80.4
									0	P)	10.0	61.7	33.90	6.20	6.05
									0.2	9	16.4	¢1•8	33.76	6.10	8+03
									03	e •	16.0	€0•8	33.70	6.40	7.96
									4	13.1	15.4	28.5	33,70	5.60	9°00
									ឆ	16.4	15+2	4.60	33.60	E. PO	8.00

7.90 7.94 7.94 7.94

4.00 4.00 6.40 6.40

33.00 33.00 33.10 33.20 53.50

19.2 19.2 19.1 18.8

0 m 0 m m

0 0 0 0 0 0 1 0 0 0


JULY *73

ALLAN HANCOCK FOUNDATION


PHYSICAL DATA REPURI


STATION: A4 ENTRANCE TO FISH HARBOR LATITUDE 033:43:45 N LONGITUDE 118:15:50 *


RECORDING	106	DEPTH			SALINETA	200 210	r
PAIE	MEIBES.	-EEET	3	1		MAG	
AUG 173	00	0	18.2	64.5	32.40	7.30	7.34
	0	3.3	17.8	64.0	33,20	t + 80	7.31
	0.0	6. 6	17.5	63.5	33+30	6.80	7.32
	03	9.0	17.0	62.6	33.40	7.40	7.36
	40	13.1	16.7	62.1	33.56	7.20	7.34
	90	16.4	16.4	61.5	33,40	7.20	7.34
	90	19.7	16.6	61.9	33.50	6.80	7.30
SEPT +73	00	0•0	16.7	62+1	33.20	£.50	45.7
	0 1	m em	16.8	62.2	33,30	¢.20	7.94
	C 2	0.0	16.2	61.2	33.40	6.80	7.88
		8.5	15.B	4.09	33.50	6.00	7.90
	40	13.1	15.6	60.1	33.40	5.80	7.85
	00	16.4	15.5	59.0	33.40	6.00	7.81
	90	19.7	15.4	28.7	O # * 10 M	5.00	7.81
OCT • 73	00	0.0	17.2	63.0	32.80	04.4	7.70
	010	3.3	17.2	0.50	33.00	00.4	7.12
	0.2	9.0	17.3	63.1	33.00	00.0	7.74
	6.0	8.5	17.2	63.0	33.10	4.40	7.82
	40	13.1	17.2	63.0	33+56	5.20	7.87
	0.5	16.4	17.1	8.50	33.20	0.40	7.90
NOV •73	00	0	16.6	61.9	33,20	5.80	8.04
	0 1	3.3	16.8	62.2	33+20	0.40	7 + 98
	0.2	9.9	16.6	61.9	33,20	5.70	8.02
	E O	9.0	16.4	61.5	33.30	6.20	60.9

















1973 SALINITY DATA







1972 DISSOLVED OXYGEN
STATION: 05 DUTER FISH HARBOR (71-72)
DATA: DEPTH METERS / DIS DXG PPH




1973 DISSOLVED OXYGEN STATION: AS OUTER FISH HARBOR DATA: DEPTH METERS / DIS OXG PPM






STATION: 95 OUTER FISH HARBOR (71-72) SATA: DEPTH METERS / PH H 10N CONC



1973 PH DATA
STATION: A5 CUTER FISH HARBOR
DATA: DEPTH METERS / PH H 10N CONC



TOUND STRON

HANCOCK

ALLAN

PHYSICAL_CAIA_REPORT

ALLAN

PHYSICAL_CAIA__REPORT

RECORDINGDAIEMS JUNE *71					CONSTINCE	96:61:911		-	- A11+00E		:		LONG 1 1 OCE	116:15:56	:
14. BNOF	- DEPTH - METERSEBET	- 1	TEMPERATURE	ATURE	SAL INITY	DIS DXG	5435-K3I-1-	RECORDING	- DEPTH	TH -	TEMPERATURE	ATURE	SALINITY	DIS OXG	DNOS NOT H
	00	0.0	17.4	63.3	32.60	7.30	8,32	12. VON	0	0.0	0.91	60.8	36.00		7.74
	10	E .	16.7	62.1	33.0C	6.60	82.8		10	343	15.5	8.64	35.55		7.74
		8.6	16.4	61+5	32.90	ۥ00	6.25		0 2	9.9	15.5	55.9	35+55		7.76
	04	13.1	16.0	60.8	33,30	05.4	6.20		6.0	9.8	15+2	4.00	35.82		7.80
		6.4	15.8	¢0.4	33.20	3+60	8.14		0	13.1	15.2	5.5	35+82		7.84
									0.5	16.4	15.2	(A 4.	35+82		4.86
JULY 171	00		2C.4	65.4	33.66	E.30			90	19.7	15.0	59.0	36.15		7.87
	0		20.€	4.50					40	23.0	15.0	59.0	36.19		7.94
			20.1	£ + • 2											
	4	13.1	o.	67.1				DEC 171	00	0.0	11.5	52.7	34.41	04.70	8+22
	90	16.7	18.0	66.0					10	343	11.1	52.0	34.78	00.0	8.20
									0.2	9.9	11.1	52.0	34.88	B • 30	8.21
AUG •71	00		22.3	72+1	34.20	£.60			03	8.6	11.0	51+8	35.07	7.80	8 6
	10		25.4	72.3					40	13.1	11.0	51+6	35.07	7.50	8.18
	02		21.9	71.4					0 2	16.4	10.9	51.6	35+17	7.00	8.14
	ΕQ		21.5	7.0.7					90	19.7	8 * 0 T	51.4	35.26	6+70	8.13
	04 1	3.1	20.0	6P.0					0.7	23.0	10.2	£0.0	35.84	¢ • 50	6.11
	_		16.3	66.7					80	26+2	10.1	50.2	35.54	C.80	8.13
	-	7.6	18.8	65 €											
	07	0.6	18.5	65+3											
SEPT +71	0	0.0	19.2	96	36.70	0945	9.00								
	10	3,3	1943	66.7	36.60	10.30	8 29								
	N	9.9	19.2	9.99		10.20	8.25								
	۳	9.6	19.1	66.4		10.20	6+59								
	-	13.1	19.0	566.2		04.5	8.25								
	'n	4.0	18.4	65.1		6+30	8.06								
OCT + 71			18.6	65.5	35.10	2.00	91.8								
	_		18.7	65.7	36+10	6.80	8.12								
	CI.	9*0	18.0	64.4	36.70	2.60	B+04								
	m	ψ. Θ.	17.8	0.40		6.50	8.05								
	4	3.1	17.8	64.0		4.70	8.00								
	u)	16.4	17.4	63,3		3.60	7.92								
	06 1	٠.٧	17.2	63.0		3.80	7 • 90								
	07	0	17.0	62.6		0 # * F	7.91								

* O C N C A 1 1 0 N

PHYSICAL_DAIA_BEPORT

50a

HANCOCK

ALLAR

PHYSICAL_CAIA__REPORT

W -	STATION: LATITUBE	05	05 DUTER F 033:43:57 N	FISH HAR	FISH HARBOR (71-72) LONGITUDE	3118:15:56	5	ωL	STATION: LATITUDE	05 0UTE	αZ	SH HAR	FISH HARBOR (71-72) LONGITUDE	118:15:56	
	A FORCE	1 2	34047	PATURE	SALINITY	9x2 S10	Ĭ	RECORD ING	- DEPTH -	Į	TEMPERATURE	ATURE	SALINITY	DIS OXG	Ŧ
PELUNUING QAIE	METERS			C	Idd	888	2002-001-4-	DATE	MEILERSFEEI	FEET	4	L	I&	- BB#	2002-001-1-
	9	ć	ď	6.0	35.10	06.0	9,20	JULY *72	00	0.0	21.0	6.53	34.44	5.10	8.21
NAU NAU	2	, ,	0 4	1 0 1 7 1 V	91.5	6.20	8.20		10	6.4	20.7	69.3	34,52	6.90	8.20
	- c	7 ¢	• •	1 0 0	35.40	0.0	8.19		0.2	9.9	18.5	65.3	35.03	6.20	8.12
	N 4	9 0	1			05.4	8.18		6 0	9.8	17.4	63.3	35.46	4 - 10	8.06
	ή φ Ο C	. r		N W		6.20	8.20		0	13.1	17.0	9.29	35.46	3.10	8.04
	* u	4	1		35.90	6.50	8.22		0.5	16.4	16.7	62.1	35.64	2+50	8.02
	9 6			, N. (1)	•	6.70	8.23		0	19.7	16.4	61.5	35.73	2.50	9,00
٠	000	0 1 1	W 40	, N 1 (0)	35.90	0.00	8.24		270	23.0	15.9	€C•€	35+51	2.30	8.04
	;	,		1					Đ	26+2	15.8	60+4	36.00	2.80	90.06
408 177	00	0.0	17.7	63.9	34.25	11.10	6.22								;
		M	17.4	6343	34.60	11.00	8.22	AUG 172	0	0.0	18.6	65.5	34.44	4+20	8.11
		9.9	17.2	63+0	34.85	11+30	8.23		0	E # 5	17.5	63.5	35.20	3.80	e•0e
	1 %	9	17.0	62.6	34.68	05*5	6.25		02	9.9	17.5	63.5	35.46	5.80	91. 9
	9 6	1 -	1 40	0.00	35.28	7.20	20.9		€0	8.0	16.9	62+4	35.37	09*3	8.17
	† u	4.4	1.64.0	100	35,19	000	8.05		0	13.1	15.7	60.3	35 • 73	3.60	8.10
) (0.0	15.8	40.0	35.28	6+7C	8+06		60	16.4	15.3	0. 0.	36+09	3,00	8.08
	> 6			600	55,37	0	7*88		90	19.7	14.9	58.8	36.19	1.00	7.95
	•	1	•	;					40	23.0	14.7	€. €.	36.46	0.40	7.94
	00	0	16.0	6.0.9	35+20	6.90	8.27								
•		(F)	15.0	6.69	35.10	7.90	8.20	SEPT 172	00	0.0	20.1	68+2	33.96		8.32
		9	15.1	50.00	35.91	7.60	8.21		t 0	E)	20.0	68.0	34 • 2 B		8.32
) C	4	0.41	6.49	35.82	6.40	8.20		0.2	9.9	20.0	68.0	34.26		8.32
) d	13.1	_	57.4	36.16	5.10	8 . 11		03	9.0	19.6	67+3	35,53		8•31
	r (F	4.5	٠	500.7	36.29	4.50	80.0		40	13.1	19.4	66.9	34.77		8.32
	. 6	10.	F.	56.1	36.47	4.20	90.08		9 0	16.4	19.4	6.99	34.77		8.32
	}	•	•						90	19.7	19.4	6.99	34.77		8.32
CT - PAIN	00	0.0	18.	65.9	34.61	5.60	91 °B		20	23.0		6.99	34.86		8.32
•		(F)	-	€5•8	35.11	5 + 40	8.16		80	26.2	19.4	60.9	34+86		8.28
	0.5	9.9	18.	64.9	35.53	04.8	8.17								1
	60	6	17.	63.1	35.54	3+50	¥0.8	OCT 172	00	•	16.2	64.8	34.94	P 00	7.08
) d	1.46.1	16.	62.1	36.16	2.00	8.00		10	e) M	18.2	64.8	34.94		7.87
	1 1	16.4	15.2	4.00	36.35	2.50	7.51		0 2	9.9	18.1	4.4	34.94		7.86
	9 6		0.91	60.9	36.44	0.0	7.74		60	8*6	18.1	64.6	34.94		7.86
	2		;	:					0	13.1	18.1	64.6	34.94		7.87
									90	16.4	18.0	64.4	35.11		7.88
									90	16.1	16.0	64.4	35.11		7.92
									0.7	23.0	17.9	64.2	35.11		7.94

I A N C C C K N K J J K

FCUNCATION T A A C O C X

PHYSICAL CAIA REPURT

PHYSICAL DATA REPORT

	STATION: LATITUDE	05 GUTE 033143157	αz	ISH HAR	FISH HARBCR (71-72) Lüngitude	116:15:56	1		STATION: Latitude	2 4 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CUTER 6	FISH HARBOR LOI	BOK LONGI TUDE	99:51:311	3
RECORD ING	DEPTH	TH -	TEMPERATUR	ATURE	SALINITY	DIS CXG	PH 401.11	RECORDING DATE	- DEPT	DEPTH - KSEEET	TEMPERATURE	RATURE	SAL INI TY	DIS CXG	5455-451-4-
12 . VON	00	0.0	16.1	61.0	34.56	9 * 6	7.76	FEB 173	00	0	13.5	50.	31.50	6.50	F 6 4 1
	00	0.0	14.9	58.8	33.8£	05.4	7.97		10	3.3	13.3	# # # # #	31.80	£+8C	7.93
	0	3.3	14.9	58.8	33.82	4.70	7.95		20	9.9	13.2	55. 0	32+00	6.40	7.92
	0	B.3	16.C		34.40	3.40	7.78		03	χ. Β.	13.1	55+6	32.00	6.40	7.93
	0.2	9.9	14.8	5B•6	33491	4.66	7.94		† 0	13.1	13+1	6.6 • 6	32.30	6.60	7.96
	0.2	9•9	15.9	9.09	34.48	3.40	7.81		0.5	16.4	13.1	55.6	32+60	۲)	7.97
	m 0	9.6	15.9	90.09	34.46	9*	7.81		90	19.7	13.0	4.41	32,90	6.70	7.94
	60	9 . 8	14.8	5 E. O	34.09	4.60	7.94		10	23.0	12:9	40	33.20	4	e)
	•	13.1	14.8	56.6	34.18	4.30	7.96								
	•	13.1	8.51	4.09	34.57	3+40	7.84	MAP +73	00	0.0	14.7	56.5	32.70	7	6.12
	0.5	16.4	15.8	60.4	34.84	3,30	7.84		0	3.5	14,5	56+1	33+00		8•12
	0.5	16.4	15.2	55.4	34.20	4.10	7.97		03	t. 6	14.	56.1	33.1C	۲,	8.12
	90	19.7	15.8	4.09	34,84	3.20	7.82		E O	0 * 6	14.3	57.7	33+20	8.70	8.13
	90	19.7	15.2	9.59	34.65	3+90	7.98		40	13.1	14.2	57.6	33.2C	(V	8.11
	0	÷	15.5	6.48	34.47	2.90	7.98		90	16.4	14.1	57.4	03+E0	e.20	8.10
	₽	ě	15.6	60.1	34.75	3.00	7,83		90	19.7	14.1	57.4	33420	05.2	8.05
	Ф Ф	26+3	15.5	56.9	34.47	£ • 1 C	8.10		~ 0	23.0	14.0	57.2	33*30	7.66	90.09
									0.8	26.2	13.9	0 * £ 0	33.40	7.70	80°9
DEC 172	00		13.7	56.7	34.60	5.20	8,29								
	0	H. 4.	13.7	56.7	34.60	9.90	6.29	APK •73	0	0.0	12.4	40 40	32.60	5,30	6.25
	0.2	9.9	13.7	56.7	34.60	6.30	8.27		01	3.3	0 *5 1	55.4	32.20	5.20	6.24
	60	9.8	13.7	56.7	34.60	7.60	6+23		0.2	9.0	12.0	0.00	32,70	00.5	8.23
	40	13+1	13.6	56.8	34,75	7.50	5.23		03	8.0	11.8	53.2	32.80	ņ	6+22
	30	16.4	13.8	56.8	34.98	7.10	8.21		40	13.1	11.6	62.9	32,80	o.	6.22
	90	19.7	14.1	57.4	34.80	7.00	6.20		<u>ه</u>	16.4	311.5	52.7	32.80	8.50	8.22
	7.0	23.0	14.2	57.6	34,80	7.00	8+21		90	19.7		52.2	33.1C	P.40	6.19
									^ 0	23.0	10.8	51.4	33.20	¢.70	N
TY LYT	8	•	13.0	900	35.96	00.									
	010	3.3	12.9	59.2	35+14	4.10		MAY 173	0	9	15.9	9.09	33.66	00.5	6.56
	02	9.9	12.9	0 0 0	35+14	4.1 0			10	ις •	15.5	55.9	33*70	6+30	6.56
	0 3	30 O	12.9	65°2	35+14	4.20			0.2	9.9	\$ 2.5	5.5 4	33,70	5.7C	6.54
	40	13-1	12.9	ស ស ស	35.14	3 + F.C			f O	D 3	15.0	55.0	Ü	3,80	4
	90	٠	٠	÷	35+33	3+30			40	13.1	15.0	59.0	33,80	ŋ	6.47
	90	19+7	12.4	4	Ŷ	A. 50			SO	16.4	14.9	56°8	'n	3+60	E) 4
	20	23.0	12.2	;	35.70	•			90	19.7	14.5	1.95	33.60	m	6.46
									70	23.0	1441	57.4	33.90	2.10	6.35

ALLAN HANCOCK FOUNCATION


PHYSICAL DAIA REPORT

A L L A N


52a


PHYSICAL_CAIA_BEPORT


	STATIONS		AS CUTER F 033:43:57 N	FISH HARBCR	BCR LONGITUGE	118:15:56	a		STATION: LATITUDE		AS CUTER P 033:43:57 N	FISH HAMBER	BCR LONGITUDE	116:15:56	
RECORDING	1	оветн -	TEMPERATURE	MATURE	SALINITY	CIS CXC	Ţ	RECORDING		L HIGH	TEMPEFATURE	ATURE	SALINITY	DIS GXC	Ha
DATE	1	METERS FEET.	3	4	TBB	N. 14	<u> </u>	DATE		METERS FEET	EE	F	BBI	1	5465-45T-4-
e unit	ć	ç,	6	4	0 Z = E	500	77 • • • •	OCT • 7	0 m		16.0	64.4	32.50	3.20	7.5ë
•) -	PT	18.0	4.4.4	33,70	05*4	8.11				18.0	4.4	33.20	2.70	7.50
	. 0	9	17.5	6.3 0.4 0.0	34.00	7.70	8.10		0.5		17.9	64.5	33.20	2.t0	7.59
	80	90	16.0	60°B	34.70	4.90	7.94		0		17.6	63.7	33,20	2.60	7.60
	40	13+1	15.7	60.3	33.50	4.60	15*2		ò	13.1	17.4	63.3	33•£€	2 • 70	7 • 62
	0	16.4	15.6	66.1	33.80	3.80	7.85		Ö	9 16 4	1 7. G	€2.c	33.4C	2.70	7.63
	06	1947	0.64	6*59	33.90	4.10	7.86		ŏ	_	16.9	62.2	33+40	2.70	7.65
	0.7	23.0	15.2	55.4	33,70	4.20	7.BE								
								NOV - 73		0.0	17.0	62.6	÷	ບ • ພາ	7.50
111 Y 173	00	0	16.8	65.8	33.00	6.70	7.98		0		16.9	62.4	33,20	5.20	7.90
	10		18+8	1) • III	33.00	5.EC	7. SE		3	9.0	10.9	62.4	33.20	6.10	16.7
	ن ن :		18.6	65.8	33,10	€.30	8.00		Ó		16.4	62.	33.20	91.5	7.50
	1 0		16.0	4.40	33,30	6.70	₹0*8		Õ	13.1	16.6	¢1.9	35,30	00 * 0	16.7
	4	-	17.4	E 4 E 3	33.70	5.20	7.91		ių O		16.6	e1•	33.25	00*⊒	7.91
	0	-	17.2	63.0	33.60	4.60	7.86		ŏ	5 19+7	16.5	c1.7	33,30	4.40	7.91
	90	-	10.4	61.5	33.80	3-70	7.75								
	0.7	23.0	16.0	60.0	33.80	2.50	7+62								
AUG * 73	0	0.0	19.2	566.6	32.90	O.6. → 30	7.39								
	010	'n	18+8	65.0	33.40	0 3* 0	7.35								
	95		18.4	c5.1	35.30	7.60	7.39								
	0.3		18.0	64.4	33.40	€ # 9 C	7.33								
	40	-	17.0	63.7	33.40	t=60	7 - 32								
	C0		16.8	62.2	33.5C	6 . 20	7.26								
	90	19.7	16.0	61.9	33.40	6.20	7.28								
	20		16.0	61.9	04.60	6.10	7.27								
SEPT • 73	00		17.9	54.5	33.10	E. C.O.	7.47								
	0		17.9	64.2	33.2C	6+20	7.51								
	9.5		17.6	63+7	33.30	6.00	7.52								
	0 3	9.6	16.6	61.9	3+5	6.40	7.52								
	0	_	16.2	•	3.5	E . 40	7.53								
	9 0		15.5	¢0.0	33.50	₩. •	7.52								
	90	19.7	15.4	55.7	33+50	5.70	7.54								
	0.7			1.9.5	4	0.00	7.59								



STATION: D6 INNER FISH HARBOR (71-72) DATA: DEPTH METERS / TEMP CELSIUS









1972 SALINITY DATA







1973 SALINITY DATA




9 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200





1972 DISSOLVED OXYGEN
STATION: 06 INNER FISH HARBOR (?1-?2)
DATA: DEPTH METERS / DIS OXG PPM




STATION: AS INNER FISH HARBOR HETERS / DIS OXG PPM







6.30 5 1015200 5



57a

PHISICAL_DAIA_REPURI

PHYSICAL_CAIA_REPORT

RECORDING						116:16:00	•	_	LATITUDE	2 3011111000	:		10101		
Ì	- DEPTH - MEIERSFEEI	- HE	TEMPERATURE	ATURE	SALINITY	DIS OXG	SNOO NOT H	RECORDING DATE	- OEPTH -	74 - FEET	TEMPERATURE	ATURE	SALINITY	DIS DXG	PH TON CONC
JUNE 171	00	0.0	17.7	63.9	32.80	9.20	ກ • ຜ	DCT • 71	00	0	18.2	64.8		6+30	8+02
	01	۳. د	17.0	c2.6	33.66	00.00	B. 47		00	•	18.6	8.53	36.00	7.30	8.22
	Đ Đ	9.6	16.6	61.9	32+90	6.10	8° 38		10	3.3	18.0	64.4		0£*3	8.01
	40	13.1	16.3	61.3	33.10	4.70	8.17		0.1	G. B.	19.0	66.2	36.90	7.40	8.22
	90	19.7	15.6	60.1	33.20	1.20	7.87		0.2	9.9	18.0	64.4		6.40	8.01
									0.2	9.9	18.5	65.3	36.60	F. 80	8.12
JULY • 71	00	0.0	21.1	76.0	33.52	12.00			0 3	9*6	17.8	64.0		£.00	85*2
	10	H.	21.0	65.8					63	9.0	18.2	64.e		5.10	80.8
	60	9.0	21.0	65.8					40	13.1	17.6	63.7		06•≙	7.97
	4	13+1	19.5	67.1					0	13.1	18.0	4.40		4.50	6.03
	90	19.7	19.0	66.2					95	16.4	17.5	63.5		2+20	7.92
	44	23.0	18.5	65.3					S 0	16.4	17.6	63.7		0 0• ⊌	7.93
									90	19.7	17.0	62.6		1.50	7.84
AUG .71	00	0.0	23.3	73.9	34.46	7.70			90	19.7	17.4	€3•3		4.20	7.92
	01	m) m	9 * 6 6	72.5											
	0.2	9.9	25.2	72.0				12. AON	0	0	15+5	6.65	36.45		7.70
	60	9.8	20.5	6.89					0.1	3,3	15.8	60.4	35.cE		7.70
	40	13.1	20.2	68.4					0.2	9+9	15.8	60.4	35+2E		7.72
	:0 :1	16.4	19.5	67.1					0 3	9.6	15.8	60.4	35.2E		7,72
	0	19.7	19.2	66.6					40	13.1	15.5	59.9	00 e		7.70
	20	23.0	16.9	66.0					9 2	16.4	15.5	66.69	35.55		7.74
									90	19.7	15.0	0.5E	36.00		7.74
SEPT •71	0	0.0	20.2	4.80	36.60	14.40	8+52		0.7	23.0	15.0	29.0	36.00		7.78
	5	3,3	20.2	6.8 a	36.60	14.60	8.51								
	0.0	Ç.	8 ·6 f	67.6		12.20	8,39	0EC • 73	00	0.0	12.0	53.6	35+85	08.6	8.23
	ç 0	9.6	19.5	67.1		11.40	8,35		0.1	n T	12.0	53.6	35.99	9.50	8.23
	•	13.1	18.	66.0		04.0	8+23		0.2	9	12.1	53.8	35*89	09*5	8+23
	90	16.4	17.8	64.0		5.10	7.95		60	9.6	12.0	53.6	35.99	8.20	8.21
	90	19.7	17.2	63.0		3.50	7.82		0	13.1	12.8	55.0	35.14	6.80	8.15
									0	16.4	11.2	52.2	36.07	0.40	8.05
									90	19.7	11.0	51.8	36.17	4.60	7.95
									0.7	23.0	6 • 0 1	51.6	36.16	2.90	7.87

FOUNCATION HANCOCK

FOUNCATION H A N C O C K ALLAN

PHYSICAL_PAIA__BEBORI

PHYSICAL_CAIA_REPORT

		STATION: LATITUDE	06 INNE	TANER	FISH HAR	INNER FISH HANDCR (71-72) :09 N LONGITUCE	116:16:0	*	ω 1	STATION: LATITUDE	033344	INNER I	ISH HAR	06 INNER FISH HARBOR (71-72) 033:44:09 N LONGITUCE	118:16:00	•
RECORDIN DAIE	<u>ا</u> کا کا	— DEPTH —	- HE -	TEMPE	EMPERATURE C	SALINITY	DIS OXG	PH 10N_COD5	RECORDING DATE	- 0EPTH -	7.4 - FEET	TEMPERATURE	ATURE	SALINITY	DIS CXG	2002_401_1_
		ç	6	0.11	4 6 6 6	35.00	6.30	-	JUNE • 72	00	0.0	19.7	67.5	34.53	E. 70	8.24
	•	? -	P P	0.11	4 1 1 1 1	35.00	6.20	-		01	F)	18.0	64.4	35.28	£.30	8.20
		• 0	9.9	6 - 1	(N)	35.10	£ • 1 C			0.2	0.0	17.5	63.5	35.54	4.60	9.10
		1 10	9	11.5	52.7	35.40	6.80	∹		0 3	80	17.2	63.0	35.81	4.60	8.08
		4	13.1		52.	35+40	5.80	-:		•	13.1	16.5	61.7	35,92	2.80	7.92
		0 0	16.4	11+5	52.1	35.46	5. BO	-		9 0	16.4	15.5	90°0	36.91	0	7.74
		0	Q,		52.1	ú	6.80	7								
									JULY .72	00	••	21.6	40.0	33.97	10.60	8.32
FEB .	• 72	00	0.0	12.5	54.5	34.50	ф. 6	8,23		0	m m	21.4	30.5	34.36	6.60	- 4
		0.1	m e m	12.5	54.5	34.70	06+3			0.2	6.0	19.0	66.	34.77	0	ο.
		0	9.9	12.5	54.5	34.70	6.60	6.23		0.3	9.0	17.4	63.3	35.46	1.50	0
		0 3	8.6	12.4	54.3	34.90	5.60	•		4	13.1	17.0	å	ů	5.10	CN.
		40	13,1	12.4	54.3	35.00	5.50	•		က ဝ	16.4	17.0	ů	ů	1.60	ON.
		9	16.4	12.4	54.3	35.00	5.40	٠		90	19.7	16.8	•	ń	4)	On .
		90	19.7	12.4	5443	35.00	E++0			07	23.0	10.5	61.7	ຜູ້	1.70	an .
		10	r,	12.3	54.1	5.3	G.50	ď		80	26.2	16.1	•	36.00	1.90	8.00
MAR.	172	00	0.0	16.0	•	33.63	7.20	7.64	AUG 172	0	0	20.3	ů,	34.20	e+00	9 5
		ö	3.3	15.7	£ #09	34.21	5.60	٠		10	M M	ċ	ě	34.36	01°	. 20 . 24
		0.2	9.9	15.6	60.1	34.35	38.8	٠		02	9	,	÷	34.77	7.50	8
		0 3	8.6	15.4	2.55		4.60	7.51		Ť 0	9.6	:	63.5	vo -	6.60	8.21
		đ	13.1	15+0	55.0	•	0.5°	7.41		* 0	13.1	ġ	61.9	35.46	05.4	8·1-
		90	16.4	15.0	59.0	÷	3.80	7 • 45		9	10.4	'n	68.0	vo.	2.40	8.04
		90	19.7		56.6	34. P.1	08.0	•		90	19.7	15.1	59.5	36.18	1.80	9*00
		1								70	23.0	'n	98.0	vo	1.10	7.96
₽d¥	172		0.0	17.9	64.2	34.26	4.	6.27								
		0.1	3.3	17+3	63.1	34.54	13.80	8.26	SEPT *72	0	0	å.	68.5	33.80		60.0
			9.9	16.9	62.4	35.02	۲,	7		ō	M *1	ċ	7.00	34.20		-
			8.6	16.3	61•3	34.93	7.40	7		9	•	10.7	0.70	47 = 27		* ZI * E
			13.1	16.0	60.8	35.11	7	8.07		e 0	ر. 1	ċ	67.	11 to 4 to 11 to 1		v
			16.4	15.8	4.09	35,37	7	7.94		40	13.1	0.01	67.1	•		Na I
		90	19.7	15.5	6.65	35.55	o	7.91		80	16.4	Ď.	67.1	30.00 30.00		N
, ***	2.	00	0.0	Ġ	60.4	34.57	7.90	8.23	OCT •72	0	0.0	18.2	64.8	96*4E	4.00	7.68
	1	10	E. E.	15.7	60.3	4	7+80	8.24		0	E • E	18.2	64.8	34.86		an .
		80	9.9	;	56.8	36,00	6.00	8.16		0.5	9.9	18.1	64.6	34.94		an .
		1 6	0	;	56.6	36.04	5.60	-		E Q	9.6	16.1	64.6	34.94		00
		4	13.1	14.1	57.4	•	4+60	8.10		40	13.1	18.1	64.6	34.94		•
		, to	16.4	1.3.7	56.7	36.38	04.0	8.01		90	16.4	18.1	64.6	34 + 86		7.84
		1))	•		1				90	19.7	18.0	•	35.03		Φ,
										10	23+6	18.0	9 . 6 9	35.11		e.

X 0 1 L 4 0 N D O L

H A A C O C R

ALLAN

59b

59a

ALLAN HANDOCK HOUNDATION

PHYSICAL DAIA REPORT

PHYSICAL_DAIA_REPORT


-	STATION: LATITUDE	06 INNE 033:44:09	x z	FISH HAR	FISH HARBOR (71-72) LONGITUDE	118:16:00			ST	STATION: LATITUDE	A6 033:44	INNER F	INNER FISH HARBOR:	BOR LGNGI TUCE	118:16:00	
RECORDING DATE	- METERSE	PTH - Essi.	TEMPER	EMPERATURE -SE	SALINITY	DIS GXG	2432-VQ1-4	RECORD ING		- DEPT	FEET	TEMPERATURE	ATURE	SALINITY	DIS DXG	5405-401-4-
NOV • 72	00	0.0	•	61.2	•	3.10	7.74	FER	.73	0	0.0	Ę	56+3	_	7.00	7.94
	0	0.0	ń	50 To 45	•	4.90	7.96			01	3.3	M	56.3	2+0	6.50	7,56
	70	E .	ń	59.0	33.92	06.4	7+95			0.2	9•9	Ė	56.1	Ň	6.50	7.95
	10	m en	ě	01.0	34.49	3.10	7.76			03	8.6	ě	55.0	3 . 4	09.9	7.96
	02	9.9	÷	6C.8	34.45	3.00	7.78			40	13.1	13.2	55.0	32.50	6.40	7.97
	05	9.0	ហំ	0.86	33.83	4.90	7.96			0.0	16.4	ē	4	3.0	00°3	7.96
	60	8.6	15.0	25.0	33.83	08.4	7.96			90	19.7		55.4	3.0	5.60	7+95
	0.3	9.8	16.1	61.0	34.31	3.00	7.78			0.7	23.0	13.0	98.4	3.5	3.70	œ,
	*	13.1	ů	9.09	34.46	9.00	7.78									
	*	13.1	å	0.0	34.10	4.50	7.97	MAK	*73	0	0*0	15.0	59.0	32.60	9* BC	8.16
	90	16.4	ů	9.09	24 4 4 E	3.00	7.78			0 7	3.3	÷	56.8	Ň	5.40	8.15
	9	÷	ů	25.7	34.29	4.60	4.99			0.2	9.9	÷	5E.5	ů	9.40	8.16
	90	o	ů	28.7	m.	3.60	7.97			03	9. 9	4	58.1	Ę	9.10	8.15
	90	19.7		0.00	0 4 • 4 0	2.90	7.78			40	13.1	10.4	57.9	ď,	8+50	8+12
	0 7	23.0	ń	9.09	4	2 • 80	7.80			90	16.4	14.3	57.7	'n	6.40	8.12
	0.7	m)·	15.4	55.7	7	۲.	7,9€			90	19.7	14.2	57.6	33.20	P+40	8.11
										0.7	23.0	٠	57.6	'n	8.00	50 • 8
OEC •72	00	0.0		57.0	34.52	6.50	8+16									
	70	m m	÷	57.0	64 64 64	6.30	8.14	ασ ∢	* 73	0	0.0	12.5	5.4 U	2.5	10.80	8 • 34
	92	9*9	÷	57.0	34.70	6.40	8.14			0	G + D	12.5	54.5	32.60	11.20	
	F)	æ •	÷		34.64	c.1 0	8.13			0.2	9*9	12.0	53.6	3.1	10.80	r)
	* 0	٠	14.0		٠	6.20	7			603	8.6	12.0	53.6	3.0	06+5	8.29
	0.5	16.4	14.0	7.	0	6.20	7			40	13.1	11.9	53.4	33.00	9.80	67.9
	90	19.7	14.1	ċ	•	6.20				05	16.4	11.8	53,2	3,1	6.50	ď
	6.0	23+0	14.1	•	34.89	6.00	8.14			90	19.7	9.11	52.9	3.2	0E+5	ď
										6	23.0	11.3	å	3.2	7.90	Ŋ
JAN 473	00	0	12.9	55.0	34.57	4*30										
	01	3.3	12.7	•	34.65	3.80		K X	£43	00	0	ů	55.2	Ė	e 20	6 • 55
	0.5	9.9	12.5	ë	35.13	Q				10	۳, ۳	ŝ	60.6	33.90	7.10	IO.
	60	9.8	12.5	÷	35.42	3+30				05	9*9	Š	60.3	'n	4.50	10
	*	'n	Ň	•	_	2 + SQ				é o	9.8	ů	\$ * \$ 0.0	3.8	9•3 0	6+50
	0.5	16.4	å	54.5		2.60				*	٠	å	ន្ធ ទ	C.	4.30	ū
	90	19.7	12.2	54.0	35.60	0				ទ	•	15.0	9.50	33,80	3.40	6+45
										9	2.61	7 * * T	50 0	B • B	2.50	0.42
								JUNE	• 73	00	0.0	ė	4.40	34.30	7.50	90.8
										.	3.3	17.7	63.9	34+30	7.90	8.06
										0.2	9.9	ċ	63.0	33.90	6.80	8.07
										40	13,1	15.9	9.09	33.80	4.50	7.88
										0.5	16.4	15.7	60.3	33.80	D * * FI	7.81
										90	•	15.6	60.1	33.90	3.80	7.84

ALLAN HANCOCK FOUNDATION


PHYSICAL PAIA BEPORI

STATION: A6 INNER FISH HARBOR LONGITUCE 118:16:00 M

DATE	MEIERS FE	EEET	J	4	PP1	FPR	DADD-ADI-H
					,	4	T.
JULY 173	00	0	•	•	•	•	
	0	E • E	19+2	9.99	5	6.30	CP.
	02	9*9	ċ		E, e	6.60	
	0	9.6	ċ	9009	3.6	6+20	0
	9	13.1			3.8	5.20	Ð
	0	v	17.0	62.0	33,70	4.50	54.2
	90	19.7	÷	•	3.7	3.00	·O
AUG • 23	Ġ	0.0	0	u:	4.6	٥	F)
•	10	m m	40	65.5	4	4	4
	20	0	19.0	66.2		0	•
	1 10	E) 0	9	64.8	E)	N	m
	. 0	13.1			3.6	£.40	'n
	0 0	Φ			A. E.	Ų	m
	90	19.7	ø	61.5	3.5		r.i
SEPT 173		0		64.2	3.4	7	9
		3.3	17.9	;	3.3	Ŋ	æ
		9.9		64.2	4 .E	8.80	١.
		9.6	Ļ	ď	3+5	a)	ů
	40	13.1	16.7	62.1	33.50	4.10	7.48
		10.4	÷	;	3.5	'n	ű
	0	19.7	16.3	-	ES ES	Ŋ	i)
0C# 173	00	•	18.0	4.40	3.1	ø	Ú
	10	0.0			3.2	÷	ຕູ
	0			64.0	3.2	9	Ų.
	0.3	9.8	~	64.0	33,20	09*N	7.60
	0	13.1	٠	4	E	9	9
	90	16.4		•	3.5	Ç	•
	90	ċ			3.4	۲,	÷
	20	23.0		63.1	4		'n
. VOV	0	0	16.8		ιn	ō	0
	0	m m	ó	å	*	~	٠
	0	9.9	9	N	r)	P −	٥.
	60	B • 5	ė	Č.	m	*	Ġ
	40	13.1	16+6		Ė	4	•
	0.5	9	16.6	6119	33.20	G 30	7.89



STATION: 0? SEWER OUTFALL (71-72)
DATH: DEPTH METERS / TEMP CELSIUS



1973 TEMPERATURE DATA

STATION: A7 SEWER DUTFALL
DATA: DEPTH MEYERS / TEMP CELSIUS


FEB. MAR. APR. MAY JUNE JULY BUG. SEP. DCT. NOV.

20.90


11.90


11.90


2 5 1015200




1972 SALINITY DATA STATION: 07 SEWER OUTFALL (71-72) DATA: DEPTH METERS / SAL PPT









1972 DISSOLVED OXYGEN
STATION: 01 SEMER OUTFALL (71-72)
DATA: DEPTH METERS / DIS OXG PPM




STATION: AT SEMER OUTFALL METERS / DIS OXG PPM






1972 PH DATA STATION: 07 SEWER OUTFALL (71-72) DATA: DEPTH METERS / PH H ION CONC



1973 PH DATA
STATION: AT SEMER OUTFALL
DATA: DEPIH METERS / PH H [ON CONC



FOUNCATION HANCOCK ALLAN

PHYSIGAL_DAIA_BEPORT

PHYSICAL CAIA BEPORT

SALINITY PPI	•				1					
	CIS OXG	PH 2402_NO1_H_	RECORDING	ł	- DEPTH - METERSEEET		TEMPERATURE	SALINITY PEI	CIS OXG	PH 10N CONS
32.70	06.9	6.30	K. 247	7.2			.3 54.1	35.10	7.00	8.26
32.80	7.00	8.31			01 3+3	3 12.1	(F) (L)	35.10	6.50	6+24
33+30	5.60	8.24						35.50	6.10	8,24
33.10	5.50	8.22			63 648			35.70	0e • 3	8+22
11	017				-			36.20	6+60	30 CL *
1 •			FEB • 7	Q.		0 12.	54.5	34.50	0. 0.	8.12
35.02	6.50				0.1 3.3		'n	34.70	00 • J	8.12
					02 6.		5 54.5	34.90	4.90	6.12
						_	ų	34.60	5.00	6+12
					E 1	-	9	34.80	00"	8.11
			KAK .	7.5		0 15	60.1	E. E. & E.	0	7.30
36.20	11.40	6.35			e.	<u>۔</u>	4)	in i	01.6	7.62
	12.50	•				-	5.1 59.2	35.09	00.5	7.64
	12.00	5.41			ċ	8		35.27	3.50	7.56
	11.30	8.37								
			APP +7	7.2	00 00		5 05.3	35*85	6.40	7.92
	7.50	8+20				3 17	.		10.75	8+26
	7,30	8.07							13,00	8.32
36.40	8+00	8.21				9 16.	4 61.5		10.75	8.24
	0 * * 0	6.14			04 13.1	1 16.	0		7.10	8.13
36.60	9	8+14								
	7.80	8.11	MAY . 7	ĮŲ.	°	0 16.	w	34.23	9.10	8.22
36.80	6+10	8*03			r)	٠	ın	34.58	8.80	8.25
	6.70	8.03			02 6.0	6 15.	6.65	5.3	10.20	8.3¢
	0 4 0 4 10 1	56*2			Ů,	-T	S	35.10	0 0° 3	6.22
	•	•	C . British	g	•	•	ú		•	;
i i		,		v	•	•	ο.	33.21	2+60	00*3
) (1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		7.86			01	3 18.	0.04.4	35.11	5.80	8.16
00.00		7.86			ø	.a	٠.	35,37	2.60	8.13
36+00		8.16			Ġ		Q.	35.72	3+60	0
36.01		8.16								
36.01		91.9	70LY * 7	٥.	ċ	_	4.59 B	33.47	4.20	7.96
					-	3 18•0	_	34.61	4-50	8.29
					02 6.6		63.	35.11	3.40	6.21
					m)		7 62.	35,37	3-10	8.21
						1 16.	.a 61.a	35.73	Z=40	8+17

ALLAN HANCOCK FOUNDATION

PHYSICAL DATA REPORT


PHYSIGAL_DATA_REPOSI

		Ĭ	107 CCNC	7.96	8.04	6.03	7.97	7.91		7 4 5 6	3 (8 0 0			8.37		•		0	0	9	6473		a)	8.14	٠	7.92		7.87	8.05	90.9	8.08		7.35	7.43	7.47	7.40	œ.	2.90	Ġ	7,93	٥
	118:15:26	015 0xG	#100	7.50	e•30	7.90	6.20	00.4	-	D () (0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		10.20	11-20	5.60	00*5		9.4	5.80	9.40	7.60		6.10	E.50	7.50	06.4		5.70	7.10	7.40	7.10		E.60	00.5	6.20	6+10	6.10	5 6 0	7.40	6.70	¢.60
	LONGITUCE	SALINITY	EEI			31+50	32,90	33.20	•	32.10	75.00	33.40		31.60	33,00	33,20	33,30		33.70	33.90	33.90	33+80		33.10	33.70	33.90	33.70		32.40	32,70	33.40	33.40		32.50	33,20	33.40	33,30	32.90	32,70	4	•	33.5¢
	UO TFALL	TEMPERATURE		57.4	57.0	56.45	55+8	55.6		e 1	V	27.0		v	53.6	P)	52.7		61.5	5.58	58.6	56.3		64.8		¢1•0	56+9		67.3	6.99	9.09	66.43		66.4	64.8	64.4	63.9	63.3	63.7		60.1	,
1	A7 SEWER 0 033:44:12 N	TEMPE	ا	14.1	13.9	13.6	13.2	13.1		ů.	•	3.9	;	13.5	12.0	11.8	11.5	ı I	16.4	15-1	14.6	14.6		18.2	17.0	ě	15.5		19.€	19.4	19.2	19.0		1 6 1	18.2	16.0	17.7	17.4	17.0	16.5	15.6	
!	033:4	DEPTH -	FEE	0	3+3	9.9	30.00	13.1		0	•	0 to		•	m m	•			0.0	10 10	9	9		0	E e	9.9	9	•	0.0	0.0	9.9	9.0		0.0	3.3	9*9	0.0	0	3+3	6.6	9.0	13.1
,	STATION: LATITUDE	1 06.0	_METERSEGET	0	0	0.2	03	40		00	0	7 F	3	00	10	0.2	F 0)	00	0	0.0	i fi)	00	- 6	0.2	m 0	l !	00	0.1	02	É O		o o	10	0	03	00	10	0 2	E 0	0
	งา	RECORDING	1.E.	. 73						. 73				P7					• 73					£4.3					Y *73					173				64 F				
		RE C.	PAIE	F						M A M				204					¥					LVIII.	,				JULY					AUG				SEPT				
		ā	PLION CONS	40.4	7 P. C.	4	40.0		8.21	8.25	8.19	5.17				3 0		1 0	7.70	0	9 0	•	4) r	ח מ ח מ	0 a	0 4															
	118:15:26	9X0 S10	PPR	0	24.0		000	•						0000	0 0	9 6	000	9 0	9 .	0107) ·	00.	,	0.20	000	0 U) (i	0 ** 0	000	4.10	0049	4.70	4.47									
	(71–72) Langi Tude	YTINI 185	PPI	9	30.00	n c		•	33.56		50 · 40	34.61		*) 4 * f *) f	***	70.00	5 4 6 6 7	14.7	34.11	2440	20.00	34.4/		E P	20.40	0.4	7444	34 + 1 4	94.40	* O * * * * * * * * * * * * * * * * * *	35.15	1 P	40.00									
	07 SEWER DUTFALL (71-72) 033:44:12 N LONGIT	ATUBE	1	,	0 0	V 10	0 0		1.59	67.8	67.5	67.3		61.0	er t ga t ga t	26.0	2.50	0.00	d (# (4		57+0	57.7	4.1	•	58•1	6.7) 4) 4		r e	;								
	SEWER O	TOWNER AT LINE	3				0 .0	•	20.6	0.6	19.7	19.6		9.	'n	÷	ů	ធំ	N 1	å	0 • 0 0 •	2.5		13.0	4.4		0 ° 1	14.5		1				•								
	07	2	FEET	,	0 1	0	9.0	D	0	e e	9.9	9 6		0	0	F)	() ()	9.9	0	0	9.6	13.1		0	ω •	9	en .	13.	•	,	7 .	0 0	, .	•								
	STATION: LATITUDE	Č	METERS CEET	:	0	:	0 I	ñ	00	6	20	50		00	0	0	.	05	0 2	0	E 0	*		0	10	0.2	m ©	3	(3	- 0	9 6	n 4	•								
	יר מי		RECORDING DATE		172				621 1	•				172										72						2												
		Ì	# #		Ą				1000	ì				Š										DEC						Z												


HANCOCK FOUNDATION A L L A N

PHYSICAL GATA BEPORT


	STATION: LATITUDE	0.33.4	A7 SEWER DUTFALL 033:44:12 N	BUTFALL	LONGITUDE	LONGITUDE 118:15:26 W	*
RECORDING PAIE	ļ	17 H T	TEMPER	- DEPTH - TEMPERATURE	SAL INI TY	5	9 0 XG PH PAGE
007 173	00	0	18.0	7.43		5.70	7.81
	0.1	G • E	17.0	63.3	33.30	¢•00	7.90
	6.2	9.9	17.2	0.59	33.30	6.00	7.86
	63	8.0	17.2	63.0	33.30	5.60	7.86
NOV +73	00	0	17.8	64.0	32.50	5.60	7.94
	10	r) •	16.8	62.2	33.20	6.40	6.18
	0.2	9.9	16.4	61.5	33.40	5.40	7.98
	03	9.0	10.3	61.3	33.40	00.0	7+60



9.00 5 1015200 5



STATION: 08 DATA: DEPTH




OCT. | JUNE | JULY | MUG. APR. HAY 38.00 36, 00 32.00

9 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200 5 1015200


PPT

STATION! WEST BASIN DATA: DEPTH METERS / SAL


39. 20




STATION: 06 HEST BASIN (71-72)
DATA: DEPTH METERS / DIS OXG PPM





1973 DISSOLVED OXYGEN STATION; HEST BASIN DEPTH HETERS / DIS OXG PPM






STATION: 08 HEST BASIN (71-72)
DATA: DEPTH METERS / PH H ION CONC







PHYSICAL LOAIA BERDRI

PHYSICAL BAIA BERGEI

	STATION: LATITUDE		08 WEST B/	WEST BASIN (71-72)	-72) LCNGITUE	118:16:14	ž.	רא	STATION: Latitude	0.33:46	MEST BA	8AS[N (71-72)	-72) Longi Tuce	118:16:14	
RECORDING PAIE	- DEPTH -	DEPTH - RSFEET.	TEMPE	TEMPERATURE	SALINITY	DIS CXG	PH 10N-50NC	RECORDING DATE	- 06P	06PTH - 85_EEEI_	TEMPERATURE	ATURE	SAL INITY	DIS CXG	PH 2005-101-1-
JUNE 171	3	0.0	18.3	64.9	32+50	2.00	8.23	SEPT +71	00	o• 3	21.5	7.04	35.10	5.60	7.95
	0.1	E + E	~	64.0	32.60	5.70	8.15		10	E)	21.4	76.5	35+90	4.80	7.92
	ΕO	8 • 5	16.8	62.2	32.90	04.70	90.9		0.2	6.6	21.6	71.2	36.80	4.70	7.92
	9	13.1	16.4	61.5	33.10	4.50	8.05		03	9.6	21.5	70.7		4.50	7.92
	90	19.7	16.1	61.0	33,20	4.30	8.05		0	13.1	4.03	£8.7		4.40	7.91
	40	23.0	_	61.0	33.20	4.20	8.05		00	16.4	19.0	66.2		4.50	7.93
									90	19.7	17.4	63.3		4.40	7.92
JULY *71	00	0	22.1	71.8	33,20	4.10			0.7	23.0	16.7	62.1		4.40	7 • 92
	6	3.0		71.6					90	26.2	16.3	61.3		4.50	7.92
	60	9.0		76.2					60	29.5	16.0	60.9		4+30	7.91
	0	13.1		€ e • 2					0.1	32,8	15.6	60.1		4.20	50"2
	90	19.7		56+2					11	9	15.4	55.7		3+70	7.85
	0.7	23.0	16.7	65.7											
	60	29.5	18.	64.8				OCT *71	00	0.0	22.0	71.6	34.50	4.20	7.92
	01	32+8	_	64+6					00	0.0	25.8	78.4		4.10	7.83
	11	36.1	16.0	64.4					01	P) * P)	20.6	69.1	34.00	4.20	7.93
									10	3,3	25.3	77.5		4 • 10	7.84
AUG .71	00	0		78.4	33.60	7.50			02	9.0	19.4	64.39	36.00	3.50	7.93
	01	E.	25.7	78.3					02	9.9	22.8	73+0		04.4	7.87
	70	9.9		76.3					E O	30 O	18.5	65+3	36.40	3.70	7.94
	ΕΦ	9.6		72+3					0.4	0.0	19.3	2.99		4.50	7.89
	*	13,1	21.	70.0					0.4	13.1	16.3	64.9	36.80	3.60	7 93
	9 0	16.4	_	9.70					0	13.1	18.5	65,3		4.10	7.86
	90	19.7	18.	65.8					0.5	16.4	16.0	64.4		3.60	7.93
	20	23.0	_	65.3					១	10.4	18.2	64.8		4.30	7.87
	80	26.2	18.	65.1					90	16.7	17+5	63.5		3.50	7.95
	60	29.5		0.49					90	19.7	18.0	4.40		4.20	7.84
	10	32.8	17.	63.9					10	23+0	17.3	63.1		3+60	7.94
	11	36.1	17.6	63.7					0.7	23.0	17.5	63.5		3.90	7.85
	12	4.66	17.5	ě					80	26.2	17.0	62.6		3.80	2.96
	e =	45.6	17.2	63.0					90	26.5	17.3	63.1		3.90	7.83
									60	29.5	17.0	9.29		3+90	7.97
									60	59.5	17.3	63.1		3.80	7.83
									10	32+8	1 C .	62+2		3+60	7.96
									10	32+B	17.2	63.0		3+60	œ.
									1	36.1	16.6	61.9		3.60	•
									11	36.1	17.2	•		2,70	٠
									12	39.4	17.0	62.6		9.40 8.40	7.80

CCNC

73a

0 C N C A T I C N ů. ¥ 0 ∪ 4 4 1 X K I I X

PHYSICAL_CAIA_REPORT

PHYSICAL PAIA REPORT

5 4H 1	<u> </u>	
	5 - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 1	65°44 35°52
	#5 ° 1	63.5
	* 6 4	63.0
	# 6	17.2 63.0 34.94 17.0 59.5 35.11
		61.7
	1.65	5 61.7 3
	1.55	5 61.7 3
	5-11	5 61.7 35.1
		0 60.8 35.5
	ម្យា (ប	0 60.8 35.5
	'n	un .
	,	
	0100	00.0 00.0 34.00 0.10 6.0 60.0 34.75 6.00
	, 4.	50.2 GHT. 50.2 H
	Ψ	57.7 35.28 E
	4	1 55.6 35.81 4
	4	55.4 35.81 4
	4	9 55.2 35.61 4
	4	54*1 35*90 4
	3*99 4*60	1 53.8 35.99
	4	9 53s4 36s0E 4
	•	2.9 36.37
		4 10 4 10 10 10 10 10 10 10 10 10 10 10 10 10

ROUNCATION

HANCOCK

ALLAN

74a

PHYSICAL LEGIA REPORT

PHYSICAL DATA REPORT

	STATION: LATITUDE		OB MEST BA	MEST BASIN (71-72)	-72) Longitude	116:16:14	# *		r.	STATION: Latitude	08 WEST 033146100 N	WEST BA	8ASIN (71-72) LON	-72) LONGITUDE	118:16:14	
971 00000	A. 1	1	TON	FADERATURE	SALINITY	9X0 S10	ā	RECORD ING	5 N C	- DEPTH	ı Į	TEMPERATUR	ATURE	SALINITY	DIS DXG	Ţ
PATE	발	EEET	J	u.	PFI	PPH	5455 NOT 4	PATE		METERS	EEET	3	4	PPI	PPN	H 10N CONC
ADE 172		0	10.7	67.5		7.40	7.93	AUG	172	00	0.0	19.7	67.5	23.63	10.80	8.42
•		e e	19.7	67.5		6+BC	7.94			0 1	E * E	18.9	0.39	4.4	11.00	8.44
	20	9	19.0	66.2		6+50	7.93			0.2	9*9	18.7	65.7	34.36	10.80	6.43
	60	80	18+0	64.4		6.00	7.91			m O	8.0	17.8	64.0	÷	10.20	8.42
	0	13.1	17.9	64.2		5.60	7.91			† a	13.1	17.5	63.5	=	10.90	8.44
	60	10.4	17.2	63.0		4+90	7.88			90	16.4	16.8	62.2	÷	06*5	8.38
	90	19.7	16.8	62.2		4.90	7.88			90	19.7	9.61	60.1	35.64	8+05	8, 32
	0	23.0	16.4	61.5		4.70	7.87			L 0	23.0	15.1	59.5	35.91	5.80	8.21
	90	26.2	16.1	61.0		4.80	7.88									
	60	29.5	16.1	61.0		4.80	7.88	λON	-72	00	0.0	20.0	68.0	33+63	6.30	7.94
	01	32.8	16+0	60,8		4.00	7.88			0	0.0	20.5	68.4	•	5.20	7.91
	=	36.1	16.0	60.8		7.20	7.87			0.1	E .	19.1	•	32.95	4.50	7.95
	12	39.4	6 • 5 1	9.09		6.60	7.86			10	E)	20.0	68.0	•	6+00	7 • 93
										0.2	9. 0	10.0	65.8	34.02	5.50	7.94
MAY +72	•	0.0	18.5	65.3	34.10	E. 4.5	8.15			0.2	6.6	17.2	63.0	33,39	06**	7*94
	10	F	18.1	0.00	34.52	09*5	8.20			e O	8.0	16.8	62.2	33.46	5.00	7.96
	0.5	9.9	18.0	4.40	34.52	10.00	8.24			E 0	9.6	17.9	64.2	34.26	5.30	7.94
	€ 0	9.6	16.9	62.4	35.11	7.10	8.13			4 0	13.1	17.3	63.1	34.25	6.40	7.95
	*0	13.1	15.9	9.09	35.46	6.70	B=09			40	13.1	16.5	61.7	33.62	5.20	7.97
	0.5	16.4	15.0	59+0	35,73	6.60	8.05			90	16.4	16.3	61.3	33+06	5.60	8.01
	90	19.7	14.8	5e.6	35.46	4+60	8.00			\$0	16.4	17.0	64.6	34.33	5.20	7.95
	60	23.0	14.1	57.4	36.01	4.20	7.99			90	19.7	Ö	62.4	34,433	£•00	7.94
	80	26.2	13.5	56.3	36.57	3.70	7.45			90	19.7	÷	61.0	33,96	6+50	8.02
	50	29.5	13.5	56+3	36+92	ď	7.94			0.7	23.0	ů	9.09	34 • 0 4	6.10	8.06
	10	32.8	1 3. I	55+6	36+95	0 4 • E	7.96			10	23.0	16.7	62+1	00.440	000	7*94
	1.1	36.1	13.0	55.4		'n,	7.95			90	26+2	16.8	62+2	34.41	05**	7.94
										D O	26.5	15.8	6C.4	34.04	6.10	8.07
JULY 172	0	0.0	26.0	76.8	34 .95	4.30	7.88			о О	29.5	15.8	4.04	14 · 14 ·	6.20	8.07
			23.3	73.9	34.80	7.40	8.01			љ О		16.4	61.5	34.58	4.90	7.94
	6	9.9	22.2	72.0	34.05	8.60	8+13			10	O.	٠	61.2	34 . 76	4+90	7 + 95
	03	9.6	20.6	65.1	33.96	04.4	8.05			01	٠	15.8	60.4	24.13	e•00	9.06
	0	13.1	1 8.7	65.7	35.03	2.40	8.00			11	٠	15.5		4	06.9	8.04
	80	10.4	16.2	64.6	35.20	1.90	8.00			::	36+1	16.2	61.2	34.76	5.20	7.96
	90	19.7	17.8	64.0	N	1.60	8.01									
	07	23+0	17.2	63.0	35.63	1.30	8.02									
	90	26.2	16.9	62.4		06*0	8.05									
	60	29.5	15.6	60.1		05+0										
	10	32.8	15.	29.7	36.81	06.0	8.07									

z

2 5

0 ų.

N O O O W W H

ALLAN

75a

PHYSICAL LEGIA REPORT

X 0 I F V 0 V 0 O L υ Σ U Z ∢ I X ()) Y

PHYSICAL DAIA BERORI

y		Tarrent Tarren		PPI
8.22	30	60	4 65*1 33*09 2 63*0 34*08	18.4 65.1 33.09 17.2 63.0 34.08
8-21	50	96	4 61.5 33.88	4 61.5 33.88
8	20		61.2 33.70	16.2 61.2 33.70
00 0 0 0	9 6	33.76 7420	61.0 33.76	1 16.1 61.0 33.78
77 * O	2 6		7 60.3 34.12	00000 C4+12
8.23	0		6 60 at 34 21	15.6 6Cel 34.21
8.23	05	on.	4 59.7 34.38	15.4 59.7 34.38
6.23		2.00	4 59.7 34.47 7.00	15.4 59.7 34.47 7.00
8.24		**7 7*10	3 59.5 34.47 7.10	15.3 59.5 34.47 7.10
.24	9 04	.56 7.40	2 55.4 34.56 7.40	#1 15#2 55#4 34#56 7#40
-24	6	7.10	3 £9.5 34.65 7.10 B	15.3 £9.5 34.65 7.10 8
	00	ın	0 60.8 33.25 3	16.0 60.8 33.25 3
	50	(°)	1 61.0 33.16 3	*1 61.0 33.16 3
	00	E)	9 60.6 33.86 3	15.9 60.6 33.86 3
	00	34.55 3.00	1 55.2 34.55 2	15e1 59e2 34e55 2
	00	37 3	9 58s8 34s37 3	14.9 58.8 34.37 3
	10	40	7 58=5 34-54 3	14.7 58.5 34.54 3
	20	59.	1 57.4 34.89 2	14e1 57e4 34e89 2
	50	*80 2*	1 57.4 34.80 2.	57.4 34.80 2.
	40	08.	0 57*2 34.80	14.0 57.2 34.80
	000	-89	9 57*0 34*89	57.0 34.89
	04,	34.89 2.40	9 57.0 34.89	9 57.0 34.89
	.50	26.	6 56+5 34+97	*1 13*6 56*5 34*97
	0.1	5.06 2.7	5 56.3 35.06 2.7	13.5 56.3 35.06 2.7
	2		0 000 00000 00000 00000 00000 00000	Tell Guest to

ALLAN HANCGCK FOUNDATION

PHYSICAL_CAIA__BEPUBI

PHYSICAL DATA BERGRI

	STATION: LATITUDE	033:40	WEST B/ 033:46:00 N	ZIS¥8	LONGITUDE	118:16:14	3	-7 -2	STATION: LATITUDE 0	MEST 033:46:00 N	HEST BASIN	ž	LONGITUDE	118:16:14	
RECORDING LATE		ОЕРТН — 85£\$\$1	TEMPER	TEMPERATURE 	SALINITY	DIS OXG	5985"NOT"	RECORDING DAIE	- OEPTH -	139	TEMPERATURE	TURE E	SALINITY PPI	DIS CXG	PH SNOS NOT 4
ADP + 73	00	0	17.3	63.1	0 4 e E E	7.80	6.11	JULY 173	00	0.0	20.7	6.9	33.00	6+80	7.85
		. F	16.6	61.9	33+50	11.50	8.27		5	3.3		65.3	33.20	5.80	7.87
	20	9	6.0	9409	33.60	7.40	8,10		20	9.0	20.2	68.4	33,30	09*3	7.84
	E O	0	15.2	59.4	33.60	£+70	8.04		e 0	9.6		67.8	33,60	5.00	7.82
	*	13.1	15.2	65+4	33.60	6. 60	8.03		40	3.1	~	65.7	•	3.40	7.17
	90	16.4	15.2	4.50	33.60	6.60	5.02		0.5	4.0		6449		4.00	7.80
	90	19.7	15.1	59.5	33,70	6.30	8.01		06	F . 6	18.1	64.6	33.60	4.10	7.81
	40	23.0	15.0	0.55	33.70	5.80	8.00		07 2	3.0	0	64.4	ň	4.20	7.80
	60	26.2	14.8	56.6	33.70	5.80	7 * 98		0.8	2.9	ç	63.7	'n	4.20	T
	3	29.5	14.8	56+6	33,70	5,60	7.98		On.	25.5		63.3	'n	4	7.82
	10	32.8		56.5	33.60	5.80	8.00			Š	r,	63.0	0. 0.	4	a
	11	36.1	14.4	57.9	33.70	4.60	7.92		_	36.1		63.0	33,60	*•1 0	7.84
MAY * 7.33	0	0	17.0	62.6	33.60	5.60	7.98	AUG 173	00	0.0		6.5.4	33.20	4.60	7.80
	10	E .	10.8	62+2	33.60	5.70	7.98		0.1	3.43	20.5	68.99	32+80	4 • 60	7.82
	0.2	9.9	16.8	62,2	33.60	€.20	8.01		0.2	9*9	0.1	66.2	33.60	4.20	7.80
	03	00 4 05	16.5	61.7	33.60	09*9	8.03		£ 0	8.6	o	pe • 2	33.40	4.20	7.82
	* 0	13.1	16.1	61.0	33.70	5+30	7.95			13.1	'n	65.3	33.60	4.20	7.82
	រួ •	16.4	15.9	9.09	33.60	4.40	7.90		£.	16,4	٥	64.4	33.50	4-10	7.82
	90	19.7	15.6	60.4	33+70	4.20	7.88		9	19.7	m	64.0	33.40	08*6	7.82
	0.7	23.0	15.7	€0•3	33.60	4.10	7.88			23+0	~	63.6	å	0 • 0 0	7.82
	90	26.2	15.7	60.3	33.60	3.90	7.86			26.2		63.5	ň	3.60	7.82
	60	29.5	15.5	59.9	33.60	3.80	7.86		J.	O.	4	63.3	m	∹	7.82
	10	32.8	15.4	28.1	33.60	3.60	7.86		•	32.8	17.2	63.0	33.40	9	7 • 8 4
	11	36.1	15.3	59.5	ė	•	7.85			ė	0	62. 6.6	'n	4.00	7.84
	12	4.00	15.2	55.4	33.60	3.20	484						•		;
						•		OCT . 73	0	0 1	22.0	73.6	11.00		000
CA BNOC	0 0	0 1	e N) · · · ·	0 1 0	* * *		- c	9 4	o ur	7 M	٠,		200
	7 .		5 : 5 :	P 1	3 6	9 6			, ¢	2 2	1		0 11 7 12		98.7
	2 1	0 + 0 +	9 (0 .	00000	9 6 6	5 40 0 10			, ,		7 4	,		7.86
	50	0	C		00.00		0.00			•	× ×) () () (
	•	 E	16.7	65.7	34.00	2.4				# F)	00.00		0 0
	я О	16.4	18.4	65.1	33,70	១ : ១ : ព	D.			7.61	4	010	•		50°
	90	19.7	16.3	64.4	33.60	6. 30 6. 30	₽ ₽• /			ο ·	4	61.5			0 ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °
	0.7	23.0	18*1	64.6	33.76	4.90	6			26.2	m .	61.0			70 ·
	80	26.2	17.7		33.70	4	٠			0	-d ·	61.0	71		15.
	љ О	2945	17.4	63.3	9.0	00.	7.82			Q v	15.9		•		200
	10	32.8	17.2		33.70	3.10	7.76			1.00		n 0 0	33.40		•