
BFS Traversal

Step 1: Start at E




Queue: E

Visited: (none)


BFS Traversal

Step 2: Process node E



BFS Traversal

Step 3: Discover A, D, I, J from E




Queue: A → D → I → J

Visited: E

BFS Traversal

Step 4: Process node A




Queue: D → I → J

Visited: E

BFS Traversal

Step 5: Discover B, C, F, G from A




Queue: D → I → J → B → C → F → G

Visited: A, E

BFS Traversal

Step 6: Process node D




Queue: I → J → B → C → F → G

Visited: A, E

BFS Traversal

Step 7: No new neighbors from D




Queue: I → J → B → C → F → G

Visited: A, D, E

BFS Traversal

Step 8: Process node I




Queue: J → B → C → F → G

Visited: A, D, E

BFS Traversal

Step 9: No new neighbors from I




Queue: J → B → C → F → G

Visited: A, D, E, I

BFS Traversal

Step 10: Process node J




Queue: B → C → F → G

Visited: A, D, E, I

BFS Traversal

Step 11: Discover H from J




Queue: B → C → F → G → H

Visited: A, D, E, I, J

BFS Traversal

Step 12: Process node B




Queue: C → F → G → H

Visited: A, D, E, I, J

BFS Traversal

Step 13: No new neighbors from B




Queue: C → F → G → H

Visited: A, B, D, E, I, J


BFS Traversal

Step 14: Process node C



BFS Traversal

Step 15: No new neighbors from C




Queue: F → G → H

Visited: A, B, C, D, E, I, J

BFS Traversal

Step 16: Process node F




Queue: G → H

Visited: A, B, C, D, E, I, J

BFS Traversal

Step 17: No new neighbors from F




Queue: G → H

Visited: A, B, C, D, E, F, I, J

BFS Traversal

Step 18: Process node G




Queue: H

Visited: A, B, C, D, E, F, I, J

BFS Traversal

Step 19: No new neighbors from G




Queue: H

Visited: A, B, C, D, E, F, G, I, J

BFS Traversal

Step 20: Process node H




Queue: (empty)

Visited: A, B, C, D, E, F, G, I, J

BFS Traversal

Step 21: No new neighbors from H




Queue: (empty)

Visited: A, B, C, D, E, F, G, H, I, J

DFS Traversal

Step 1: Start at E




Stack (top at right): E

Visited: (none)

DFS Traversal

Step 2: Process node E




Stack (top at right): (empty)

Visited: (none)

DFS Traversal

Step 3: Discover J, I, D, A from E




Stack (top at right): J | I | D | A

Visited: E

DFS Traversal

Step 4: Process node A




Stack (top at right): J | I | D

Visited: E

DFS Traversal

Step 5: Discover G, F, C, B from A




Stack (top at right): J | I | D | G | F | C | B

Visited: A, E

DFS Traversal

Step 6: Process node B




Stack (top at right): J | I | D | G | F | C

Visited: A, E

DFS Traversal

Step 7: Discover H from B




Stack (top at right): J | I | D | G | F | C | H

Visited: A, B, E

DFS Traversal

Step 8: Process node H




Stack (top at right): J | I | D | G | F | C

Visited: A, B, E

DFS Traversal

Step 9: No new neighbors from H




Stack (top at right): J | I | D | G | F | C

Visited: A, B, E, H

DFS Traversal

Step 10: Process node C




Stack (top at right): J | I | D | G | F

Visited: A, B, E, H

DFS Traversal

Step 11: No new neighbors from C




Stack (top at right): J | I | D | G | F

Visited: A, B, C, E, H

DFS Traversal

Step 12: Process node F




Stack (top at right): J | I | D | G

Visited: A, B, C, E, H

DFS Traversal

Step 13: No new neighbors from F




Stack (top at right): J | I | D | G

Visited: A, B, C, E, F, H

DFS Traversal

Step 14: Process node G




Stack (top at right): J | I | D

Visited: A, B, C, E, F, H

DFS Traversal

Step 15: No new neighbors from G




Stack (top at right): J | I | D

Visited: A, B, C, E, F, G, H

DFS Traversal

Step 16: Process node D




Stack (top at right): J | I

Visited: A, B, C, E, F, G, H

DFS Traversal

Step 17: No new neighbors from D




Stack (top at right): J | I

Visited: A, B, C, D, E, F, G, H

DFS Traversal

Step 18: Process node I




Stack (top at right): J

Visited: A, B, C, D, E, F, G, H

DFS Traversal

Step 19: No new neighbors from I




Stack (top at right): J

Visited: A, B, C, D, E, F, G, H, I

DFS Traversal

Step 20: Process node J




Stack (top at right): (empty)

Visited: A, B, C, D, E, F, G, H, I

DFS Traversal

Step 21: No new neighbors from J



Stack (top at right): (empty)

Visited: A, B, C, D, E, F, G, H, I, J