

BFS Traversal

Step 1: Start at E




BFS Traversal

Step 2: Process node E




BFS Traversal

Step 3: Discover D from E




BFS Traversal

Step 4: Process node D



BFS Traversal

Step 5: Discover C, F, G, J from D




Queue: C → F → G → J

Visited: D, E


BFS Traversal

Step 6: Process node C



BFS Traversal

Step 7: Discover A, H, I from C




Queue: F → G → J → A → H → I

Visited: C, D, E

BFS Traversal

Step 8: Process node F




Queue: G → J → A → H → I

Visited: C, D, E

BFS Traversal

Step 9: Discover B from F




Queue: G → J → A → H → I → B

Visited: C, D, E, F

BFS Traversal

Step 10: Process node G




Queue: J → A → H → I → B

Visited: C, D, E, F

BFS Traversal

Step 11: No new neighbors from G




Queue: J → A → H → I → B

Visited: C, D, E, F, G

BFS Traversal

Step 12: Process node J




Queue: A → H → I → B

Visited: C, D, E, F, G

BFS Traversal

Step 13: No new neighbors from J




Queue: A → H → I → B

Visited: C, D, E, F, G, J


BFS Traversal

Step 14: Process node A



BFS Traversal

Step 15: No new neighbors from A




Queue: H → I → B

Visited: A, C, D, E, F, G, J

BFS Traversal

Step 16: Process node H




Queue: I → B

Visited: A, C, D, E, F, G, J

BFS Traversal

Step 17: No new neighbors from H




Queue: I → B

Visited: A, C, D, E, F, G, H, J

BFS Traversal

Step 18: Process node I




Queue: B

Visited: A, C, D, E, F, G, H, J

BFS Traversal

Step 19: No new neighbors from I




Queue: B

Visited: A, C, D, E, F, G, H, I, J

BFS Traversal

Step 20: Process node B




Queue: (empty)

Visited: A, C, D, E, F, G, H, I, J

BFS Traversal

Step 21: No new neighbors from B




Queue: (empty)

Visited: A, B, C, D, E, F, G, H, I, J


DFS Traversal

Step 1: Start at E



DFS Traversal

Step 2: Process node E




Stack (top at right): (empty)

Visited: (none)


DFS Traversal

Step 3: Discover D from E



DFS Traversal

Step 4: Process node D




Stack (top at right): (empty)

Visited: E

DFS Traversal

Step 5: Discover J, G, F, C from D




Stack (top at right): J | G | F | C

Visited: D, E

DFS Traversal

Step 6: Process node C




Stack (top at right): J | G | F

Visited: D, E

DFS Traversal

Step 7: Discover I, H, A from C




Stack (top at right): J | G | F | I | H | A

Visited: C, D, E

DFS Traversal

Step 8: Process node A




Stack (top at right): J | G | F | I | H

Visited: C, D, E

DFS Traversal

Step 9: Discover B from A




Stack (top at right): J | G | F | I | H | B

Visited: A, C, D, E

DFS Traversal

Step 10: Process node B




Stack (top at right): J | G | F | I | H

Visited: A, C, D, E

DFS Traversal

Step 11: No new neighbors from B




Stack (top at right): J | G | F | I | H

Visited: A, B, C, D, E

DFS Traversal

Step 12: Process node H




Stack (top at right): J | G | F | I

Visited: A, B, C, D, E

DFS Traversal

Step 13: No new neighbors from H




Stack (top at right): J | G | F | I

Visited: A, B, C, D, E, H

DFS Traversal

Step 14: Process node I




Stack (top at right): J | G | F

Visited: A, B, C, D, E, H

DFS Traversal

Step 15: No new neighbors from I




Stack (top at right): J | G | F

Visited: A, B, C, D, E, H, I


DFS Traversal

Step 16: Process node F



DFS Traversal

Step 17: No new neighbors from F




Stack (top at right): J | G

Visited: A, B, C, D, E, F, H, I

DFS Traversal

Step 18: Process node G




Stack (top at right): J

Visited: A, B, C, D, E, F, H, I

DFS Traversal

Step 19: No new neighbors from G




Stack (top at right): J

Visited: A, B, C, D, E, F, G, H, I

DFS Traversal

Step 20: Process node J




Stack (top at right): (empty)

Visited: A, B, C, D, E, F, G, H, I

DFS Traversal

Step 21: No new neighbors from J



Stack (top at right): (empty)

Visited: A, B, C, D, E, F, G, H, I, J