

BFS Traversal

Step 1: Start at A




BFS Traversal

Step 2: Process node A




BFS Traversal

Step 3: Discover B, E, F, J from A




BFS Traversal

Step 4: Process node B




BFS Traversal

Step 5: Discover C, D, H from B




BFS Traversal

Step 6: Process node E




BFS Traversal

Step 7: Discover I from E




BFS Traversal

Step 8: Process node F




BFS Traversal

Step 9: Discover G from F




BFS Traversal

Step 10: Process node J




BFS Traversal

Step 11: No new neighbors from J




BFS Traversal

Step 12: Process node C




BFS Traversal

Step 13: No new neighbors from C




BFS Traversal

Step 14: Process node D




BFS Traversal

Step 15: No new neighbors from D




BFS Traversal

Step 16: Process node H




BFS Traversal

Step 17: No new neighbors from H




BFS Traversal

Step 18: Process node I




BFS Traversal

Step 19: No new neighbors from I




BFS Traversal

Step 20: Process node G




BFS Traversal

Step 21: No new neighbors from G




DFS Traversal

Step 1: Start at A



DFS Traversal

Step 2: Process node A




Stack (top at right): (empty)

Visited: (none)


DFS Traversal

Step 3: Discover J, F, E, B from A




DFS Traversal

Step 4: Process node B




DFS Traversal

Step 5: Discover H, D, C from B




DFS Traversal

Step 6: Process node C




DFS Traversal

Step 7: No new neighbors from C




DFS Traversal

Step 8: Process node D




DFS Traversal

Step 9: No new neighbors from D




DFS Traversal

Step 10: Process node H




DFS Traversal

Step 11: No new neighbors from H




DFS Traversal

Step 12: Process node E




DFS Traversal

Step 13: Discover I from E




DFS Traversal

Step 14: Process node I




DFS Traversal

Step 15: Discover G from I




DFS Traversal

Step 16: Process node G




DFS Traversal

Step 17: No new neighbors from G




DFS Traversal

Step 18: Process node F




DFS Traversal

Step 19: No new neighbors from F



DFS Traversal

Step 20: Process node J



DFS Traversal

Step 21: No new neighbors from J

