


BFS Traversal


Step 1: Start at E

Legend



Queue: E

Visited: (none)



BFS Traversal


Step 2: Process node E

Legend



Queue: (empty)


Visited: (none)



BFS Traversal


Step 3: Discover A, C, F, G from E

Legend



Queue: A → C → F → G

Visited: E



BFS Traversal

Step 4: Process node A

Legend


Complete

Processing

Discovered

Unseen


Queue: C → F → G
Visited: E



BFS Traversal


Step 5: Discover B, I from A

Legend



Queue: C → F → G → B → I

Visited: A, E



BFS Traversal

Step 6: Process node C

Legend

Complete


Processing

Discovered

Unseen


Queue: F → G → B → I

Visited: A, E




BFS Traversal

Step 7: Discover D from C



Queue: F → G → B → I → D

Visited: A, C, E



BFS Traversal


Step 8: Process node F

Legend



Queue: G → B → I → D


Visited: A, C, E



BFS Traversal


Step 9: Discover H, J from F

Legend



Queue: G → B → I → D → H → J


Visited: A, C, E, F



BFS Traversal


Step 10: Process node G

Legend



Queue: B → I → D → H → J


Visited: A, C, E, F



BFS Traversal


Step 11: No new neighbors from G

Legend



Queue: B → I → D → H → J


Visited: A, C, E, F, G



BFS Traversal


Step 12: Process node B

Legend



Queue: I → D → H → J

Visited: A, C, E, F, G



BFS Traversal


Step 13: No new neighbors from B

Legend



Queue: I → D → H → J


Visited: A, B, C, E, F, G



BFS Traversal


Step 14: Process node I

Legend



Queue: D → H → J

Visited: A, B, C, E, F, G



BFS Traversal


Step 15: No new neighbors from I

Legend



Queue: D → H → J


Visited: A, B, C, E, F, G, I



BFS Traversal


Step 16: Process node D

Legend



Queue: H → J


Visited: A, B, C, E, F, G, I



BFS Traversal


Step 17: No new neighbors from D

Legend



Queue: H → J


Visited: A, B, C, D, E, F, G, I



BFS Traversal


Step 18: Process node H

Legend



Queue: J


Visited: A, B, C, D, E, F, G, I



BFS Traversal


Step 19: No new neighbors from H

Legend



Queue: J

Visited: A, B, C, D, E, F, G, H, I



BFS Traversal

Step 20: Process node J

Legend


Complete

Processing

Discovered

Unseen

Queue: (empty)
Visited: A, B, C, D, E, F, G, H, I



BFS Traversal


Step 21: No new neighbors from J

Legend



Queue: (empty)


Visited: A, B, C, D, E, F, G, H, I, J



DFS Traversal


Step 1: Start at E

Legend



Stack (top at right): E

Visited: (none)



DFS Traversal

Step 2: Process node E

Legend


Complete

Processing

Discovered

Unseen

Stack (top at right): (empty)
Visited: (none)



DFS Traversal

Step 3: Discover G, F, C, A from E

Legend


Complete

Processing

Discovered

Unseen

Stack (top at right): G | F | C | A
Visited: E



DFS Traversal

Step 4: Process node A

Legend


Complete

Processing

Discovered

Unseen


Stack (top at right): G | F | C
Visited: E



DFS Traversal


Step 5: Discover I, B from A

Legend



Stack (top at right): G | F | C | I | B

Visited: A, E



DFS Traversal


Step 6: Process node B

Legend



Stack (top at right): G | F | C | I


Visited: A, E



DFS Traversal


Step 7: Discover J from B

Legend



Stack (top at right): G | F | C | I | J

Visited: A, B, E



DFS Traversal


Step 8: Process node J

Legend



Stack (top at right): G | F | C | I

Visited: A, B, E



DFS Traversal


Step 9: No new neighbors from J

Legend




Stack (top at right): G | F | C | I

Visited: A, B, E, J




Step 10: Process node I

Step 10: Process node I



Stack (top at right): G | F | C

Visited: A, B, E, J



DFS Traversal


Step 11: No new neighbors from I

Legend



Stack (top at right): G | F | C


Visited: A, B, E, I, J



DFS Traversal


Step 12: Process node C

Legend




Stack (top at right): G | F

Visited: A, B, E, I, J




Step 13: Discover D from C

Step 13: Discover D from C



Stack (top at right): G | F | D

Visited: A, B, C, E, I, J



DFS Traversal

Step 14: Process node D

Legend


Complete

Processing

Discovered

Unseen


Stack (top at right): G | F
Visited: A, B, C, E, I, J



DFS Traversal


Step 15: Discover H from D

Legend



Stack (top at right): G | F | H


Visited: A, B, C, D, E, I, J



DFS Traversal


Step 16: Process node H

Legend



Stack (top at right): G | F


Visited: A, B, C, D, E, I, J



DFS Traversal


Step 17: No new neighbors from H

Legend



Stack (top at right): G | F


Visited: A, B, C, D, E, H, I, J



DFS Traversal


Step 18: Process node F

Legend



Stack (top at right): G


Visited: A, B, C, D, E, H, I, J



DFS Traversal


Step 19: No new neighbors from F

Legend



Stack (top at right): G


Visited: A, B, C, D, E, F, H, I, J



DFS Traversal


Step 20: Process node G

Legend



Stack (top at right): (empty)


Visited: A, B, C, D, E, F, H, I, J



DFS Traversal

Step 21: No new neighbors from G

Legend



Stack (top at right): (empty)

Visited: A, B, C, D, E, F, G, H, I, J

