

Processed At :
Chouhatta, Opp Darbhanga
House, Ashok Rajpath Rd, Patna
800004



Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation*

Patient Name : ASHFAQUE HUSSAIN (52Y/M)

Tests Done : T3-T4-USTSH, LIVER FUNCTION TESTS

Referred By : DR. S. S. TRIPATHI MD

Sample Collected At : (8412270795), RAVI HEALTH CARE CENTRE, ADDA NO:03, NEAR
AKHAND JYOTI EYE HOSPITAL, HOSPITAL ROAD, SIWAN,
BIHAR, 841226

Report Availability Summary

Note: Please refer to the table below for status of your tests.

✓ 2 Ready ✓ 0 Ready with Cancellation ⌚ 0 Processing ✗ 0 Cancelled in Lab

TEST DETAILS

REPORT STATUS

T3-T4-USTSH

Ready ✓

LIVER FUNCTION TESTS

Ready ✓

Patient Name : ASHFAQUE HUSSAIN (52Y/M)
Referred By : DR. S. S. TRIPATHI MD
Sample Collected At : (8412270795), RAVI HEALTH CARE CENTRE, ADDA NO:03, NEAR
AKHAND JYOTI EYE HOSPITAL, HOSPITAL ROAD, SIWAN,
BIHAR, 841226

Sample Collected on (SCT) : 02 Oct 2025 08:12
Sample Received on (SRT) : 02 Oct 2025 13:23
Report Released on (RRT) : 02 Oct 2025 14:46
Sample Type | Barcode : SERUM | 31113717

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALKALINE PHOSPHATASE	PHOTOMETRY	100.9	U/L	45-129
BILIRUBIN - TOTAL	PHOTOMETRY	0.67	mg/dL	0.3-1.2
BILIRUBIN - DIRECT	PHOTOMETRY	0.17	mg/dL	< 0.3
BILIRUBIN (INDIRECT)	CALCULATED	0.5	mg/dL	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	22.1	U/L	< 55
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	23.8	U/L	< 35
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	23.48	U/L	< 45
SGOT / SGPT RATIO	CALCULATED	1.01	Ratio	< 2
PROTEIN - TOTAL	PHOTOMETRY	7.05	gm/dL	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	3.9	gm/dL	3.2-4.8
SERUM GLOBULIN	CALCULATED	3.15	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.24	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - Modified IFCC method
BILT - Vanadate Oxidation
BILD - Vanadate Oxidation
BILI - Derived from serum Total and Direct Bilirubin values
GGT - Modified IFCC method
SGOT - IFCC* Without Pyridoxal Phosphate Activation
SGPT - IFCC* Without Pyridoxal Phosphate Activation
OT/PT - Derived from SGOT and SGPT values.
PROT - Biuret Method
SALB - Albumin Bcg¹ method (Colorimetric Assay Endpoint)
SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
A/GR - Derived from serum Albumin and Protein values

Tests Done : LIVER FUNCTION TESTS, T3- T4-USTSH

Priyanka

Dr T Priyanka MD(Path)



Scan QR to verify (valid for
30 days from release time)

Patient Name : ASHFAQUE HUSSAIN (52Y/M)

Referred By : DR. S. S. TRIPATHI MD

Sample Collected At : (8412270795), RAVI HEALTH CARE CENTRE, ADDA NO:03, NEAR
AKHAND JYOTI EYE HOSPITAL, HOSPITAL ROAD, SIWAN,
BIHAR, 841226

Sample Collected on (SCT) : 02 Oct 2025 08:12

Sample Received on (SRT) : 02 Oct 2025 13:23

Report Released on (RRT) : 02 Oct 2025 14:46

Sample Type | Barcode : SERUM | 31113717

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL TRIIODOTHYRONINE (T3)	E.C.L.I.A	126	ng/dL	80-200
TOTAL THYROXINE (T4)	E.C.L.I.A	7.59	µg/dL	4.8-12.7
TSH - ULTRASENSITIVE	E.C.L.I.A	2.49	µIU/mL	0.54-5.30

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T3, T4 - Fully Automated Electrochemiluminescence Competitive Immunoassay

USTSH - Fully Automated Electrochemiluminescence Sandwich Immunoassay

Disclaimer : Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference. In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports. To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

~~ End of report ~~

