



Passion for Precision

THE PRICELIST

QUALITY YOU TRUST, PRICING YOU VALUE.



XPS-06

EFFECTIVE FROM APRIL 1ST, 2026

**HIGH TENSILE FASTENERS
STANDARD & SPECIAL**

XPS AT A GLANCE

FG STORE & HEAT TREATMENT FURNACE



Finished goods store to ensure organized storage and ready dispatch.

Continuous SCADA controlled heat treatment furnace to enhance material strength and performance.

In-house Tool Room for precise die-making, maintenance, and continuous process optimization

FORGING & ROLLING OPERATIONS



Multi-Station High Speed **Bolt Formers** and **Nut Formers**

High Speed **Rolling Machines**, **Centerless Grinding**, **Drilling**, **Milling**, **Boring**

PHYSICAL & METALLURGICAL LAB



In-House Physical & Metallurgical Testing Laboratory with quality testing equipment like:

Spectrometer, Microscope, Profile Projector, Universal Testing Machine (UTM), Impact Testing Machine, Magnetic Particle Inspection (MPI), Salt Spray Chamber, Mold Maker, Vicker Hardness Tester, Rockwell Hardness Tester

XPS PACKING



XPS packing is engineered to provide superior **strength, insulation, and impact resistance** for safe product transportation.

COMPANY PROFILE


XPS is a leading manufacturer specializing in precision-engineered, high-tensile fasteners trusted across heavy-duty industries. With a strong focus on quality, reliability, and innovation, XPS delivers products designed to perform in the most demanding industrial environments—from cement and construction to railways, automotive, and machinery.

With over 50 years of expertise in the fastener industry, XPS brings deep technical know-how and proven capability in serving major OEMs across diverse sectors, including 2-wheelers, commercial vehicles, construction, mining, and heavy engineering industries. Our management team thrives on its extensive experience, ensuring reliable solutions and seamless collaboration with every partner we work with. Our products are in conformity with standards like IS, ISO, DIN, JIS, ASTM etc.



OUR GLOBAL PRESENCE

Our Presence



From **India** to the **US** and **Europe**, XPS stands as a symbol of strength and precision. Our high tensile fasteners are engineered to meet global standards, delivering unmatched quality and reliability across international markets.

HIGH TENSILE FASTENERS

STANDARD INDUSTRIAL PRODUCTS

SELECTOR GUIDE												
Product	Tensile Strength Property Class		Size Range			Equivalent Standards						
	N/mm ² Min.	Psi Min.	Diameter		Length		IS	ISO	DIN	BS	ANSI/ASME	JIS
			Metric	Inch*	Metric	Inch*						
Socket Head Cap Screw	(1220) (12.9)	190000	M3 to M48	1/8" to 1"	3mm to 500mm	3/8" to 12"	2269	4762	912	FOR INCH BS:2470	B18.3.1 M/B18.3	B1176
Socket Low Head Screw	(1040) (10.9)	---	M4 to M20	---	10mm to 100mm	---		---	6912 7984		---	---
Socket Counter Sunk Head Screw	(1220) (12.9)	160000	M3 to M24	1/4" to 5/8"	6mm to 200mm	1/2" to 3"	6761	10642	7991		B18.3.5 M/B18.3	---
Socket Button Head Cap Screw	(1220) (12.9)		M3 to M12	---	5mm to 50mm	---	---	7380	9427		B18.3.4 M/B18.3	---
Socket Set Screw Knurled Cup Point		Hardness HRC 45 Min.	M3 to M20	3/16" to 3/4"	3mm to 80mm	3/16" to 3"	6094	4029	916		B18.3.6 M/B18.3	B1177
Socket Set Screw Special Points		Hardness HRC 45 Min.	M3 to M20	3/16" to 3/4"	3mm to 80mm	3/16" to 3"	6094	4026 4027 4028	913 914 915	UNC/UNF BS:1768	B18.3	
Hex Head Bolt/Screw	800/830 (8.8) 1040 (10.9)	Grade 8, 5, V	M3 to M48	1/4" to 1"	6mm to 500mm	1/2" to 12"	1364	4014 4017	931 933		B18.2.1	B1180
Hex Nut	1040 (Proof Stress) (10)	Grade 8 Grade R Grade 5	M4 to M60	1/4" to 1"	---	---	1364	4032	934	UNC/UNF BS:1768	B18.2.4.1 M/B18.2.2	B1181
Special Products	800/830 (8.8) 1040 (10.9)		M5 to M60	1/4" to 1 1/2"	6mm to 500mm	3/8" to 12"	As per Customer's specifications.					

HIGH TENSILE FASTENERS

STANDARD INDUSTRIAL PRODUCTS

THREAD SIZE COMPARISON																
METRIC PRODUCTS							UNIFIED INCH PRODUCTS				B.S. INCH PRODUCTS					
SIZE	THREAD PITCH AND TPI				MAJOR DIA.		SIZE	TPI		MAJOR DIA. inch	SIZE	TPI		MAJOR DIA. inch	TPI BA	MAJOR DIA. inch
	COARSE		FINE		mm	inch		UNC	UNF			BSW	BSF			
	PITCH mm	TPI	PITCH mm	TPI												
M3	0.50	51.00			3.00	0.118	#5	40	44	0.125	1/8	40		0.125		
M4	0.70	36.00			4.00	0.157	#6	32	40	0.138	5/16 4/8A				43.1 38.5	0.126 0.142
M5	0.80	32.00			5.00	0.197	#8 #10	32 24	36 32	0.164 0.190	3/8A 3/16"	24	32	0.187	34.8	0.161
											28A 18A				31.3 28.2	0.185 0.209
M6	1.00	25.00			6.00	0.236	1/4"	20	28	0.250	3/4 1/4"	20	26	0.250	25.4	0.236
M8	1.25	20.00	1.00	25	8.00	0.315	5/16"	18	24	0.313	5/16"	18	22	0.313		
M10	1.50	17.00	1.25	20	10.00	0.394										
			1.00	25	10.00	0.394										
M12	1.75	14.50	1.50 1.25	17 20	12.00 12.00	0.472 0.472	3/8"	16	24	0.375	3/8"	16	20	0.375		
M14	2.00	12.50	1.50	17	14.00	0.551	7/16"	14	20	0.438						
M16	2.00	12.50	1.50	17	16.00	0.630	1/2"	13	20	0.500	1/2"	12	16	0.500		
M18	2.50	10.00	1.50	17	18.00	0.709	5/8"	11	18	0.625	5/8"	11	14	0.625		
M20	2.50	10.00	1.50	17	20.00	0.787	3/4"	10	16	0.750	3/4"	10	12	0.750		
M22	2.50	10.00	1.50	17	22.00	0.886	7/8"	9	14	0.875	7/8"	9	11	0.875		
M24	3.00	8.50	2.00	13	24.00 24.00	0.945 0.945	1"	8	12	1.000	1"	8	10	1.000		
M27	3.00	8.50			27.00	1.060	1 1/8"	7	12	1.125	1 1/8"	7	9	1.125		
M30	3.50	7.30			30.00	1.181	1 1/4"	7	12	1.250	1 1/4"	7	9	1.250		
M33	3.50	7.30			33.00	1.299	1 1/2"	6	12	1.500	1 1/2"	6	8	1.500		
M36	4.00	6.30			36.00	1.417										
M42	4.50	5.60			42.00	1.653										
SHCS of size above 1" are either as per ANSI B18.3 or as per XPS STANDARD																

Note:

Surface Finish: All XPS Products, unless otherwise ordered specifically, are supplied in Black Thermal Finish with a coat of Rust Preventive Oil.

Plating: XPS recommends that no plating should be carried out on Socket Head products and do not stand any guarantee, as plating adds embrittlement to the strength level of product and configuration which may lead to failure in use.

The prices, specifications, and other particulars contained in this Pricelist are subject to change without notice.



SOCKET HEAD CAP SCREW

METRIC SERIES

(Grade - 12.9)

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

Diameter	M2	M2.5	M3	M4	M5	M6	M8	M10	M12	M14	M16
Length (mm)	Wrench 1.5 mm	Wrench 2 mm	Wrench 2.5 mm	Wrench 3 mm	Wrench 4 mm	Wrench 5 mm	Wrench 6 mm	Wrench 8 mm	Wrench 10 mm	Wrench 12 mm	Wrench 14 mm
3	1822										
4	817		1386								
5	831	788	1289	1397							
6	848	817	1109	1048	897	1564					
8	860	840	811	740	764	1048	1562				
10	877	860	677	589	423	693	1349				
12	904	949	677	530	423	658	1025	1551			
14					835	1023					
16			675	553	462	624	853	1435	4220		
18											
20			675	593	496	695	919	1312	3763	10085	8290
22											
25			741	651	530	779	942	1453	3275	8506	8229
30			867	772	644	880	1096	1557	3142	8506	8229
35			1085	846	708	965	1129	1681	3293	7155	6753
40			1241	933	772	1048	1293	1893	3229	7322	6926
45			1374	1066	836	1135	1449	2078	3437	7450	7215
50			1751	1223	846	1237	1503	2261	3357	7627	7190
55				1965	1448	1347	1652	2444	3708	7716	7533
60				2508	1855	2491	1774	2633	3919	8189	7733
65				3249	2011	2582	1894	2813	4126	8300	8084
70				6683	2164	2694	2027	2996	4348	8956	8722
75					2635	2946	2137	3190	4541	9457	9229
80					2783	3193	3216	4630	5438	9918	9651
85					3171	3537	4752	5539	7337		11288
90					3073	3429	3712	5271	6143	10141	9868
100					4143	3871	4411	6199	7111	12564	12248
110					8976	5127	5501	7311	8528	13659	13304
120					9998	5715	6422	7400	9818	14760	14378
130					11180	6166	7891	10180	11925	17096	16645
140					13438	6618	8476	11381	13282	18297	17818
150					14620	7037	9159	12642	14654	19502	18986
160					20963	13701	10409	17330	24145	21140	37782
170					23381		11237	19108	26557	23087	42069
180					23596	16033	11845	19494	26557	24447	42069
200					26821	22578	13089	20838	28736	27591	46493
220								26771	33149	30352	48628
230									41515		
240								39850	49767	32957	50780
260								40175	56871	35410	52921
280								43595	59583	38170	55061
300								49595	104181	43895	57218

- | | | |
|-------------------------------------|---|-----------------------------|
| (1) Material | : | High Grade Alloy Steel |
| (2) Threads | : | IS-4218 |
| (3) Specifications | : | IS-2269 DIN 912 ISO-4762 |
| (4) Mechanical properties | : | IS-1367 Property Class 12.9 |
| (5) Shaded sizes are fully threaded | | |



SOCKET HEAD CAP SCREW

METRIC SERIES

(Grade - 12.9)

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

Diameter	M18	M20	M22	M24	M27 #	M30 #	M33 #	M36 #	M42 #
Length (mm)	Wrench 14 mm	Wrench 17 mm	Wrench 17 mm	Wrench 19 mm	Wrench 19 mm	Wrench 22 mm	Wrench 24 mm	Wrench 27 mm	Wrench 32 mm
25		20226							
30	22250	20160							
35	22538	20425							
40	19725	17374	26277						
45	19863	17984	27801	22188					
50	20031	17241	23278	21254		51784			
55	20159	17745	26163	23906					
60	20309	17475	26902	24572	45577	46706			
65	20486	18042	29960	27263	48409	46385			
70	21882	19829	29070	27869	49439	50724			
75	23300	20523	34013	29531	51951	50724	76226	109826	
80	23755	20456	34013	31044	52731	52731	79372	94844	190775
85		22905		38679					
90	24229	21340	35664	32561	57890	56699	85961	103422	154608
100	25408	23002	37615	34341	61888	61888	89974	106376	169373
110	28120	25461	40885	37343	65623	65623	94844	112153	173977
120	30799	27918	44192	40362	69626	69626	103422	116998	189196
130	33507	30344	58102	43376	70306	74501	108298	120896	193264
140	36186	32780	67886	46378	77360	77360	115175	133446	209116
150	38866	35341	90497	49407	82235	82235	120896	138258	213502
160	44062	45299	114059	80201	129502	129502	160712	186061	298596
170	52178	51725	118414		136869				
180	54199	51725	125452	85810	143245	143245	177902	207888	316908
200	56506	53938	134274	91853	155847	155847	193368	225294	343329
220	72240	58750	143526	98297	194230	193368	239767	278558	430720
240	78943	92076	159253	106102	215134	207979	258385	286219	448969
260	84901	112950	170961	110737	234336	222583	270128	306532	478881
280	90859	133804	177707	115360	250069	237193	285021	326910	508818
300	96817	143361	190403	123603	265825	251793	307359	347459	538749
320		158270#		121515#	330441	265465		383566	564445
340		163994#		128444#	348748	331230		404092	564445
360		197544#		227354#		388056		424617	592668
380		208533#		235384#		404585		445141	620890
400		219999#		237500#		418555		465667	649112

- | | |
|-------------------------------------|-------------------------------|
| (1) Material | : High Grade Alloy Steel |
| (2) Threads | : IS-4218 |
| (3) Specifications | : IS-2269 DIN 912 ISO-4762 |
| (4) Mechanical properties | : IS-1367 Property Class 12.9 |
| (5) Shaded sizes are fully threaded | |
| (6) # Hot forged items | |

*M48 range is also available.



SOCKET HEAD CAP SCREW

INCH SERIES

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

Diameter \ Length	1/8"	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
	Wrench 3/32"	Wrench 5/32"	Wrench 3/16"	Wrench 7/32"	Wrench 5/16"	Wrench 5/16"	Wrench 3/8"	Wrench 1/2"	Wrench 9/16"	Wrench 9/16"	Wrench 5/8"
3/8"	1537	614	742								
1/2"	1537	614	721	1034	1580						
5/8"	1706	614	705	881	1534						
3/4"	1706	614	742	945	1317	3659	4028				
7/8"	1808	652	767	959	1502	3659	4028	7825			
1"	1808	687	831	1025	1461	3540	3423	7613	19529		
1.1/4"		760	913	1175	1601	3540	3587	6616	19000		
1.1/2"		867	1048	1316	1782	3608	3650	6848	16756	26985	25296
1.3/4"		988	1283	1554	2131	3859	3899	7285	17098	28835	26289
2"		988	1249	1554	2212	3859	3986	7629	17618	28051	26792
2.1/4"		1168	2529	1867	2555	4435	4598	8290	17998	31061	29689
2.1/2"		1301	2603	1867	2745	4645	4598	8522	17998	30218	29689
2.3/4"			3044	2278	3071	5002	5176	9101	19925	34930	33439
3"			3044	2214	3071	5100	5437	9356	20483	34049	32529
3.1/4"			3651	3803	4496	6782	6919	10455	21282	38600	35870
3.1/2"			3549	3803	4605	6597	6919	10574	20702	37552	35870
4"			4021	4513	5406	7640	8134	12960	22313	39619	39622
4.1/2"				7279	8194	10980	9832	13377	26389	46587	44386
5"				8203	9722	10973	12104	14753	28671	51447	49166
5.1/2"				13259	11684	12854	13326	18833	32611	53565	51177
6"				16019	12369	12868	13794	20522	35794	58645	57113
6.1/2"					25850		27369	42408	45756	101815	93963
7"				26282	28740		27917	43589	46816	101815	97341
7.1/2"							29011	45262	49218	105495	100822
8"				32398	31361		31075	46769	48848	104855	104201
8.1/2"								62908	58265	113747	113947
9"							55081	61327	58270	113747	117228
10"							56725	80246	64739	129444	130253
11"								123500	73754		148456
12"								161953	80460		161953

- | | | |
|-------------------------------------|---|------------------------|
| (1) Material | : | High Grade Alloy Steel |
| (2) Threads | : | BS-84 (BSW) |
| (3) Specifications | : | BS-2470 |
| (4) Mechanical Properties | : | BS-2470 |
| (5) Shaded sizes are fully threaded | | |



SOCKET SET SCREW

METRIC SERIES

(Knurled Cup Point)

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

Diameter	M3	M4	M5	M6	M8	M10	M12	M16	M20
Length (mm)	Wrench 1.5 mm	Wrench 2 mm	Wrench 2.5 mm	Wrench 3 mm	Wrench 4 mm	Wrench 5 mm	Wrench 6 mm	Wrench 8mm	Wrench 10mm
3	411								
4	406	341	237						
5	411	341	237	529					
6	406	345	240	251	513				
8	412	369	240	273	316	658			
10	435	363	262	281	336	494	970		
12	461	416	315	352	383	575	815		
16	492	492	336	394	466	766	1170	2705	
20	637	688	450	485	602	945	1236	3043	7308
25	802	746	588	603	913	1383	1694	3719	8462
30		1360	706	748	1104	1705	2010	4260	9782
35		1807	1108	1273	1523	2068	2659	5122	11154
40		2326	1386	1440	1779	2356	3366	5897	12018
45				1589	2061	2689	4143	7277	17372
50				1870	2343	3125	4537	8258	18936
55					3661	4632	7806	11086	21166
60					4457	6087	6985	11596	22491
65					4623	6358	10145	16907	25347
70					6100	9845	11779	23669	26847
75					7321	10858	15950	26483	29090
80					8784	11880	19140	27052	32207

- (1) Material : High Grade Alloy Steel
(2) Threads : Metric IS-4218
(3) Specifications : IS-6094
(4) Mechanical properties : 45 H as per IS:1367

INCH SERIES BSW

(Knurled Cup Point)

SOCKET SET SCREW

Diameter	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
Length	Wrench 3/32"	Wrench 1/8"	Wrench 5/32"	Wrench 3/16"	Wrench 1/4"	Wrench 5/16"	Wrench 3/8"
3/16"	256						
1/4"	250	297					
5/16"	263	313	313				
3/8"	272	328	328	439			
1/2"	312	334	397	518	875		
5/8"	351	435	422	612	982	2317	
3/4"	432	659	552	913	1387	2388	5291
1"	611	643	775	1217	2181	2756	6371
1.1/4"		748	913	1328	2195	4259	7849
1.1/2"		1267	1855	2637	4957	6716	10914
1.3/4"		1894	1982	2840	6455	9056	12850
2"		1693	2346	3355	7061	8235	15118
2.1/2"					8891	11999	18507
3"					10902	17214	26348

- (1) Material : High Grade Alloy Steel
(2) Threads : British Standard Whitworth : BS-84 (BSW)
(3) Specification : BS-2470
(4) Mechanical Properties : BS-2470

*Price for Special Points (Flat/Cone,Dog/Half Dog,Plain) will be 30% extra.




SOCKET COUNTERSUNK SCREW

INCH SERIES

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

Diameter \ Length	1/4"	5/16"	3/8"	1/2"	5/8"
	Wrench 5/32"	Wrench 3/16"	Wrench 7/32"	Wrench 5/16"	Wrench 3/8"
	BSW	BSW	BSW	BSW	BSW
1/2"	1001	1686	3057		
5/8"	1096	1686			
3/4"	1177	1400	3057	7080	
1"	1373	1614	2717	6981	
1.1/4"	1594	1862	3127	7736	12537
1.1/2"		2871	4217	8663	14031
2"			4969	9709	15539
2.1/2"			5979	11122	17486
3"			7271	12461	20211

(1) Material	:	High Grade Alloy Steel
(2) Threads	:	BS-84
(3) Specifications BSW Series	:	As per XPS Standard
(4) Mechanical Properties	:	BS-2470 HRC : 38 - 44



SOCKET COUNTERSUNK SCREW

METRIC SERIES

(Grade 12.9)

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

Diameter \ Length (mm)	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24
	Wrench 2 mm	Wrench 2.5 mm	Wrench 3 mm	Wrench 4 mm	Wrench 5 mm	Wrench 6 mm	Wrench 8 mm	Wrench 10 mm	Wrench 12 mm	Wrench 14 mm
6	1043	1096								
8	1223	667	976	763						
10	1307	667	545	770	1722					
12	1402	671	566	661	1004	1718				
16	1591	761	761	823	975	1631	5434			
20	1780	784	778	886	1047	1402	3163			
25	1958	955	915	1026	1201	1620	2961	7728		
30	2060	1149	1149	1181	1373	1857	3376	5753		
35		2371	1526	1341	1560	2124	3660	6200	12066	
40		2543	2371	1577	1831	2434	3947	6624	10468	
45		2882	2701	2809	2055	2748	4468	7075	11217	
50		3226	3015	3514	3220	3084	4874	7526	12372	25425
55				3865	3846	3498	5476	7946	13260	27557
60				5753	4194	3871	5900	8397	14597	29655
65						4548	6640	9236	15768	31816
70					5247	4899	7149	9708	16802	33914
75						6297	7689	10186	17836	36042
80						6717	8277	10699	18870	38169
90						7558	11808	12131	19904	42428
100							15051	14669	24039	48245
110								21914	27916	54061
120								26187	30608	59880
130								30322	33300	65697
140								31700	54157	76472
150								34104	59393	76542
160									64629	82284
180									69861	90845
200									75647	109151

- | | | |
|-------------------------------------|---|--------------------------------|
| (1) Material | : | High Grade Alloy Steel |
| (2) Threads | : | IS-4218 |
| (3) Specifications | : | DIN-7991, IS 6761 |
| (4) Mechanical properties | : | IS - 1367, Property Class 12.9 |
| (5) Shaded sizes are fully threaded | | |



BUTTON HEAD CAP SCREW



METRIC SERIES

(Grade 12.9)

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

Diameter Length (mm)	M3	M4	M5	M6	M8	M10	M12
	Wrench 2 mm	Wrench 2.5 mm	Wrench 3 mm	Wrench 4 mm	Wrench 5 mm	Wrench 6 mm	Wrench 8 mm
5	901	1139					
6	901	650	1184	2526			
8	730	650	1129	1378			
10	838	650	650	855	1430		
12	931	714	714	895	1212		
16	1180	842	838	994	1035	1972	4192
18				994			
20	2143	925	937	1072	1273	1619	4502
25	2354	1261	1096	1117	1491	1872	4689
30		1791	1322	1166	1707	2137	5247
35			1990	1764	1933	2439	5807
40			2003	2016	2203	2702	6364
45			2509	2950	3355	4090	7250
50			3098	3394	3661	4608	7484

(1) Material	:	High Grade Alloy Steel
(2) Threads	:	ISO Metric as per IS:4218
(3) Specifications	:	Generally confirming to ISO:7380
(4) Mechanical Properties	:	IS-1367, Property Class 12.9
(5) All sizes are fully threaded		



HEXAGONAL WRENCHES

INCH & METRIC SERIES

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

DIMENSIONS ACROSS FLATS (inch)	NET PRICE PER 100 PCS.	QTY. PER BOX
1/16"	1327	100
5/64"	1463	100
3/32"	1463	100
1/8"	1463	100
5/32"	1734	100
3/16"	2246	100
7/32"	3054	50
1/4"	4425	50
5/16"	7352	25
3/8"	10875	25
1/2"	25092	10
9/16"	32106	10
5/8"	46881	10
3/4"	75808	5

DIMENSIONS ACROSS FLATS (mm)	NET PRICE PER 100 PCS.	QTY. PER BOX
1.5	1327	100
2	1327	100
2.5	1327	100
3	1463	100
4	2297	100
5	2803	100
6	3992	75
8	7517	25
10	12547	25
12	23603	10
14	34718	10
17	54909	10
19	75772	10
22	119428	5
24	160574	5
27	270327	2
32	475402	2

XPS HEXAGON WRENCH SETS

TYPE	SIZES ACROSS FLATS OF WRENCHES	PRICE/SET
Standard (Metric)	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm	412.00
Standard (inch)	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	432.00

(1) Material	:	High Grade Alloy Steel
(2) Specifications	:	Inch Series : BS:2470 Metric Series : IS:3082, DIN:911
(3) Mechanical Properties	:	Hardness - HRC 47 Min.



HEXAGONAL HEAD BOLTS/SCREWS

METRIC SERIES

(Grade 8.8/10.9)

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

Diameter Length mm	M3	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24
	Wrench 5.5 mm	Wrench 7 mm	Wrench 8 mm	Wrench 10 mm	Wrench 13 mm	Wrench 16 mm	Wrench 18 mm	Wrench 21 mm	Wrench 24 mm	Wrench 27 mm	Wrench 30 mm	Wrench 34 mm	Wrench 36 mm
6				1319									
8		413	767	659									
10	482	368	301	516	885	2159							
12	482	383	398	544	749	2173							
14				542									
16	482	616	572	543	760	1259	2412						
18					669	1325							
20	513	532	508	584	636	1181	2053	5158	4642				
25		551	532	582	773	1351	2165	3361	4675				
30		550	587*	609*	865	1396	2149	3457	4941	12785	10341		
35		564	592*	654*	871*	1495	2267	3798	4956	8465	10189		
40		599	627*	684*	974*	1765*	2365	3796	5015	9103	10189	13805	21234
45		673	685*	728*	1062*	1835*	2763*	3875*	5377	9488	10341	12783	17143
50		750	825*	779*	1158*	1984*	2962*	4360*	5695	9780	10594	13612	17143
55		825	869	857*	1250*	2115*	3073*	4742*	6078*	10450	11131	14653	17203
60		901	948	936*	1434*	2265*	3235*	4775*	6529*	10776	11768	15179	17823
65			1076	1015	1471*	2415*	3395*	5067	6899*	11141	12173*	17047	17823
70			1160	1095	1558*	2563*	3781*	5643	7327*	11788	12499*	17615	19558*
75			1244	1105	1616*	2714*	3937*	5924	7843*	12490	13141*	18221	20282*
80				1163	1792*	3161*	4166*	6249	8560*	12490	13516*	18923	22285*
85						3961	5732		10096		16820		
90				1311	2246*	3508*	4565*	6840	9152*	13280	14805*	20157	23784*
100				1458	2509*	3811*	5333*	7888	9949*	14085	16060*	21695	25711*
110				2241	2838*	4136*	5924*	8952	10798*	15489	16964*	23415	26731*
120				2438	3614*	4882*	6308*	9477	12047*	16331	18899*	24987	28222*
130				2625	3812	5872*	6706*	10297	14403*	17052	20054*	26354	29566*
140				2820	4550	6071*	8066*	14402	14698*	17823	21419*	27660	31379*
150				3011	5085	7376*	11186*	15896	17387*	19063	22516*	28968	33885*
160					6148	7865*	11581*	17749	18111*	21139	24944*	31531	35335*
170						13049			22908		28262		36985
180					6632	8847*	12563*	19042	20371*	22890	26658*	34220	39195*
200					7484	9833	16611*	20533	22055*	24633	29189*	38696	43065*
220						22780	24931	28878	29714*	29648	47393*	64937	74209*
240						26577	25544	31237	31979*	32918	49769*	70342	77425*
260							26096	33592	32627*	35661	52147*	73047	80107*
280							28498	36173	36019*	38406	56888*	81188	88099*
300							30533	38602	42182*	41150	61606*	86090	107700*
320											72699#		159718#
340											84359#		193598#
360											101229#		266589#
380											140975#		369450#
400											175005#		366454#

- | | | |
|--|---|---|
| (1) Specification | : | IS-1364, ISO:4014/4017/4032 EN 24014, 24017/24032 |
| (2) Threads | : | IS-4218 |
| (3) Supply Condition | : | IS-1367 |
| (4) Extra Charges for zinc passivated finish | | |
| (5) Shaded sizes are fully threaded | | |
| (6) * These sizes are available fully threaded also. | | |
| (Z) # Hot forged items | | |



HEXAGONAL HEAD BOLTS/SCREWS

Diameter	M27#	M30#	M33#	M36#	M42#	M48#
Length mm	Wrench 41 mm	Wrench 46 mm	Wrench 50 mm	Wrench 55 mm	Wrench 65 mm	Wrench 75 mm
50		47746				
60	39292	47746				
65		47746				
70	39292	47746		90222		
75	42257	47746	71496	88733		
80	44044	49687	72384	85322		
90	48141	53936*	76860	91818	134647	
100	52086	58044*	82097	95518	150929	203953
110	56165	63847*	88449	102015*	159175	215161
120	57589	65256*	90664	110232*	160401	216425
130	59484	68196*	95510	116439*	167175	225444
140	63252	72425*	101485	122624*	176478	251840
150	67017	76492*	111858	129197*	185762	263236
160	70899	90310*	111914	135801*	195056	269962
170	70899	96367*				
180	78360	99616*	122735	157789*	212774	291322
200	85442	108576*	133548	170848*	222400	308397
220	117875	130941	161534	204810	285274	370185
240	126857	140277	173470	219714	306446	394855
260	135424	149606	186536	234627	327686	444249
280	143645	158934	199565	249149	348884	470370
300	150337	169496	212255	262218	370066	496491
320		208839		417679	459446	
340		227122		484507	517921	
360		245668		534915	580574	
380		325789		584750	643707	
400		344264		643226	710955	



HEX NUTS

SIZE MM	Grade	NET PRICE PER 100 PCS.	QTY PER BOX
M4x0.70	8	119	1000
M5x0.80	8	147	1000
M6x1	8	205	1000
M8x1.25	8	263	500
M10x1.5	8	519	200
M12x1.75	8	797	200
M10x1.5	10	557	200
M12x1.75	10	848	200
M14x2	10	1612	100
M16x2	10	2046	200
M18x2.5	10	3074	125
M20x2.5	10	3886	100
M22x2.5	10	5360	80

METRIC SERIES

SIZE MM	Grade	NET PRICE PER 100 PCS.	QTY PER BOX
M24x3	10	6768	50
M27x3	10	11247	30
M30x3.5	10	16102	25
M33x3.5	10	22262	15
M36x4	10	28820	12
M39x4	10	39349	12
M42x4.5	10	48285	10
M45x4.5	10	57683	6
M48x5	10	69495	4
M52x5	10	77624	4
M56x5.5	10	106355	2
M60x5.5	10	193768	2

- (1) Specification : Hex Bolt : IS-1364, ISO-4014/4017
Hex Nut : IS-1364, ISO-4032
- (2) Threads : IS-4218
- (3) Supply Condition : IS-1367
- (4) Extra Charges for zinc passivated finish
- (5) Shaded sizes are fully threaded
- (6) ≠ Hot forged items



HEXAGONAL HEAD BOLTS/SCREWS

INCH SERIES

(GR.S GR. 5/GR. 8)

Recommended Customer Net Prices in
Rupees Per 100 Pieces Exclusive of GST
Effective from 01 April, 2026

Diameter Length	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench	Wrench
	7/16"	1/2"	9/16"	5/8"	3/4"	15/16"	1.1/8"	1.5/16"	1.1/2"
	UNC	UNC	UNC	UNC	UNC	UNC	UNC	UNC	UNC
1/2"	641	863							
5/8"	795	826	1362						
3/4"	723	795	1187	1717	2504				
7/8"		869	1435						
1"	711	865	1172	1933	2695	4709			
1.1/4"	728	952	1301	1959	2832	5244	9362		
1.1/2"	807	1141	1411	2116	3020	5514	9960	14107	20814
1.3/4"	883	1252	1625	2685	3448	5825	10339	14779	
2"	969	1315	1785	2685	3755	6115	11015	15525	21879
2.1/4"		1478	1955		4147	6666	11908	26044	22727
2.1/2"	1187	1588	2146*	3374	4415*	6825	12492*	17218	23089
2.3/4"		1718	2391		4500	7878	13627	18022	24296
3"	1426	1806	2533*	3821	5361*	8495	14162*	18849	23455*
3.1/4"					5414	9025	14868	21066	28833
3.1/2"	1659	2077	2878	4252	5946	9585	15981*	24262	26606*
3.3/4"			3527		5950	10625	17154	22218	33121
4"	1900	2834	3791	5594	6517*	10985	17949*	23415	29291*
4.1/4"			4217		6520	11385		25342	
4.1/2"	2115	2995	4464	7026	7540	11715	19241*	30287	32228
5"	2338	3150	4958		8236	13252	20466*	29250	34417*
5.1/2"		4069	6240		10055	14814	22984	31345	43976
6"		4411	7000		12210	15531	23594*	33961	46012*
6.1/2"			9048		14128	18119	25497	36110	49899
7"					17280	19513	25497*	38246	53780*
7.1/2"					19235	20906	27397	44645	57544
8"					19751	21288	30020*	43847	60210*
9"						24683	31884	52966	70790
10"						27430	35870	55419	77625
11"						43539	38126		81510
12"						51222	41592		88917

- (1) Specifications : UNC & UNF
(2) Threads : BS:1768, ANSI B-18, 2.1
(3) Supply Condition : BS:1580, B1.1
(4) Extra charges for zinc passivated finish : as per BS:1768 & SAE : J-429
(5) Shaded sizes are fully threaded
(6) *Items are available in full thread also



HEX NUTS

INCH SERIES

SIZE	Grade	NET PRICE PER 100 PCS	QTY PER BOX
1/4" UNC	S	231	500
5/16" UNC	S	297	500
3/8" UNC	S	435	200
7/16" UNC	S	987	200
1/2" UNC	S	988	200
5/8" UNC	B	2114	200
3/4" UNC	B	3723	125
7/8" UNC	B	5500	60
1" UNC	B	7349	50

- (1) Specification : UNC : BS:1768, ANSI B-18, 2.2
(2) Threads Fit : BS:1580, B1.1
(3) Supply Condition : BS:1768, B-18.2. & SAE: J-429
- BSF : BS:1083
BS:84
BS:1083

COMPARISON OF DIFFERENT STRENGTH GRADES

SAE	BS	IS ISO DIN	ULTIMATE TENSILE STRENGTH RANGE			HARDNESS		
			(Kgf/mm ²)	Newtons/mm ²	Pounds/inch ² (P.S.I.)	BHN	HRB	HRC
		4.6	40.8/81.5	400/800	58000/116400	114 238	67 99.5	
GRADE 1			42.2/81.5	414/800	59000/116400	(121) (241)	70 100	
		4.8	42.8/81.5	420/800	59000/116400	124 238	71 99	
		5.6	51/8105	500/800	72000/116400	147 238	79 99	
GRADE 2			51.3/81.5	502/800	72000/116400	(150) (241)	80 100	
		5.8	53/81.5	520/800	75000/116400	152 238	82 99.5	
	P		55/81.5	579/800	75000/116400	152 240	82 99.5	
		6.8	61/8105	600/800	87000/116400	181 238	89 99.5	
	R		71/98	696/965	101500/140000	201 285	93	30
	S		79/108	770/1060	112100/154200	223 310		(20/33)
		8.8	81.6/106 84.6/111	800/1040 upto M16 830/1090 above M16	116500/150000 120800/158600	238/304 242/318		22/32 23/34
GRADE 5			87/111	852/1090	124000/158500	253 318		25/34
	T		86/115	840/1127	123000/146000	247/335		24/36
	U		93/115	916/1127	132000/164000	271/335		28/36
	V		101/128	995/1255	144000/182000	295/370		31/40
GRADE 8		10.9	108/124 106/124	1060/1220 1040/1220	154000/177000 156000/177000	312 362 304 362		(33/39) (32/39)
	W		108/132	1060/1293	154000/190000	312 381		(33/41)
	X		118/146	1156/1430	169000/210000	341 410		(37/44)
		12.9	124/146	1220/1430	169000/210000	362 410		(39/44)
	Y		124/151	1220/1484	177000/216000	362 432		(39/46)
	Z		144/148	1455/1630	210000/237100	425/475		(45/49)

1kgf = 9.81 NEWTONS

1kgf/mm² = 1421.7 Psi

GENERAL CONDITIONS FOR SALE

All Quotations, Orders of Contracts are subject to the following conditions of Sale. Any qualification of these conditions made by the Purchaser will not apply unless expressly accepted in writing by Xtra Precision Screws Private Limited (Hereinafter called the Company)

1. This Pricelist is effective from **01.04.2026**.
2. **PRICES:** The prices to be charged at the time of dispatches shall be determined by deducting discount from the List Price. The percentage of discount from LP shall be communicated separately from time to time. The prices determined as above shall be F.O.R destination/Rohtak basis. GST, and any other taxes, if applicable, shall be charged extra at time of dispatch. Any increase in the taxes, levied by the government shall be to the Purchaser's account. The Company reserves the right to amend the price without prior notice.
3. **LOSS OR DAMAGES:** The Company's responsibility ceases on handing over goods to the carriers. The Company accepts no responsibility for loss or damage to goods in transit.
4. **PACKING:** Prices quoted are for packing in cartons.
5. **PAYMENT:** Payment shall be made as per decided terms and conditions. Any delay in the payment from the due date will attract an interest of 21% per annum.
6. **DELIVERY:** All Ex-Stock offers are subject to goods remaining unsold at the time of receipt of the order. For forward delivery dates are given without any guarantee and no responsibility can be accepted by the company for delay in delivery or failure to deliver due to circumstances beyond the Company's control. Delivery/dispatch may be made in one lot or several lots.
7. **FORCE MAJEURE:** The Company shall not be responsible for failure or delay in delivery of goods or any part thereof (or any consequential damages) due to act of God, enemies of the Government of India, wars, revolution, embargo, riots, civil or political disturbances, strikes, lockouts, stoppages or labour, shortage of raw material and/or labour, shortage of motive-power, non-availability of shipping spaces or import, or export licenses, breakdown of machinery, restraints imposed on the Company by the Government, municipality or any other cause beyond the Company's control, such failure/delay shall not entitle the Purchaser to cancel the contract nor is the Company liable to make good and damage arising from such failure to deliver or delay in delivery.
8. **INFRINGEMENT OF PATENT & TRADEMARK:** When products are forged to customer's drawings/specifications, the responsibility to ensure that these do not result in infringement of any patent or trademark will lie entirely with the customer concerned who shall be responsible for consequences, if any, in case of any such infringement.
9. **CONFIRMATION:** The Company accepts not responsibility for orders booked by Company salesmen or agents till it is confirmed in writing by the Company.
10. **ACCEPTANCE & RETURN:** Wrong dispatches should be notified/reported to the Company within 07 days from the date of receipt of the goods along with the copy of packing slip and the Company's consent should be obtained in writing before return of such goods.
11. **CANCELLATION OF ORDERS:** The Company reserves the right to refuse the cancellation of the order once it has been accepted. Failure on the part of Purchaser to accept the delivery and make payments will be considered a breach of contract and the Company shall be entitled to cancel the contract and forfeit the deposit paid by the Purchaser, if any.
12. **GUARANTEE:** We undertake free replacement of goods against manufactured defects only. The Company shall not be responsible for any contingent or resulting liabilities or loss arising through any defect in goods supplied.
13. Supplies shall be in natural finish unless otherwise specified. For supply in Zinc plating etc., the rate shall be charged extra.
14. The dealer will not deal in fasteners of sub-standard quality bearing deceptively similar monograms as employed on our products. Such an act will deprive the dealer for dealing in our products.
15. Any disputes or claims arising on or out of, or in connection with quotations, orders or contracts for the supply of goods by the Company shall be referred to the sale Arbitrator appointed by the Managing Director of the Company and the award made by such Arbitrator shall be final and binding on both parties.
16. The prices stated are exclusive to the Company and the Company bears no responsibility for the pricing policies of other suppliers offering similar products.

OUR CERTIFICATIONS



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018



BIS PART-1



BIS PART-2



BIS PART-3



IATF 16949:2016



ZED GOLD



Passion for Precision



WHAT IS XTRA IN US?

*More than 50 years of experience in fastener industry
Supplier to all major OEMs across India
High Performance, High Quality
Exceptional Customer Service Guaranteed*



*WITH THIS MUCH OF EXPERIENCE, ALWAYS READY TO
GO THAT **XTRA MILE** FOR YOUR FASTENER NEEDS!*

XTRA PRECISION SCREWS PRIVATE LIMITED

57 KM MILESTONE, DELHI ROHTAK ROAD, VILLAGE GANDHRA,
TEHSIL SAMPLA, ROHTAK - 124501 HARYANA, INDIA

M: +91 - 8396 941 941
E: sales@xpsindia.com
W: www.xpsindia.com



SCAN ME!

Ahmedabad | Bengaluru | Coimbatore | Delhi | Faridabad | Gurugram | Indore | Jaipur | Mumbai | Pune | Raipur