
# AVERON OVERSEAS





## Technical Drawing

## MEASURING / DOSAGE CUP FOR 28MM CRC CAP

| DOCUMENT NO. : AO/QA/QC/DRG/16 | PAGE : 1 OF 1 |
|---|---|




SCALE– N.T.S.

***All the above dimensions and tolerance are in mm***

| **2 - 15 - 20 ml Measuring / Dosage Cup for CRC-Cap** | | | **Prepared by:** | **Checked by:** | **Approved by:** |
|---|---|---|---|---|---|
| Product | Measuring Cup | Name: | Krishana Sharma | Sandip Triyar | Shailesh Yadav |
| Materials | Polypropylene | Position: | Designer Officer | Q.C. Manager | Q.A. Manager |
| Weight (Grams) | 3.10 ± 0.20 gm | Date: | 01.04.2023 | 02.04.2023 | 04.04.2023 |
| Volume Marking | 2ml, 2.5ml, 3ml, 4ml, 5ml, 6ml, 6.5ml, 7ml, 7.5ml, 8ml, 9ml, 10ml, 11ml, 12ml, 12.5ml, 15ml, 17.5ml, 20 ml | Signature: | | | |
| Over Flow Capacity | 25.70 ± 0.20ml | | | | |

# AVERON OVERSEAS



## Technical Specification

| | | |
|---|---|---|
| **ITEM NAME :** | **MEASURING / DOSAGE CUP FOR 28MM CRC CAP** | |
| DOCUMENT TYPE | PACKAGING MATERIAL SPECIFICATION | EFFECTIVE DATE : 05.04.2023 |
| DOCUMENT NO. | AO/QA/QC/SPC/17 | REVISION DATE : NIL |
| DEPARTMENT | RESEARCH AND DEVELOPMENT | REVISION NO : 00.00 |
| COPY NO. | PAGE NO. | 01 OF 01 |

| Sr. No. | Parameter | Specifications | | Reference |
|---|---|---|---|---|
| 1 | Appearance | Transparent Round Cup with volume measuring grades | | In-House |
| 2 | Raw Material Approved Supplier | All materials used are Food / Pharma Grade from Approved Suppliers | | Certificates attached |
| 3 | Material - Cup | Polypropylene (PP) | | In-House |
| 4 | Cup Overall Height | 29.30 +/- 0.10 mm (29.20 - 29.40 mm) | | In-House |
| 5 | Cup Outer Diameter (Top) | 36.80 +/- 0.10 mm (36.70 - 36.90 mm) | | In-House |
| 6 | Cup Outer Diameter (Bottom) | 36.0 +/- 0.10 mm (35.90 - 36.10 mm) | | In-House |
| 7 | Cup Inner Diameter | 35.30 +/ -0.10 mm (35.20 - 35.40 mm) | | In-House |
| 8 | Cup Overall Weight | 3.10 +/- 0.20 gm (2.90 - 3.30 gm) | | In-House |
| 9 | Over Flow Capacity | 25.70 ± 0.20 ml | | In-House |
| 10 | Volume Measuring Grade | 2ml, 2.5ml, 3ml, 4ml, 5ml, 6ml, 6.5ml, 7ml, 7.5ml, 8ml, 9ml, 10ml, 11ml, 12ml, 12.5ml, 15ml, 17.5ml, 20ml | | In-House |
| 11 | Cup Fitment Test | Cup must easily fit on the 28mm crc cap and open easily with pressure | | In - House |
| 12 | Leakage Test | No leakage observed | | In-House |
| 13 | Visual Inspection | Free of Defects from Foreign and Dust Particles | | In-House |
| 14 | Microbiology Test | E-Coli | Absent | Test done from Out - Side Lab |
| | | otal Aerobic Bacterial Count NMT 100 cf | ≤ 100 cfu/ml | |
| | | Total Yeast/Mold Count NMT 10 cfu/ml | ≤ 10 cfu/ml | |
| 15 | Packing | Packed inside PE Liner Bag (More than 50 micron) and Liner Bag put inside 5 Ply Corrugated Boxes silca free. Label affixed on the box with detailed Product Information (Quantity, Weight, Batch No, Production Date) | | In - House |
| 16 | Storage | To be stored at a place having Temperature <45°C and Humidity <80% , Protected from Direct Sunlight and Dust. Maximum storage height of 7 boxes on Plastic Pallets | | In - House |

| | **Prepared by:** | **Checked by:** | **Approved by:** |
|---|---|---|---|
| Name : | Krishna Sharma | Sandip Triyar | Shailesh Yadav |
| Position : | Designer Officer | Q.C. Manager | Q.A. Manager |
| Date : | 01.04.2023 | 02.04.2023 | 04.04.2023 |
| Signature : | | | |

# AVERON OVERSEAS



## CERTIFICATE OF ANALYSIS

| | |
|---|---|
| **Item Name :** | **MEASURING / DOSAGE CUP FOR 28MM CRC CAP** |
| Document Type : | PACKAGING MATERIAL COA |
| Document No. : | AO/QA/QC/COA/18 |
| Raw Material - Cap : | POLYPROPYLENE (PP) |
| Customer | Samples |

| Sr. No. | Dimension | Specifications | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Cup Overall Height | 29.30+/-0.10 mm (29.20 - 29.40 mm) | 29.32 | 29.28 | 29.33 | 29.32 | 29.30 | 29.34 | 29.33 | 29.29 | 29.31 | 29.34 |
| 2 | Cup Outer Diameter (Top) | 36.80+/-0.10 mm (36.70 - 36.90 mm) | 36.78 | 36.81 | 36.84 | 36.80 | 36.85 | 36.79 | 36.82 | 36.81 | 36.86 | 36.81 |
| 3 | Cup Outer Diameter (Bottom) | 36.00+/-0.10 mm (35.90 - 36.10 mm) | 36.05 | 36.02 | 36.00 | 35.97 | 35.98 | 35.95 | 36.08 | 36.01 | 35.91 | 36.05 |
| 4 | Cup Inner Diameter | 35.30+/-0.10 mm (35.20 - 35.40 mm) | 35.28 | 35.30 | 35.32 | 35.29 | 35.34 | 35.37 | 35.31 | 35.28 | 35.32 | 35.30 |
| 5 | Cup Overall Weight | 3.10 +/- 0.20 gm (2.90 - 3.30 gm) | 3.05 | 3.08 | 3.10 | 3.09 | 3.04 | 3.05 | 3.08 | 3.10 | 3.04 | 3.06 |
| 6 | Over Flow Capacity | 25.70 ± 0.20 ml ( 25.50 - 25.90 ml) | 25.90 | 25.90 | 25.90 | 25.90 | 25.90 | 25.90 | 25.90 | 25.90 | 25.90 | 25.90 |
| 7 | Volume Measuring Grade | 2ml, 2.5ml, 3ml, 4ml, 5ml, 6ml,6.5 ml, 7ml, 7.5ml, 8ml, 9ml, 10ml, 11ml, 12ml, 12.5ml, 15ml, 17.5ml, 20ml | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 8 | Cup Fitment Test | Cap must easily fit into the bottle and open easily with pressure | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 9 | Visual Inspection | Free of Defects from Foreign and Dust Particles | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS |

| Position Signature: | **Prepared by:** Quality Officer | **Approved by:** Q.A. Manager |
|---|---|---|


# AVERON OVERSEAS




## Technical Drawing

## 15 ML MEASURING / DOSAGE CUP FOR 28MM PLASTIC CAP

| DOCUMENT NO. : AO/QA/QC/DRG/18 | PAGE : 1 OF 1 |
|---|---|




SCALE– N.T.S.

***All the above dimensions and tolerance are in mm***

| 15 ml Measuring / Dosage Cup for 28 mm Plastic Cap | | | Prepared by: | Checked by: | Approved by: |
|---|---|---|---|---|---|
| Product | Measuring Cup | Name: | Krishana Sharma | Sandip Triyar | Shailesh Yadav |
| Materials | Polypropylene | Position: | Designer Officer | Q.C. Manager | Q.A. Manager |
| Weight (Grams) | 2.50 ± 0.20 gm | Date: | 01.04.2023 | 02.04.2023 | 04.04.2023 |
| Volume Marking | 2.5 ml, 5 ml, 7.5 ml,10 ml, 12.5 ml, 15 ml, | Signature: | | | |
| Over Flow Capacity | 21.00 ± 0.20 ml | | | | |

# AVERON OVERSEAS



## Technical Specification

| | | |
|---|---|---|
| **ITEM NAME :** | **15 ML MEASURING / DOSAGE CUP FOR SURESEAL 28MM PLASTIC CAP** | |
| DOCUMENT TYPE | PACKAGING MATERIAL SPECIFICATION | EFFECTIVE DATE : 05.04.2023 |
| DOCUMENT NO. | AO/QA/QC/SPC/20 | REVISION DATE : NIL |
| DEPARTMENT | RESEARCH AND DEVELOPMENT | REVISION NO : 00.00 |
| COPY NO. | PAGE NO. | 01 OF 01 |

| Sr. No. | Parameter | Specifications | | Reference |
|---|---|---|---|---|
| 1 | Appearance | Transparent Round Cup with volume measuring grades | | In-House |
| 2 | Raw Material Approved Supplier | All materials used are Food / Pharma Grade from Approved Suppliers | | Certificates attached |
| 3 | Material - Cup | Polypropylene (PP) | | In-House |
| 4 | Cup Overall Height | 26.00 +/- 0.20 mm (25.90 - 26.20 mm) | | In-House |
| 5 | Cup Outer Diameter (Top) | 35.10 +/- 0.20 mm (34.90 - 35.30 mm) | | In-House |
| 6 | Cup Outer Diameter (Bottom) | 33.50 +/- 0.20 mm (33.30 - 33.70 mm) | | In-House |
| 7 | Cup Inner Diameter | 32.70 +/- 0.20 mm (32.50 - 32.90 mm) | | In-House |
| 8 | Cup Overall Weight | 2.50 +/- 0.20 gm (2.30 - 2.70 gm) | | In-House |
| 9 | Over Flow Capacity | 21.00 ± 0.20 ml | | In-House |
| 10 | Volume Measuring Grade | 2.5 ml, 5 ml, 7.5 ml,10 ml, 12.5 ml, 15 ml | | In-House |
| 11 | Cup Fitment Test | Cup must easily fit on the 28mm crc cap and open easily with pressure | | In - House |
| 12 | Leakage Test | No leakage observed | | In-House |
| 13 | Visual Inspection | Free of Defects from Foreign and Dust Particles | | In-House |
| 14 | Microbiology Test | E-Coli | Absent | Test done from Out - Side Lab |
| | | Total Aerobic Bacterial Count NMT 100 cfu | ≤ 100 cfu/ml | |
| | | Total Yeast/Mold Count NMT 10 cfu/ml | ≤ 10 cfu/ml | |
| 15 | Packing | Packed inside PE Liner Bag (More than 50 micron) and Liner Bag put inside 5 Ply Corrugated Boxes Silca Free. Label affixed on the box with detailed Product Information (Quantity, Weight, Batch No, Production Date) | | In - House |
| 16 | Storage | To be stored at a place having Temperature <45°C and Humidity <80% , Protected from Direct Sunlight and Dust. Maximum storage height of 7 boxes on Plastic Pallets | | In - House |

| | **Prepared by:** | **Checked by:** | **Approved by:** |
|---|---|---|---|
| Name : | Krishna Sharma | Sandip Triyar | Shailesh Yadav |
| Position : | Designer Officer | Q.C. Manager | Q.A. Manager |
| Date : | 01.04.2023 | 02.04.2023 | 04.04.2023 |
| Signature : | | | |

# AVERON OVERSEAS



## CERTIFICATE OF ANALYSIS

| | |
|---|---|
| **Item Name :** | **15 ML MEASURING / DOSAGE CUP FOR SURESEAL 28MM PLASTIC CAP** |
| Document Type : | PACKAGING MATERIAL COA |
| Document No. : | AO/QA/QC/COA/21 |
| Raw Material - Dosing Cup | Polypropylene (PP) |
| Batch No. : | |
| Customer | Samples |
| Dispatch Date | |

| Sr. No. | Dimension | Specifications | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Cup Overall Weight | 2.50 +/- 0.20 gm (2.30 - 2.70 gm) | 2.46 | 2.49 | 2.42 | 2.52 | 2.50 | 2.45 | 2.43 | 2.48 | 2.50 | 2.45 |
| 2 | Cup Overall Height | 26.00 +/- 0.20 mm (25.90 - 26.20 mm) | 25.98 | 26.01 | 26.04 | 25.97 | 26.03 | 26.06 | 25.95 | 26.00 | 26.06 | 26.02 |
| 3 | Cup Outer Diameter (Top) | 35.10 +/- 0.20 mm (34.90 - 35.30 mm) | 35.02 | 35.06 | 35.01 | 35.00 | 34.98 | 34.95 | 35.04 | 34.98 | 35.00 | 35.03 |
| 4 | Cup Outer Diameter (Bottom) | 33.50 +/- 0.20 mm (33.30 - 33.70 mm) | 33.55 | 33.58 | 33.61 | 33.69 | 33.56 | 33.64 | 33.60 | 33.58 | 33.62 | 33.65 |
| 5 | Cup Inner Diameter | 32.70 +/- 0.20 mm (32.50 - 32.90 mm) | 32.65 | 32.68 | 32.71 | 32.69 | 32.66 | 32.74 | 32.76 | 32.70 | 32.66 | 32.73 |
| 6 | Over Flow Capacity | 21.00 ± 0.10 ml | 21.00 | 21.00 | 21.00 | 21.00 | 21.00 | 21.00 | 21.00 | 21.00 | 21.00 | 21.00 |
| 7 | Volume Measuring Grade | 2.5 ml, 5 ml, 7.5 ml, 10 ml, 12.5 ml, 15 ml | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 8 | Visual Inspection | Free of Defects from Foreign and Dust Particles | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS |

| Position Signature: | **Prepared by:** Quality Officer | **Approved by:** Q.A. Manager |
|---|---|---|

# AVERON OVERSEAS



## Technical Drawing

SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH EXPANDED POLYETHYLENE (EPE) LINER




# AVERON OVERSEAS



## Technical Drawing

SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH EXPANDED POLYETHYLENE (EPE) LINER

| DOCUMENT NO. : AO/QA/QC/DRG/07 | PAGE : 1 OF 1 |
|---|---|




**** All the above Dimensions and Tolerance are in mm***

| **SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH EXPANDED POLYETHYLENE (EPE) LINER** | | | | **Prepared by :** | **Checked by :** | **Approved by :** |
|---|---|---|---|---|---|---|
| Particulars | Material | Weight(Grams) | Name : | Krishna Sharma | Sandip Triyar | Shailesh Yadav |
| 28MM Screw Cap | Polypropylene | 2.80 ± 0.20 | Position : | Designer Officer | Q.C. Manager | Q.A. Manager |
| Tamper Evident Ring | Low Density PE | 0.80 ± 0.10 | Date : | 01.04.2023 | 02.04.2023 | 04.04.2023 |
| Liner | Expanded Polyethylene (EPE) | 0.300 ± 0.010 | Signature : | | | |

# AVERON OVERSEAS



## Technical Specification

| | | | |
|---|---|---|---|
| PRODUCT | SURESEAL28 : 28MM PLASTIC TAMPER EVIDENT CLOSURE WITH EXPANDED POLYETHYLENE (EPE) LINER | | |
| DOCUMENT TYPE | PACKAGING MATERIAL SPECIFICATION | | EFFECTIVE DATE : 05.04.2023 |
| DOCUMENT NO. | AO/QA/QC/SPC/08 | | REVISION DATE : NIL |
| DEPARTMENT | RESEARCH AND DEVELOPMENT | | REVISION NO : 00.00 |
| COPY NO. | PAGE NO. | | 01 OF 01 |

| Sr. No. | Parameter | Specifications | | Reference |
|---|---|---|---|---|
| 1 | Appearance | Screw Threaded Caps with Tamper-Evident Function | | In-House |
| 2 | Approved Raw Material Suppliers | All materials used are Food / Pharma Grade from Approved Suppliers | | Certificates attached |
| 3 | Cap Material | Polypropylene (PP) | | In-House |
| 4 | Tamper Evident Ring - Material | Low Density Polyethylene (LDPE) | | In-House |
| 5 | EPE Liner - Material | Expanded Polyethylene (EPE) | | In-House |
| 6 | Shell Cap Weight | 2.80 +/- 0.20 gm (2.60 - 3.00) gm | | In-House |
| 7 | Tamper Evident Ring -Weight | 0.80 +/- 0.10 gm (0.70 - 0.90) gm | | In-House |
| 8 | EPE Liner - Weight | 0.300 +/- 0.010 gm (0.290 - 0.310) gm | | In-House |
| 9 | Cap Overall Weight | 3.90 +/- 0.20 gm (3.70 - 4.10) gm | | In-House |
| 10 | Cap Overall Height | 23.35 +/- 0.20 mm (23.15 - 23.55) mm | | In-House |
| 11 | Cap Outer Diameter (OD - Bottom) | 32.20 +/- 0.20 mm (32.00 - 32.40) mm | | In-House |
| 12 | Cap Outer Diameter (OD - Top) | 28.50 +/- 0.20 mm (28.30 - 28.70) mm | | In-House |
| 13 | Cap Inner Diameter at TE (ID) | 26.40 +/- 0.20 mm (26.20 - 26.60) mm | | In-House |
| 14 | EPE Liner - Outer Diameter (OD) | 25.60 +/- 0.20 mm (25.40 - 25.80) mm | | In-House |
| 15 | EPE Liner - Thickness | 1.40 mm +/- 10% ( 1.26 - 1.54 mm) | | In-House |
| 16 | Cap Fiting Test | Cap must easily fit into the bottle and open easily with pressure | | In-House |
| 17 | Leakage Test | No leakage observed from bottle after closure | | In-House |
| 18 | Visual Inspection | Free of Defects from Foreign and Dust Particles | | In-House |
| 19 | Microbiology Test | E-Coli | Absent | Test done from Out - Side Lab |
| | | Total Aerobic Bacterial Count NMT 100 cfu | ≤ 100 cfu/ml | |
| | | Total Yeast/Mold Count NMT 10 cfu/ml | ≤ 10 cfu/ml | |
| 20 | Packing | Packed inside PE Liner Bag (More than 50 micron) and Liner Bag put inside 5 Ply Corrugated Boxes silca free. Label affixed on the box with detailed Product Information (Quantity, Weight, Batch No, Production Date) | | In - House |
| 21 | Storage | To be stored at a place having Temperature <45°C and Humidity <80% , Protected from Direct Sunlight and Dust. Maximum storage height of 7 boxes on Plastic Pallets | | In - House |

| | Prepared by: | Checked by: | Approved by: |
|---|---|---|---|
| Name: | Krishna Sharma | Sandip Triyar | Shailesh Yadav |
| Position: | Designer Officer | Q.C. Manager | Q.A. Manager |
| Date: | 01.04.2023 | 02.04.2023 | 4.04.2023 |
| Signature: | | | |

# AVERON OVERSEAS



## CERTIFICATE OF ANALYSIS

| | |
|---|---|
| **PRODUCT** | **SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH EPE LINER** |
| DOCUMENT TYPE | PACKAGING MATERIAL COA |
| DOCUMENT NO. | AO/QA/QC/COA/09 |
| Cap Raw Material | Polypropylene (PP) |
| Tamper Evident Ring - Material | Low Density Polyethylene (LDPE) |
| Liner - Material | Expanded Polyethylene (EPE) |
| Customer | |
| Dispatch / Test Date | SAMPLE |

| Sr. No. | Test | Specifications | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Shell Cap Weight | 2.80 +/- 0.20 gm ( 2.60 - 3.00 gm ) | 2.84 | 2.81 | 2.80 | 2.78 | 2.75 | 2.77 | 2.80 | 2.83 | 2.78 | 2.82 |
| 2 | Tamper Evident Ring -Weight | 0.80 +/- 0.10 gm ( 0.70 - 0.90 gm ) | 0.81 | 0.83 | 0.79 | 0.82 | 0.80 | 0.81 | 0.80 | 0.82 | 0.79 | 0.83 |
| 3 | EPE Liner - Weight | 0.300 +/- 0.020 gm ( 0.280 - 0.320 gm ) | 0.302 | 0.308 | 0.305 | 0.310 | 0.308 | 0.305 | 0.309 | 0.311 | 0.307 | 0.306 |
| 4 | Cap Overall Weight | 3.90 +/- 0.20 gm ( 3.70 - 4.10 gm ) | 3.95 | 3.95 | 3.90 | 3.91 | 3.86 | 3.89 | 3.91 | 3.96 | 3.88 | 3.96 |
| 5 | Cap Overall Height | 23.35 +/- 0.20 mm ( 23.15 - 23.55 mm ) | 23.35 | 23.30 | 23.34 | 23.32 | 23.30 | 23.39 | 23.35 | 23.31 | 23.32 | 23.34 |
| 6 | Cap Outer Diameter (OD - Bottom) | 32.20 +/- 0.20 mm ( 32.00 - 32.40 mm ) | 32.12 | 32.18 | 32.20 | 32.22 | 32.16 | 32.18 | 32.20 | 32.22 | 32.20 | 32.18 |
| 7 | Cap Outer Diameter (OD - Top) | 28.50 +/- 0.20 mm ( 28.30 - 28.70 mm ) | 28.42 | 28.40 | 28.36 | 28.42 | 28.44 | 28.38 | 28.40 | 28.42 | 28.44 | 28.40 |
| 8 | Cap Inner Diameter at TE (ID) | 26.40 +/- 0.20 mm ( 26.20 - 26.60 mm ) | 26.50 | 26.51 | 26.49 | 26.52 | 26.47 | 26.48 | 26.50 | 26.53 | 26.51 | 26.49 |
| 9 | EPE Liner - Outer Diameter (OD) | 25.60 +/- 0.10 mm ( 25.40 - 25.80 mm ) | 25.62 | 25.64 | 25.58 | 25.60 | 25.59 | 25.61 | 25.60 | 25.62 | 25.58 | 25.63 |
| 10 | EPE Liner - Thickness | 1.40 mm +/- 10% ( 1.26 - 1.54 mm ) | 1.40 | 1.39 | 1.40 | 1.41 | 1.40 | 1.39 | 1.40 | 1.41 | 1.40 | 1.40 |
| 11 | EPE Liner - Density | 300 kg/m3 +/- 7.5% ( 278 - 322 kg/m3 ) | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| 11 | Cap Fiting Test | Cap must easily fit into the bottle and open easily with pressure | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 12 | Leakage Test | No leakage observed from bottle after closure | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 13 | Visual Inspection | Free of Defects from Foreign and Dust Particles | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS |

| Position Signature : | | |
|---|---|---|
| | **Prepared by :** Quality Officer | **Approved by :** Q.A. Manager |

# AVERON OVERSEAS



## Technical Drawing

SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH EXPANDED POLYETHYLENE (EPE) LINER




# AVERON OVERSEAS



## Technical Drawing

SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH EXPANDED POLYETHYLENE (EPE) LINER

| DOCUMENT NO. : AO/QA/QC/DRG/07 | PAGE : 1 OF 1 |
|---|---|




**** All the above Dimensions and Tolerance are in mm***

| **SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH EXPANDED POLYETHYLENE (EPE) LINER** | | | | **Prepared by :** | **Checked by :** | **Approved by :** |
|---|---|---|---|---|---|---|
| Particulars | Material | Weight(Grams) | Name : | Krishna Sharma | Sandip Triyar | Shailesh Yadav |
| 28MM Screw Cap | Polypropylene | 2.80 ± 0.20 | Position : | Designer Officer | Q.C. Manager | Q.A. Manager |
| Tamper Evident Ring | Low Density PE | 0.80 ± 0.10 | Date : | 01.04.2023 | 02.04.2023 | 04.04.2023 |
| Liner | Expanded Polyethylene (EPE) | 0.300 ± 0.010 | Signature : | | | |

# AVERON OVERSEAS



## Technical Specification

| | | | |
|---|---|---|---|
| PRODUCT | SURESEAL28 : 28MM PLASTIC TAMPER EVIDENT CLOSURE WITH EXPANDED POLYETHYLENE (EPE) LINER | | |
| DOCUMENT TYPE | PACKAGING MATERIAL SPECIFICATION | | EFFECTIVE DATE : 05.04.2023 |
| DOCUMENT NO. | AO/QA/QC/SPC/08 | | REVISION DATE : NIL |
| DEPARTMENT | RESEARCH AND DEVELOPMENT | | REVISION NO : 00.00 |
| COPY NO. | PAGE NO. | | 01 OF 01 |

| Sr. No. | Parameter | Specifications | | Reference |
|---|---|---|---|---|
| 1 | Appearance | Screw Threaded Caps with Tamper-Evident Function | | In-House |
| 2 | Approved Raw Material Suppliers | All materials used are Food / Pharma Grade from Approved Suppliers | | Certificates attached |
| 3 | Cap Material | Polypropylene (PP) | | In-House |
| 4 | Tamper Evident Ring - Material | Low Density Polyethylene (LDPE) | | In-House |
| 5 | EPE Liner - Material | Expanded Polyethylene (EPE) | | In-House |
| 6 | Shell Cap Weight | 2.80 +/- 0.20 gm (2.60 - 3.00) gm | | In-House |
| 7 | Tamper Evident Ring -Weight | 0.80 +/- 0.10 gm (0.70 - 0.90) gm | | In-House |
| 8 | EPE Liner - Weight | 0.300 +/- 0.010 gm (0.290 - 0.310) gm | | In-House |
| 9 | Cap Overall Weight | 3.90 +/- 0.20 gm (3.70 - 4.10) gm | | In-House |
| 10 | Cap Overall Height | 23.35 +/- 0.20 mm (23.15 - 23.55) mm | | In-House |
| 11 | Cap Outer Diameter (OD - Bottom) | 32.20 +/- 0.20 mm (32.00 - 32.40) mm | | In-House |
| 12 | Cap Outer Diameter (OD - Top) | 28.50 +/- 0.20 mm (28.30 - 28.70) mm | | In-House |
| 13 | Cap Inner Diameter at TE (ID) | 26.40 +/- 0.20 mm (26.20 - 26.60) mm | | In-House |
| 14 | EPE Liner - Outer Diameter (OD) | 25.60 +/- 0.20 mm (25.40 - 25.80) mm | | In-House |
| 15 | EPE Liner - Thickness | 1.40 mm +/- 10% ( 1.26 - 1.54 mm) | | In-House |
| 16 | Cap Fiting Test | Cap must easily fit into the bottle and open easily with pressure | | In-House |
| 17 | Leakage Test | No leakage observed from bottle after closure | | In-House |
| 18 | Visual Inspection | Free of Defects from Foreign and Dust Particles | | In-House |
| 19 | Microbiology Test | E-Coli | Absent | Test done from Out - Side Lab |
| | | Total Aerobic Bacterial Count NMT 100 cfu | ≤ 100 cfu/ml | |
| | | Total Yeast/Mold Count NMT 10 cfu/ml | ≤ 10 cfu/ml | |
| 20 | Packing | Packed inside PE Liner Bag (More than 50 micron) and Liner Bag put inside 5 Ply Corrugated Boxes silca free. Label affixed on the box with detailed Product Information (Quantity, Weight, Batch No, Production Date) | | In - House |
| 21 | Storage | To be stored at a place having Temperature <45°C and Humidity <80% , Protected from Direct Sunlight and Dust. Maximum storage height of 7 boxes on Plastic Pallets | | In - House |

| | Prepared by: | Checked by: | Approved by: |
|---|---|---|---|
| Name: | Krishna Sharma | Sandip Triyar | Shailesh Yadav |
| Position: | Designer Officer | Q.C. Manager | Q.A. Manager |
| Date: | 01.04.2023 | 02.04.2023 | 4.04.2023 |
| Signature: | | | |

# AVERON OVERSEAS



## CERTIFICATE OF ANALYSIS

| PRODUCT | SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH EPE LINER |
|---|---|
| DOCUMENT TYPE | PACKAGING MATERIAL COA |
| DOCUMENT NO. | AO/QA/QC/COA/09 |
| Cap Raw Material | Polypropylene (PP) |
| Tamper Evident Ring - Material | Low Density Polyethylene (LDPE) |
| Liner - Material | Expanded Polyethylene (EPE) |
| Customer | |
| Dispatch / Test Date | SAMPLE |

| Sr. No. | Test | Specifications | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Shell Cap Weight | 2.80 +/- 0.20 gm ( 2.60 - 3.00 gm ) | 2.84 | 2.81 | 2.80 | 2.78 | 2.75 | 2.77 | 2.80 | 2.83 | 2.78 | 2.82 |
| 2 | Tamper Evident Ring -Weight | 0.80 +/- 0.10 gm ( 0.70 - 0.90 gm ) | 0.81 | 0.83 | 0.79 | 0.82 | 0.80 | 0.81 | 0.80 | 0.82 | 0.79 | 0.83 |
| 3 | EPE Liner - Weight | 0.300 +/- 0.020 gm ( 0.280 - 0.320 gm ) | 0.302 | 0.308 | 0.305 | 0.310 | 0.308 | 0.305 | 0.309 | 0.311 | 0.307 | 0.306 |
| 4 | Cap Overall Weight | 3.90 +/- 0.20 gm ( 3.70 - 4.10 gm ) | 3.95 | 3.95 | 3.90 | 3.91 | 3.86 | 3.89 | 3.91 | 3.96 | 3.88 | 3.96 |
| 5 | Cap Overall Height | 23.35 +/- 0.20 mm ( 23.15 - 23.55 mm ) | 23.35 | 23.30 | 23.34 | 23.32 | 23.30 | 23.39 | 23.35 | 23.31 | 23.32 | 23.34 |
| 6 | Cap Outer Diameter (OD - Bottom) | 32.20 +/- 0.20 mm ( 32.00 - 32.40 mm ) | 32.12 | 32.18 | 32.20 | 32.22 | 32.16 | 32.18 | 32.20 | 32.22 | 32.20 | 32.18 |
| 7 | Cap Outer Diameter (OD - Top) | 28.50 +/- 0.20 mm ( 28.30 - 28.70 mm ) | 28.42 | 28.40 | 28.36 | 28.42 | 28.44 | 28.38 | 28.40 | 28.42 | 28.44 | 28.40 |
| 8 | Cap Inner Diameter at TE (ID) | 26.40 +/- 0.20 mm ( 26.20 - 26.60 mm ) | 26.50 | 26.51 | 26.49 | 26.52 | 26.47 | 26.48 | 26.50 | 26.53 | 26.51 | 26.49 |
| 9 | EPE Liner - Outer Diameter (OD) | 25.60 +/- 0.10 mm ( 25.40 - 25.80 mm ) | 25.62 | 25.64 | 25.58 | 25.60 | 25.59 | 25.61 | 25.60 | 25.62 | 25.58 | 25.63 |
| 10 | EPE Liner - Thickness | 1.40 mm +/- 10% ( 1.26 - 1.54 mm ) | 1.40 | 1.39 | 1.40 | 1.41 | 1.40 | 1.39 | 1.40 | 1.41 | 1.40 | 1.40 |
| 11 | EPE Liner - Density | 300 kg/m3 +/- 7.5% ( 278 - 322 kg/m3 ) | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| 11 | Cap Fiting Test | Cap must easily fit into the bottle and open easily with pressure | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 12 | Leakage Test | No leakage observed from bottle after closure | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 13 | Visual Inspection | Free of Defects from Foreign and Dust Particles | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS |

| Position Signature : | **Prepared by :** Quality Officer | **Approved by :** Q.A. Manager |
|---|---|---|

# AVERON OVERSEAS



**CAP PHOTOS**

**SURESEAL28 : 28MM PLASTIC TAMPER EVIDENT CLOSURE WITH LOW DENSITY POLYETHYLENE (LDPE) PLUG LINER**




# AVERON OVERSEAS



## Technical Drawing

**SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH LDPE PLUG LINER**

| DOCUMENT NO. : AO/QA/QC/DRG/10 | PAGE : 1 OF 1 |
|---|---|




SCALE– N.T.S.

**** All the above Dimensions and Tolerance are in mm***

| SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CAP WITH PLUG LINER | | | | Prepared by : | Checked by : | Approved by : |
|---|---|---|---|---|---|---|
| Particulars | Material | Weight (Grams) | Name : | Krishana Sharma | Sandip Triyar | Shailesh Yadav |
| 28MM Screw Cap | Polypropylene | 3.30 ± 0.20 | Position : | Designer Officer | Q.C. Manager | Q.A. Manager |
| Tamper Evident Ring | Low Density Polyethylene (LDPE) | 0.80 ± 0.10 | Date : | 12.08.2023 | 12.08.2023 | 14.08.2023 |
| Plug Liner | Low Density Polyethylene (LDPE) | 0.60 ± 0.10 | Signature : | | | |

# AVERON OVERSEAS



## Technical Specification

| | | |
|---|---|---|
| **PRODUCT** | **SURESEAL28 : 28MM PLASTIC TAMPER EVIDENT CLOSURE WITH LDPE PLUG LINER** | |
| DOCUMENT TYPE | PACKAGING MATERIAL SPECIFICATION | EFFECTIVE DATE : 15.08.2023 |
| DOCUMENT NO. | AO/QA/QC/SPC/11 | REVISION DATE : NA |
| DEPARTMENT | RESEARCH AND DEVELOPMENT | REVISION NO : NA |
| COPY NO. | 1 | PAGE NO. 01 OF 01 |

| Sr. No. | Parameter | Specifications | | Reference |
|---|---|---|---|---|
| 1 | Appearance | Screw Threaded Caps with Tamper-Evident Function | | In-House |
| 2 | Approved Raw Material Suppliers | All materials used are Food / Pharma Grade from Approved Suppliers | | Certificates attached |
| 3 | Cap Material | Polypropylene ( PP ) | | In-House |
| 4 | Tamper Evident Ring - Material | Low Density Polyethylene (LDPE) | | In-House |
| 5 | Plug Liner - Material | Low Density Polyethylene (LDPE) | | In-House |
| 6 | Shell Cap Weight | 3.30 +/- 0.20 gm (3.10 - 3.50 gm) | | In-House |
| 7 | Tamper Evident Ring -Weight | 0.80 +/- 0.10 gm (0.70 - 0.90 gm) | | In-House |
| 8 | Plug Liner - Weight | 0.60 +/- 0.10 gm (0.55 - 0.75 gm) | | In-House |
| 9 | Cap Overall Weight | 4.70 +/- 0.20 gm (4.50 - 4.90 gm) | | In-House |
| 10 | Cap Overall Height | 24.00 +/- 0.20 mm (23.80 - 24.20 mm) | | In-House |
| 11 | Cap Outer Diameter ( OD - Top ) | 28.50 +/- 0.20 mm (28.30 - 28.70 mm) | | In-House |
| 12 | Cap Outer Diameter ( OD - Bottom ) | 32.30 +/- 0.20 mm (32.10 - 32.50 mm) | | In-House |
| 13 | Cap Inner Diameter ( ID ) | 27.60 +/- 0.20 mm (27.40 - 27.80 mm) | | In-House |
| 14 | Plug Liner Outer Diameter ( OD ) | 24.60 +/- 0.20 mm (24.40 - 24.80) mm | | In-House |
| 15 | Plug Liner Thickness | 1.40 +/- 0.10 mm ( 1.30 - 1.50 ) mm | | In-House |
| 16 | Cap Fiting Test | Cap must easily fit into the bottle and open easily with pressure | | In-House |
| 17 | Leakage Test | No leakage observed from bottle after closure | | In-House |
| 18 | Visual Inspection | Free of Defects from Foreign and Dust Particles | | In-House |
| 19 | Microbiology Test | E-Coli | Absent | Test done from Out - Side Lab |
| | | Total Aerobic Bacterial Count NMT 100 cfu | ≤ 100 cfu/ml | |
| | | Total Yeast/Mold Count NMT 10 cfu/ml | ≤ 10 cfu/ml | |
| 20 | Packing | Packed inside PE Liner Bag (More than 50 micron) and Liner Bag put inside 5 Ply Corrugated Boxes silca free. Label affixed on the box with detailed Product Information (Quantity, Weight, Batch No, Production Date) | | In - House |
| 21 | Storage | To be stored at a place having Temperature <45°C and Humidity <80% , Protected from Direct Sunlight and Dust. Maximum storage height of 7 boxes on Plastic Pallets | | In - House |

| | **Prepared by:** | **Checked by:** | **Approved by:** |
|---|---|---|---|
| Name: | Krishana Sharma | Sandip Triyar | Shailesh Yadav |
| Position: | Designer Officer | Q.C. Manager | Q.A. Manager |
| Date: | 12.08.2023 | 12.08.2023 | 14.08.2023 |
| Signature: | | | |

# AVERON OVERSEAS



## CERTIFICATE OF ANALYSIS

| | |
|---|---|
| **PRODUCT** | **SURESEAL28 : 28 MM PLASTIC TAMPER EVIDENT CLOSURE WITH PLASTIC LDPE PLUG LINER** |
| DOCUMENT TYPE | PACKAGING MATERIAL COA |
| DOCUMENT NO. | AO/QA/QC/COA/12 |
| Shell Cap Raw Material | Polypropylene (PP) / COLOR - WHITE |
| Tamper Evident Ring Raw Materials | Low Density Polyethylene (LDPE) / COLOR - WHITE |
| Plug Liner Raw Material | Low Density Polyethylene (LDPE) |
| Customer | Samples |
| Dispatch Date | |

| Sr. No. | Test | Specifications | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Shell Cap Weight | 3.30 +/- 0.20 gm (3.10 - 3.50 gm) | 3.24 | 3.21 | 3.20 | 3.22 | 3.28 | 3.21 | 3.18 | 3.24 | 3.22 | 3.21 |
| 2 | Tamper Evident Ring -Weight | 0.80 +/- 0.10 gm (0.70 - 0.90 gm) | 0.79 | 0.78 | 0.81 | 0.82 | 0.82 | 0.79 | 0.80 | 0.81 | 0.82 | 0.78 |
| 3 | Plug Liner - Weight | 0.60 +/- 0.10 gm (0.50 - 0.70 gm) | 0.68 | 0.63 | 0.69 | 0.67 | 0.69 | 0.69 | 0.68 | 0.69 | 0.66 | 0.72 |
| 4 | Cap Overall Weight | 4.70 +/- 0.20 gm (4.50 - 4.90 gm) | 4.71 | 4.62 | 4.70 | 4.71 | 4.79 | 4.69 | 4.66 | 4.74 | 4.70 | 4.71 |
| 5 | Cap Overall Height | 24.00 +/- 0.20 mm (23.80 - 24.20 mm) | 24.04 | 24.00 | 23.98 | 24.10 | 24.08 | 23.98 | 24.00 | 24.08 | 24.04 | 24.09 |
| 6 | Cap Outer Diameter (OD - Top) | 28.50 +/- 0.20 mm (28.30 - 28.70 mm) | 28.52 | 28.50 | 28.48 | 28.51 | 28.46 | 28.47 | 28.53 | 28.49 | 28.48 | 28.49 |
| 7 | Cap Outer Diameter (OD - Bottom) | 32.30 +/- 0.20 mm (32.10 - 32.50 mm) | 32.28 | 32.34 | 32.30 | 32.33 | 32.29 | 32.34 | 32.30 | 32.28 | 32.31 | 32.34 |
| 8 | Cap Inner Diameter (ID) | 27.60 +/- 0.20 mm (27.40 - 27.80 mm) | 27.50 | 27.55 | 27.54 | 27.52 | 27.49 | 27.54 | 27.58 | 27.56 | 27.53 | 27.55 |
| 9 | Plug Liner Outer Diameter (OD) | 24.60 +/- 0.20 mm (24.40 - 20.80) mm | 24.59 | 24.62 | 24.60 | 24.58 | 24.61 | 24.60 | 24.62 | 24.59 | 24.57 | 24.61 |
| 10 | Plug Liner Thickness | 1.40 +/- 0.10 mm ( 1.30 - 1.50 ) mm | 1.39 | 1.42 | 1.38 | 1.40 | 1.41 | 1.40 | 1.41 | 1.38 | 1.40 | 1.39 |
| 11 | Cap Fitment Test | Cap must easily fit into the bottle and open easily with pressure | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 12 | Leakage Test | No leakage observed from bottle after closure | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 13 | Visual Inspection | Free of Defects from Foreign and Dust Particles | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS |

| | | |
|---|---|---|
| Position<br>Signature : | **Prepared by :**<br>Quality Officer | **Approved by :**<br>Q.A. Manager |

# AVERON OVERSEAS





## 28MM PLASTIC CHILD RESISITANT CLOSURE
## WITH EXPANDED POLYETHYLENE (EPE) LINER

# AVERON OVERSEAS




## Technical Drawing


### CRC28 - 28MM CHILD RESISTANT CLOSURE WITH EXPANDED POLYETHYLENE EPE LINER

| DOCUMENT NO. : AO/QA/QC/DRG/01 | PAGE : 1 OF 1 |
|---|---|






28 MM CRC PRODUCT DRAWING




28 MM CRC PRODUCT ASSEMBLY

SCALE– N.T.S.

**** All the above Dimensions and Tolerance are in mm***

| 28MM Plastic Child Resistant Closure (CRC) with EPE Liner | | | | Prepared by : | Checked by : | Approved by : |
|---|---|---|---|---|---|---|
| Particulars | Material | Weight (Grams) | Name : | Krishana Sharma | Sandip Triyar | Shailesh Yadav |
| Outer Cap | Polypropylene | 2.65 ± 0.20 gm | Position : | Designer Officer | Q.C. Manager | Q.A. Manager |
| Inner Cap | Polypropylene | 2.70 ± 0.20 gm | Date : | 01.04.2023 | 02.04.2023 | 04.04.2023 |
| Tamper Evident Ring | LDPE | 0.70 ± 0.10 gm | Signature : | | | |
| Liner | Expanded Polyethylene EPE | 0.25 ± 0.02 gm | | | | |

# AVERON OVERSEAS



## Technical Specification

| | | |
|---|---|---|
| ITEM NAME : | **CRC28 - 28MM CHILD RESISTANT CLOSURE WITH EXPANDED POLYETHYLENE LINER** | |
| DOCUMENT TYPE : | PACKAGING MATERIAL SPECIFICATION | EFFECTIVE DATE : 05.04.2023 |
| DOCUMENT NO. : | AO/QA/QC/SPC/02 | REVISION DATE : NIL |
| DEPARTMENT : | RESEARCH AND DEVELOPMENT | REVISION NO : 00.00 |
| COPY NO. : | 1 | PAGE NO : 01 of 01 |

| Sr. No. | Test | Specifications | | Reference |
|---|---|---|---|---|
| 1 | Appearance | Child Resistant Screw Threaded Caps with Tamper-Evident Function | | In-House |
| 2 | Approved Raw Material Suppliers | All materials used are Food / Pharma Grade from Approved Suppliers | | Certificate Attached |
| 3 | Outer Cap Material | Polypropylene (PP) | | In-House |
| 4 | Inner Cap Material | Polypropylene (PP) | | In-House |
| 5 | Tamper Evident Ring Material | Low Density Polyethylene (LDPE) | | In-House |
| 6 | Liner Material | Expanded Polyethylene EPE (PE FOAM) | | In-House |
| 7 | Outer Cap Weight | 2.65 +/- 0.20 gms (2.45 - 2.85) gms | | In - House |
| 8 | Inner Cap Weight | 2.70 +/- 0.20 gms (2.50 - 2.90) gms | | In - House |
| 9 | Tamper Evident Ring - Weight | 0.70 +/- 0.10 gms ( 0.60 - 0.80) gms | | In - House |
| 9 | Liner - Weight | 0.250 +/- 0.02 gms ( 0.230 - 0.270) gms | | In - House |
| 11 | CRC Cap Overall Weight | 6.30 +/- 0.30 gms (6.00 - 6.30) gms | | In - House |
| 12 | Cap Outer Diameter (Top) | 34.40 +/- 0.20 mm (34.20 - 34.60) mm | | In - House |
| 13 | Cap Outer Diameter (Bottom) | 35.10 +/- 0.20 mm (34.90 - 35.30) mm | | In - House |
| 14 | Cap Inner Diameter at TE ( ID ) | 26.40 +/- 0.20 mm (26.20 - 26.60) mm | | In - House |
| 15 | Liner Outer Diameter ( OD ) | 25.60 +/- 0.10 mm ( 25.50 - 25.70) mm | | In - House |
| 16 | Liner Thickness | 1.40 +/- 0.10 mm (1.30 - 1.50) mm | | In - House |
| 17 | Cap Overall Height | 24.30 +/- 0.20 mm (24.10 - 24.50) mm | | In - House |
| 18 | Cap Fitment Test | Cap must easily fit into the bottle and open easily with pressure | | In - House |
| 19 | Leakage Test | No leakage observed from bottle after closure | | In - House |
| 20 | Visual Inspection | Free of Defects from Foreign and Dust Particles | | In - House |
| 21 | Microbiology Test | E-Coli | Absent | Test done from Outside Lab |
| | | Total Aerobic Bacterial Count NMT 100 cfu | ≤ 100 cfu/ml | |
| | | Total Yeast/Mold Count NMT 10 cfu/ml | ≤ 10 cfu/ml | |
| 22 | Packing | Packed inside PE Liner Bag (More than 50 micron) and Liner Bag put inside 5 Ply Corrugated Boxes Silca Free.Label affixed on the box with detailed Product Information (Quantity, Weight, Batch No, Production Date) | | In - House |

| | Prepared by: | Checked by: | Approved by: |
|---|---|---|---|
| Name: | Krishna Sharma | Sandip Triyar | Shailesh Yadav |
| Position: | Designer Officer | Q.C. Manager | Q.A. Manager |
| Date: | 01.04.2023 | 02.04.2023 | 04.04.2023 |
| Signature: | | | |

# AVERON OVERSEAS



## CERTIFICATE OF ANALYSIS

| | |
|---|---|
| ITEM NAME | CRC28 - 28MM CHILD RESISTANT CLOSURE WITH EXPANDED POLYETHYLENE LINER |
| DOCUMENT TYPE | PACKAGING MATERIAL COA |
| DOCUMENT NO. | AO/QA/QC/COA/03 |
| Cap Raw Material | POLYPROPYLENE (PP) |
| Tamper Evident Ring Material | LOW DENSITY POLYETHYLENE (LDPE) |
| Liner Material | EXPANDED POLYETHYLENE (EPE) / PE FOAM LINER |
| Customer | SAMPLES |

| Sr. No. | Dimension | Specifications | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | CRC Cap Overall Weight | 6.30 +/- 0.30 gm ( 6.00 - 6.60 gm ) | 6.22 | 6.26 | 6.30 | 6.28 | 6.25 | 6.27 | 6.32 | 6.24 | 6.26 | 6.29 |
| 2 | CRC Cap Overall Height | 24.30 +/- 0.20 mm ( 24.10 - 24.50 mm ) | 24.26 | 24.34 | 24.28 | 24.32 | 24.30 | 24.32 | 24.30 | 24.34 | 24.30 | 24.32 |
| 3 | Cap Outer Diameter (Bottom) | 35.10 +/- 0.20 mm ( 34.80 - 35.20 mm ) | 34.98 | 35.00 | 34.98 | 35.02 | 35.00 | 34.98 | 35.04 | 35.00 | 34.96 | 34.98 |
| 4 | Cap Outer Diameter (Top) | 34.40 +/- 0.20 mm ( 34.20 - 34.60 mm ) | 34.44 | 34.38 | 34.42 | 34.44 | 34.40 | 34.42 | 34.44 | 34.38 | 34.40 | 34.42 |
| 5 | Outer Cap Height | 22.70 +/- 0.20 mm ( 22.50 - 22.90 mm ) | 22.74 | 22.70 | 22.76 | 22.72 | 22.70 | 22.74 | 22.69 | 22.74 | 22.72 | 22.70 |
| 6 | TE Ring Inner Diameter | 26.40 +/- 0.20 mm ( 26.20 - 26.60 mm ) | 26.46 | 26.50 | 26.44 | 26.48 | 26.38 | 26.48 | 26.42 | 26.40 | 26.44 | 26.42 |
| 7 | EPE Liner Outer Diameter | 25.60 +/- 0.15 mm ( 25.45 - 25.75 mm ) | 25.56 | 25.62 | 25.60 | 25.54 | 25.64 | 25.58 | 25.62 | 25.60 | 25.54 | 25.52 |
| 8 | EPE Liner Thickness | 1.40 mm +/- 10% ( 1.26 - 1.54 mm ) | 1.40 | 1.41 | 1.40 | 1.41 | 1.40 | 1.40 | 1.41 | 1.40 | 1.40 | 1.40 |
| 9 | EPE Liner Density | 300 kg/m3 +/- 7.5% ( 277.50 - 322.50 kg/m3 ) | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| 10 | Cap Fitment Test | Cap must easily fit into the bottle and open easily with pressure | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 11 | Leakage Test | No leakage observed from bottle after closure | OK | OK | OK | OK | OK | OK | OK | OK | OK | OK |
| 12 | Visual Inspection | Free of Defects from Foreign and Dust Particles | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS | PASS |

| | | |
|---|---|---|
| Position | **Prepared by:** | **Approved by:** |
| Signature: | Quality Officer | Q.A. Manager |