SQL Joins

Joins

 SQL joins are used to query data from two or more tables, based on a relationship between certain columns in these tables.

Different SQL Joins

Before we continue with examples, we will list the types of JOIN you can use, and the differences between them.

- JOIN: Return rows when there is at least one match in both tables
- LEFT JOIN: Return all rows from the left table, even if there are no matches in the right table
- RIGHT JOIN: Return all rows from the right table, even if there are no matches in the left table
- FULL JOIN: Return rows when there is a match in one of the tables

SQL INNER JOIN Syntax

```
SELECT column_name(s)
FROM table_name1
INNER JOIN table_name2
ON
table_name1.column_name=table_name2.
column_name
```

INNER JOIN is the same as JOIN

Example

The "Persons" table:

P_Id	LastName	FirstName	Address	City
1	Hansen	Ola	Timoteivn 10	Sandnes
2	Svendson	Tove	Borgvn 23	Sandnes
3	Pettersen	Kari	Storgt 20	Stavanger

The "Orders" table:

0_Id	OrderNo	P_Id
1	77895	3
2	44678	3
3	22456	1
4	24562	1
5	34764	15

We use the following SELECT statement:

SELECT Persons.LastName, Persons.FirstName, Orders.OrderNo
FROM Persons
INNER JOIN Orders
ON Persons.P_Id=Orders.P_Id
ORDER BY Persons.LastName

The result-set will look like this:

LastName	FirstName	OrderNo
Hansen	Ola	22456
Hansen	Ola	24562
Pettersen	Kari	77895
Pettersen	Kari	44678

The INNER JOIN keyword return rows when there is at least one match in both tables. If there are rows in "Persons" that do not have matches in "Orders", those rows will NOT be listed.

SQL LEFT JOIN Keyword

The LEFT JOIN keyword returns all rows from the left table (table_name1), even if there are no matches in the right table (table_name2).

SQL LEFT JOIN Syntax

```
SELECT column_name(s)
FROM table_namel
LEFT JOIN table_name2
ON table_namel.column_name=table_name2.column_name
```

PS: In some databases LEFT JOIN is called LEFT OUTER JOIN.

Example

The "Persons" table:

P_Id	LastName	FirstName	Address	City
1	Hansen	Ola	Timoteivn 10	Sandnes
2	Svendson	Tove	Borgvn 23	Sandnes
3	Pettersen	Kari	Storgt 20	Stavanger

The "Orders" table:

O_Id	OrderNo	P_Id
1	77895	3
2	44678	3
3	22456	1
4	24562	1
5	34764	15

We use the following SELECT statement:

SELECT Persons.LastName, Persons.FirstName, Orders.OrderNo
FROM Persons
LEFT JOIN Orders
ON Persons.P_Id=Orders.P_Id
ORDER BY Persons.LastName

The result-set will look like this:

LastName	FirstName	OrderNo
Hansen	Ola	22456
Hansen	Ola	24562
Pettersen	Kari	77895
Pettersen	Kari	44678
Svendson	Tove	

The LEFT JOIN keyword returns all the rows from the left table (Persons), even if there are no matches in the right table (Orders).

SQL RIGHT JOIN Keyword

The RIGHT JOIN keyword Return all rows from the right table (table_name2), even if there are no matches in the left table (table_name1).

SQL RIGHT JOIN Syntax

```
SELECT column_name(s)
FROM table_namel
RIGHT JOIN table_name2
ON table_name1.column_name=table_name2.column_name
```

PS: In some databases RIGHT JOIN is called RIGHT OUTER JOIN.

SQL RIGHT JOIN Example

Example

The "Persons" table:

P_Id	LastName	FirstName	Address	City
1	Hansen	Ola	Timoteivn 10	Sandnes
2	Svendson	Tove	Borgvn 23	Sandnes
3	Pettersen	Kari	Storgt 20	Stavanger

The "Orders" table:

O_Id	OrderNo	P_Id
1	77895	3
2	44678	3
3	22456	1
4	24562	1
5	34764	15

Now we want to list all the orders with containing persons - if any, from the tables above.

We use the following SELECT statement:

SELECT Persons.LastName, Persons.FirstName, Orders.OrderNo FROM Persons RIGHT JOIN Orders ON Persons.P_Id=Orders.P_Id ORDER BY Persons.LastName

The result-set will look like this:

LastName	FirstName	OrderNo
Hansen	Ola	22456
Hansen	Ola	24562
Pettersen	Kari	77895
Pettersen	Kari	44678
		34764

The RIGHT JOIN keyword returns all the rows from the right table (Orders), even if there are no matches in the left table (Persons).

SQL FULL JOIN Keyword

The FULL JOIN keyword return rows when there is a match in one of the tables.

SQL FULL JOIN Syntax

```
SELECT column_name(s)
FROM table_name1
FULL JOIN table_name2
ON table_name1.column_name=table_name2.column_name
```

SQL FULL JOIN Example

The "Persons" table:

Example

P_Id	LastName	FirstName	Address	City
1	Hansen	Ola	Timoteivn 10	Sandnes
2	Svendson	Tove	Borgvn 23	Sandnes
3	Pettersen	Kari	Storgt 20	Stavanger

The "Orders" table:

0_Id	OrderNo	P_Id
1	77895	3
2	44678	3
3	22456	1
4	24562	1
5	34764	15

Now we want to list all the persons and their orders, and all the orders with their persons.

SELECT Persons.LastName, Persons.FirstName, Orders.OrderNo FROM Persons FULL JOIN Orders ON Persons.P_Id=Orders.P_Id ORDER BY Persons.LastName

The result-set will look like this:

LastName	FirstName	OrderNo
Hansen	Ola	22456
Hansen	Ola	24562
Pettersen	Kari	77895
Pettersen	Kari	44678
Svendson	Tove	
		34764

The FULL JOIN keyword returns all the rows from the left table (Persons), and all the rows from the right table (Orders). If there are rows in "Persons" that do not have matches in "Orders", or if there are rows in "Orders" that do not have matches in "Persons", those rows will be listed as well.

THANKS!