Pose Estimation Using Deep Learning

A mini project report submitted in partial fulfilment of the requirements for the award of the degree of

Bachelor of Technology

in

Computer Science & Engineering

Submitted by Aman K. Shihab Aneeta Shajan



Federal Institute of Science And Technology (FISAT)® Angamaly, Ernakulam

Affiliated to

APJ Abdul Kalam Technological University
CET Campus, Thiruvananthapuram
July 2022

Federal Institute of Science And Technology (FISAT)® Mookkannoor(P.O), Angamaly-683577



CERTIFICATE

This is to certify that the report entitled "Pose Estimation Using Deep Learning" is a bonafide record of the mini project submitted by Aman K. Shihab(FIT19CS015), in partial fulfilment of the requirements for the award of the degree of Bachelor of Technology (B.Tech) in Computer Science & Engineering during the academic year 2021-22.

Staff in Charge

Project Guide

Dr. Jyothish K John Head of the Department

ABSTRACT

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi urna mauris, sagittis sit amet aliquet ut, facilisis et nibh. Praesent turpis tortor, dignissim ut interdum eu, porttitor ut orci. Curabitur laoreet malesuada fermentum. In posuere, purus eu pulvinar luctus, eros urna tempor magna, eu tincidunt erat eros nec turpis. Vestibulum at semper lacus. Nullam tristique lacus vel nibh porta a vehicula tellus volutpat. Pellentesque cursus ullamcorper ante, ut eleifend nisl aliquam id. Nulla porta ornare fermentum. Aliquam id magna sed erat malesuada viverra. Donec non mauris eros, nec egestas ligula. Suspendisse eu tempor ligula. Aliquam egestas nulla vel augue iaculis iaculis nec in risus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent malesuada fringilla sapien a faucibus.

Contribution by	v Author
-----------------	----------

Author Contribution Goes Here

Student Name

ACKNOWLEDGEMENT

Your Acknowledgement Goes Here

Student 1

Contents

Li	ist of Figures	V
Li	ist of Tables	vi
1	Introduction 1.1 Overview	2
2	Related works	3
3	Design3.1 Introduction	
4	Results	5
5	Conclusion	6
$\mathbf{A}_{]}$	ppendices	8

List of Figures

List of Tables

Introduction

1.1 Overview

The mathematical roots of the idea of fractals have been traced through a formal path of published works, starting in the 17th century with notions of recursion, then moving through increasingly rigorous mathematical treatment of the concept to the study of continuous but not differentiable functions in the 19th century, and on to the coining of the word fractal in the 20th century with a subsequent burgeoning of interest in fractals and computer-based modelling in the 21st century. The




Figure 1.1: Mandelbrot Fractal

word "fractal" often has different connotations for laypeople than mathematicians, where the layperson is more likely to be familiar with fractal art than a mathematical conception. The mathematical concept is difficult to formally define even for mathematicians, but key features can be understood with little mathematical background.

The feature of "self-similarity", for instance, is easily understood by analogy to zooming in with a lens or other device that zooms in on digital images to uncover finer, previously invisible, new structure. If this is done on fractals, however, no new detail appears; nothing changes and the same pattern repeats over and over, or for some fractals, nearly the same pattern reappears over and over. Self-similarity itself is not necessarily counter-intuitive (e.g., people have pondered self-similarity informally such as in the infinite regress in parallel mirrors or the homunculus, the little man inside the head of the little man inside the head...).

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi urna mauris, sagittis sit amet aliquet ut, facilisis et nibh. Praesent turpis tortor, dignissim ut interdum eu, porttitor ut orci. Curabitur laoreet malesuada fermentum. In posuere, purus eu pulvinar luctus, eros urna tempor magna, eu tincidunt erat eros

nec turpis. Vestibulum at semper lacus. Nullam tristique lacus vel nibh porta a vehicula tellus volutpat. Pellentesque cursus ullamcorper ante, ut eleifend nisl aliquam id. Nulla porta ornare fermentum. Aliquam id magna sed erat malesuada viverra. Donec non mauris eros, nec egestas ligula. Suspendisse eu tempor ligula. Aliquam egestas nulla vel augue iaculis iaculis nec in risus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent malesuada fringilla sapien a faucibus.

1.2 Problem Statement

lacus vel nibh porta a vehicula tellus volutpat. Pellentesque cursus ullamcorper ante, ut eleifend nisl aliquam id. Nulla porta ornare fermentum. Aliquam id magna sed erat malesuada viverra. Donec non mauris eros, nec egestas ligula. Suspendisse eu tempor ligula. Aliquam egestas nulla vel augue iaculis iaculis nec in risus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent malesuada fringilla sapien a faucibus.

1.3 Objective

lacus vel nibh porta a vehicula tellus volutpat. Pellentesque cursus ullamcorper ante, ut eleifend nisl aliquam id. Nulla porta ornare fermentum. Aliquam id magna sed erat malesuada viverra. Donec non mauris eros, nec egestas ligula. Suspendisse eu tempor ligula. Aliquam egestas nulla vel augue iaculis iaculis nec in risus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent malesuada fringilla sapien a faucibus.

Related works

The world population is the sum of all humans on Earth. As of today, it is estimated to number 7.004 billion by the United States Census Bureau. The USCB estimates that the world population exceeded 7 billion on March 12, 2012. According to a separate estimate by the United Nations Population Fund, it reached this milestone on October 31, 2011. The world's population is unevenly distributed,

Table 2.1: World Population Table

Rank	Country	Population	Percentage
1	China	1,347,350,000	19.24%
2	India	1,210,193,422	17.28%
3	United States	313,269,000	4.47%

with six of Earth's seven continents being permanently inhabited on a large scale. As of 2012, Asia is the most populous continent, with its 4.1 billion inhabitants accounting for over 60% of the world population. The world's two most-populated countries alone, China and India, constitute about 37% of the world's population. Africa is the second-most-populated continent, with around 1 billion people, or 15% of the world's population. Europe's 733 million people make up 11% of the world's population, while the Latin American and Caribbean regions are home to 589 million (9%).

Design

In number theory, Fermat's Last Theorem states that no three positive integers a, b, and c can satisfy the equation:

$$a^n + b^n = c^n$$

for any integer value of n greater than two

This theorem was first conjectured by Pierre de Fermat in 1637, famously in the margin of a copy of Arithmetica where he claimed he had a proof that was too large to fit in the margin. No successful proof was published until 1995 despite the efforts of countless mathematicians during the 358 intervening years. The unsolved problem stimulated the development of algebraic number theory in the 19th century and the proof of the modularity theorem in the 20th. It is among the most famous theorems in the history of mathematics and prior to its 1995 proof was in the Guinness Book of World Records for "most difficult mathematical problems".

3.1 Introduction

In mathematics, Stirling's approximation (or Stirling's formula) is an approximation for large factorials. It is named after James Stirling.

The formula as typically used in applications is:

$$\ln(n!) = n \ln n - n + O(\ln(n))$$

3.2 Design of modules

In mathematics, Stirling's approximation (or Stirling's formula) is an approximation for large factorials. It is named after James Stirling.

Results

Compiled languages are languages typically processed by compilers, though theoretically any language can be compiled or interpreted. The important ones are:

- \bullet Ada
- C
- C++
- \bullet Fortran
- Java

Conclusion

An intrusion detection system (IDS) [1] is a device or software application that monitors network and/or system activities for malicious activities or policy violations and produces reports to a Management Station.

Donald Ervin Knuth [2] is a computer scientist and Professor Emeritus at Stanford University. He is the author of the seminal multi-volume work The Art of Computer Programming. Knuth has been called the "father" of the analysis of algorithms

Bibliography

- [1] K. Scarfone and P. Mell, "Guide to intrusion detection and prevention systems (idps)," NIST Special Publication, vol. 800, no. 2007, p. 94, 2007.
- [2] Wikipedia, "Donald knuth." http://en.wikipedia.org/wiki/Donald_Knuth.

Appendices

	Pose	e Estimation	Using	Deep	Learning
--	------	--------------	-------	------	----------

Test