

# Cucumber Report

Jun 24, 2024, 2:47:07 PM

Start : Jun 24, 2:45:36.229 PM

End : Jun 24, 2:47:06.005 PM

Duration : 1 m 29.776 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 1



| Feature                 |              | Scenario |   |   |   | Step |   |   |   |
|-------------------------|--------------|----------|---|---|---|------|---|---|---|
| Name                    | Duration     | T        | P | F | S | T    | P | F | S |
| <u>Capstone_Project</u> | 1 m 29.776 s | 1        | 0 | 1 | 0 | 3    | 1 | 1 | 1 |

| <b>Tag</b>            | <b>Scenario</b> |                 |                 |                 | <b>Feature</b>  |                 |                 |                 |
|-----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| <b>Name</b>           | <b><i>T</i></b> | <b><i>P</i></b> | <b><i>F</i></b> | <b><i>S</i></b> | <b><i>T</i></b> | <b><i>P</i></b> | <b><i>F</i></b> | <b><i>S</i></b> |
| @capstometescaseapi_4 | 1               | 0               | 1               | 0               | 1               | 0               | 1               | 0               |





| # | Feature Name     | T | P | F | S | Duration     |
|---|------------------|---|---|---|---|--------------|
| 1 | Capstone_Project | 1 | 0 | 1 | 0 | 1 m 29.776 s |





| # | Feature Name     | Scenario Name                           | T | P | F | S | Duration     |
|---|------------------|---|---|---|---|---|--------------|
| 1 | Capstone_Project | capstone apitest to read data (GET API) | 3 | 1 | 1 | 1 | 1 m 29.768 s |

## Capstone\_Project

|                                      |                         |  |   |  |   |
|--------------------------------------|-------------------------|--|---|--|---|
| <b>FAILED</b>                        | DURATION - 1 m 29.776 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 3<br>Pass - 1<br>Fail - 1<br>Skip - 1 |  |
| / 2:45:36.229 PM // 2:47:06.005 PM / |                         |  |   |  |   |
|                                      |                         |  |   |  |   |

### capstone apitest to read data (GET API)

|                                      |                         |  |  |   |
|--------------------------------------|-------------------------|--|--|---|
| <b>FAILED</b>                        | DURATION - 1 m 29.768 s |  | Steps<br>Total - 3<br>Pass - 1<br>Fail - 1<br>Skip - 1 |  |
| / 2:45:36.237 PM // 2:47:06.005 PM / |                         |  |  |   |
| Capstone_Project                     |                         |  |  |   |
| @capstometescaseapi_4                |                         |  |  |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given For getting the user details user provides the authentication details for postman password  | PASSED | 47.368 s |
| 2 | When Send a GET HTTP request for getting particular aman<br><pre> java.net.ConnectException: Connection timed out: connect   at java.base/sun.nio.ch.Net.connect0(Native Method)   at java.base/sun.nio.ch.Net.connect(Net.java:576)   at java.base/sun.nio.ch.Net.connect(Net.java:565)   at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:588)   at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:333)   at java.base/java.net.Socket.connect(Socket.java:645)   at org.apache.http.conn.ssl.SSLSocketFactory.connectSocket(SSLSocketFactory.java:542)   at org.apache.http.conn.ssl.SSLSocketFactory.connectSocket(SSLSocketFactory.java:414)   at org.apache.http.impl.conn.DefaultClientConnectionOperator.openConnection(DefaultClientConnectionOperator.java:180)   at org.apache.http.impl.conn.ManagedClientConnectionImpl.open(ManagedClientConnectionImpl.java:326)   at org.apache.http.impl.client.DefaultRequestDirector.tryConnect(DefaultRequestDirector.java:610)   at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:445)   at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835)   at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83)   at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:56)           </pre> | FAILED | 42.345 s |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.apache.http.client.HttpClient\$execute\$0.call(Unknown Source)<br>at io.restassured.internal.RequestSpecificationImpl\$RestAssuredHttpBuilder.doRequest(RequestSpecificationImpl.groovy:2055)<br>at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:495)<br>at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:452)<br>at io.restassured.internal.http.HTTPBuilder\$request\$2.call(Unknown Source)<br>at io.restassured.internal.RequestSpecificationImpl.sendHttpRequest(RequestSpecificationImpl.groovy:1451)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:567)<br>at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)<br>at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)<br>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)<br>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)<br>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)<br>at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)<br>at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45)<br>at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55)<br>at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1200)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:567)<br>at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)<br>at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)<br>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)<br>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)<br>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)<br>at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)<br>at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45)<br>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)<br>at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30)<br>at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)<br>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)<br>at io.restassured.filter.Filter\$filter.call(Unknown Source)<br>at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)<br>at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)<br>at io.restassured.filter.Filter\$filter.call(Unknown Source)<br>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)<br>at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)<br>at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <pre> at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1655) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1661) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:171) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at StepDefinitions.capstone_Project_Step.sendGETRequestforParticulauser(capstone_Project_Step.java:251) at ?.Send a GET HTTP request for getting particular aman(file:///D:/aman.kumar40/CAPSTONE_PROJECT/capstone_Project/src/test/ resources/Features/capstone_Project.feature:56) * Not displayable characters are replaced by '?'. </pre> |         |          |
| 3 | Then I receive valid GET Response with HTTP response code as 200  | SKIPPED | 0.004 s  |