

# Cucumber Report

Jun 28, 2024, 12:57:48 PM

Start : Jun 28, 12:57:43.996 PM

End : Jun 28, 12:57:45.671 PM

Duration : 1.675 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Capstone_Project_UI</u>	1.675 s	1	0	1	0	2	0	1	1

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@capstone_Project_extui	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Capstone_Project_UI	1	0	1	0	1.675 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Capstone_Project_UI</u>	<u>User Logins into the Banking Application and request for new account creation</u>	2	0	1	1	1.668 s

## Capstone\_Project\_UI

<b>FAILED</b>	<b>DURATION - 1.675 s</b>	Scenarios		Steps	
/ 12:57:43.996 PM // 12:57:45.671 PM /		Total - 1		Total - 2	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## User Logins into the Banking Application and request for new account creation

FAILED		DURATION - 1.668 s			Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 12:57:44.003 PM // 12:57:45.671 PM /						
Capstone_Project_UI						
@capstone_Project_extui						

#	Step / Hook Details	Status	Duration
1	<p>Given User launches external google ui website</p> <p>org.openqa.selenium.remote.UnreachableBrowserException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PUNITP304691L', ip: '10.112.136.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.1' Driver info: driver. version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:573)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:118)</p> <p>at Utilities.hooks.startBrowser_google_chrome_n(hooks.java:170)</p> <p>at StepDefinitions.capstone_Project_UI_EXCEL_DB_Step.user_launches_google_ui(capstone_Project_UI_EXCEL_DB_Step.java:141)</p> <p>at ?.User launches external google ui website(file:///D:/aman.kumar40/CAPSTONE_PROJECT/capstone_Project/src/test/resources/Features/capstone_Project_UI_EXCEL_DB.feature:143)</p> <p>Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:1]:4444</p> <p>at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)</p> <p>at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)</p> <p>at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)</p> <p>at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)</p>	<b>FAILED</b>	1.614 s

#	Step / Hook Details	Status	Duration
	at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:105) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:118) at Utilities.hooks.startBrowser_google_chrome_n(hooks.java:170) at StepDefinitions.capstone_Project_UI_EXCEL_DB_Step.user_launches_google_ui(capstone_Project_UI_EXCEL_DB_Step.java:141) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at io.cucumber.java.Invoker.invoke(Invoker.java:27) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:59) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:43) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:82) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:73) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:108) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:88) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:54) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:67) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:52) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:96) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:84) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		



#	Step / Hook Details	Status	Duration
	<pre>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:669) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:333) at java.base/java.net.Socket.connect(Socket.java:645) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) * Not displayable characters are replaced by '?'.</pre>		
2	When User provides username and password	SKIPPED	0.002 s