```
    includes field-group-name                    // field group include

id-qualifier:
    tag                                          // SHALL be present
    optional
```

FIELD GROUP declares a collection of fields that MAY be included in a TLV Structure. A FIELD GROUP is never directly encoded in a TLV encoding. A FIELD GROUP is used with includes statement to define common patterns of fields such that they MAY be reused across different STRUCTURE definitions.

A FIELD GROUP definition (field-group-def) contains a list of field definitions, each of which gives the type of the field, its tag, and an associated textual name. The field type MAY be either a fundamental type, a CHOICE OF pseudo-type, an ANY pseudo-type, or a reference to one of these types defined outside the FIELD GROUP definition.

A FIELD GROUP definition MAY also contain one or more includes statements. Each such statement identifies another FIELD GROUP whose fields are to be included within the referencing FIELD GROUP. Such nested inclusion MAY be specified to any depth.

The rules governing the names and tags associated with fields within a FIELD GROUP are the same as those defined for STRUCTURE.

FIELD GROUP Definition Examples

```
common-sensor-sample-fields => FIELD GROUP
{
    timestamp [1]          : UNSIGNED INTEGER [ range 32-bits ],
}

temperature-sensor-sample => STRUCTURE [tag-order]
{
    includes common-sensor-sample-fields,

    value [2]              : FLOAT64,
}

humidity-sensor-sample => STRUCTURE [tag-order]
{
    includes common-sensor-sample-fields,

    value [2]              : UNSIGNED INTEGER [ range 64-bits ],
}
```

