```
********** Handling of SignVendorIdVerificationRequest (with device) **********

===== Algorithm inputs =====
SignVendorIdVerificationRequest's FabricIndex field: 0x05
SignVendorIdVerificationRequest's NonceChallenge field:
a1:a2:a3:a4:a5:a6:a7:a8:a9:aa:ab:ac:ad:ae:af:b0:b1:b2:b3:b4:b5:b6:b7:b8:b9:ba:bb:bc:bd
:be:bf:c0
AttestationChallenge from secure session:
90:4b:82:e6:6e:98:57:85:b4:a3:ff:18:c2:59:47:f3

NOC private key (raw point):
->
65:65:6f:be:57:31:c2:0c:c6:80:7a:86:c1:b8:ba:f4:2f:ab:a8:89:53:d2:f6:6a:44:b0:8a:67:0a
:65:4e:3f

Fabric Root Public Key (SEC1 uncompressed point form):
-> root_public_key_bytes:
00000000  04 d5 9f 3e b0 b9 c2 16  a4 6f 04 0a ff df d5 58 |...>.....o.....X|
00000010  17 ca 8a 3d c9 21 aa 62  4d a5 16 8b a9 07 66 d7 |...=.!.bM.....f.|
00000020  3b f0 8e 48 0c d0 f5 cc  94 65 3a 92 d7 77 19 d9 |;..H.....e:..w..|
00000030  b0 04 74 7d 5f 7d a3 9d  ed b6 7e c5 4f 7c bc 6a |..t}_}....~.O|.j|
00000040  de                                               |.|
00000041

Fabric ID from fabric table: (0x1122334455667788)
Vendor ID from fabric table: (0xFFF1)

VIDVerificationStatement: <absent>

===== Algorithm Outputs =====
- Locally generate vendor_fabric_binding_message
Fabric ID as 64-bits big-endian bytes: 11:22:33:44:55:66:77:88
Vendor ID as 16-bits big-endian bytes: ff:f1

vendor_fabric_binding_message := fabric_binding_version (0x01) || root_public_key ||
fabric_id || vendor_id
-> vendor_fabric_binding_message (len 76 bytes):
00000000  01 04 d5 9f 3e b0 b9 c2  16 a4 6f 04 0a ff df d5 |....>.....o.....|
00000010  58 17 ca 8a 3d c9 21 aa  62 4d a5 16 8b a9 07 66 |X...=.!.bM.....f|
00000020  d7 3b f0 8e 48 0c d0 f5  cc 94 65 3a 92 d7 77 19 |.;..H.....e:..w.|
00000030  d9 b0 04 74 7d 5f 7d a3  9d ed b6 7e c5 4f 7c bc |...t}_}....~.O|.|
00000040  6a de 11 22 33 44 55 66  77 88 ff f1             |j.."3DUfw...|
0000004c
```