VideoStreams:

- Fail the command with the status code DYNAMIC_CONSTRAINT_ERROR, and end processing with no other side effects.

◦ If *VideoStreamID* is present and is null:

  - If AllocatedVideoStreams is empty:

    - Fail the command with the status code INVALID_IN_STATE, and end processing with no other side effects.

  - Automatically select an existing video stream per the Resource Management and Stream Priorities.

◦ If *AudioStreamID* is present and is not null and does not match a value in AllocatedAudioStreams:

  - Fail the command with the status code DYNAMIC_CONSTRAINT_ERROR, and end processing with no other side effects.

◦ If *AudioStreamID* is present and is null:

  - If AllocatedAudioStreams is empty:

    - Fail the command with the status code INVALID_IN_STATE, and end processing with no other side effects.

  - Automatically select an existing audio stream per the Resource Management and Stream Priorities.

◦ If not able to meet the Resource Management and Stream Priorities conditions or unable to provide another WebRTC session:

  - Respond with a response status of RESOURCE_EXHAUSTED

◦ If *SFrameConfig* is present:

◦ If the CipherSuite field of the passed in *SFrameConfig* is not a supported value:

  - Fail the command with the status code DYNAMIC_CONSTRAINT_ERROR, and end processing with no other side effects.

◦ If the length of the BaseKey field of the passed in *SFrameConfig* does not match the expected length for a key using the CipherSuite:

  - Fail the command with the status code DYNAMIC_CONSTRAINT_ERROR, and end processing with no other side effects.

◦ For each URL in the URLs field of each ICEServerStruct in the passed in *ICEServers*:

  - If the URL scheme is `turns` or `stuns`, and the UTCTime attribute of the Time Synchronization cluster is null:

    - Fail the command with the status code INVALID_IN_STATE, and end processing with no other side effects.

◦ Create a new WebRTCSessionID

◦ Create a new WebRTCSessionStruct associated with the accessing fabric, populated with the passed in values from this command, the *OriginatingEndpointID* field as the PeerEndpointID, and the accessing Peer Node ID entry stored in the Secure Session Context (See Chapter 4

