Class	Data Type	Short	Size
Analog	**Unsigned Integer**		
	Unsigned 8-bit integer	**uint8**	1 byte
	Unsigned 16-bit integer	**uint16**	2 bytes
	Unsigned 24-bit integer	**uint24**	3 bytes
	Unsigned 32-bit integer	**uint32**	4 bytes
	Unsigned 40-bit integer	**uint40**	5 bytes
	Unsigned 48-bit integer	**uint48**	6 bytes
	Unsigned 56-bit integer	**uint56**	7 bytes
	Unsigned 64-bit integer	**uint64**	8 bytes
	Signed Integer		
	Signed 8-bit integer	**int8**	1 byte
	Signed 16-bit integer	**int16**	2 bytes
	Signed 24-bit integer	**int24**	3 bytes
	Signed 32-bit integer	**int32**	4 bytes
	Signed 40-bit integer	**int40**	5 bytes
	Signed 48-bit integer	**int48**	6 bytes
	Signed 56-bit integer	**int56**	7 bytes
	Signed 64-bit integer	**int64**	8 bytes
Analog	**Floating Point**		
	Single precision	**single**	4 bytes
	Double precision	**double**	8 bytes
Composite	**String**		
	Octet string	**octstr**	desc
	Collection		
	List	**list**	desc
	Struct	**struct**	desc

7.19.1.1. Boolean Type

The Boolean type represents a logical value, either FALSE or TRUE.

- FALSE SHALL be equivalent to the value 0 (zero).
- TRUE SHALL be equivalent to the value 1 (one).

7.19.1.2. Bitmap Type (8, 16, 32 and 64-bit)

This data type is typically used to represent simple cluster settings or state that are treated as