```
        message = sigma-2-tbsdata,
        signature = TBEData2.signature
    )
```

11. If the value of Success is FALSE, the initiator SHALL send a status report: StatusReport(GeneralCode: FAILURE, ProtocolId: SECURE_CHANNEL, ProtocolCode: INVALID_PARAMETER) and perform no further processing.
12. Set the Resumption ID in the Session Context to the value TBEData2.resumptionID.
13. Set the Peer Session Identifier in the Session Context to the value Msg2.responderSessionId.

Generate and Send Sigma3

If validation is successful, the initiator encodes and sends a Sigma3 message.

```
sigma-3-tbsdata => STRUCTURE [ tag-order ]
{
  initiatorNOC       [1] : OCTET STRING,
  initiatorICAC      [2, optional] : OCTET STRING,
  initiatorEphPubKey [3] : ec-pub-key,
  responderEphPubKey [4] : ec-pub-key,
}

sigma-3-tbedata => STRUCTURE [ tag-order ]
{
  initiatorNOC  [1] : OCTET STRING,
  initiatorICAC [2, optional] : OCTET STRING,
  signature     [3] : ec-signature,
}

sigma-3-struct => STRUCTURE [ tag-order ]
{
  encrypted3 [1] : OCTET STRING,
}
```

NOTE	sigma-3-tbsdata is **NOT** transmitted but is instead signed; the signature will be encrypted and transmitted.

1. The initiator SHALL select its Node Operational Key Pair InitiatorNOKeyPair, Node Operational Certificates initiatorNOC and initiatorICAC (if present), and Trusted Root CA Certificate TrustedRCAC corresponding to the chosen Fabric as determined by the Destination Identifier from Sigma1.
2. The initiator SHALL encode the following items as a sigma-3-tbsdata with an anonymous tag:
   a. initiatorNOC as a matter-certificate