in the STRUCTURE definition.

extensible Qualifier Example

```
user-information => STRUCTURE [ extensible ]
{
    user-id [1]         : UNSIGNED INTEGER,
    first-name [2]      : STRING,
    last-name [3]       : STRING,
    email-address [4]   : STRING,
}
```

B.5.3. id

id Qualifier Syntax

```
vendor-name => VENDOR [ id uint-value ]

protocol-name => PROTOCOL [ id uint-value ]

protocol-name => PROTOCOL [ id uint-value:uint-value ]

protocol-name => PROTOCOL [ id vendor-name:uint-value ]
```

The id qualifier is used to specify an identifying number associated with a VENDOR or PROTOCOL definition.

When applied to a VENDOR definition, the id value is a 16-bit unsigned integer specifying the Protocol Vendor ID, which uniquely identify an organization or company. VENDOR ids are used to scope other identifiers (e.g. PROTOCOL ids) such that organizations can independently mint these identifiers without fear of collision.

When applied to a PROTOCOL definition, the id value MAY take three forms:

- 32-bit unsigned integer, which is composed of a Protocol Vendor ID in the high 16-bits and a protocol id in the low 16-bits
- two 16-bit unsigned integers (separated by a colon) specifying the Protocol Vendor ID and protocol id
- vendor-name and 16-bit protocol id (separated by a colon). The vendor-name definition SHALL exist elsewhere in the schema

id Qualifier Examples

```
MATTER-VENDOR-AB => VENDOR [ 0x00AB ]

// Equivalent definitions of the protocol introduced by MATTER-VENDOR-AB
```

