- Endpoint 2 has a PartsList containing endpoint 3.
- Endpoint 4 has a PartsList containing endpoint 5.

Therefore, endpoints 2, 3, 4 and 5 are not children of endpoint 0 and thus do *not* qualify as siblings of endpoint 1 (which is the only child of endpoint 0).

Also:

- Endpoint 1 has a PartsList containing endpoints 2 and 4.
- Endpoints 2 and 4 do not occur in any other PartsList of a descendant of endpoint 1.
- Endpoints 2 and 4 are children of endpoint 1.

Therefore, they are sibling endpoints.

Also:

- Endpoint 2 has a PartsList containing only endpoint 3.

Therefore, endpoint 3 is a single child and does not have any siblings.

Also:

- Endpoint 4 has a PartsList containing only endpoint 5.

Therefore, endpoint 5 is a single child and does not have any siblings.

Also:

- Endpoints 3 and 5 are not appearing together in any other PartsList (except that of endpoint 0).

Therefore, they are not siblings.

9.2.1. Endpoint Requirements

Each Simple endpoint SHALL support exactly one Application device type with the exception that, the endpoint MAY support additional device types which are subsets of the Application device type (the superset). See Section 9.2.12, “Superset Device Types” for cluster requirements of superset devices.

The endpoint MAY support additional utility device types.

If a device type requires endpoint composition, the composition SHALL be defined in the device type specification.

For example: A Color Temperature Light device type may support device type IDs for both a Dimmable Light and On/Off Light, because those are subsets of a Color Temperature Light (the superset).

