MEI	Description
0x0000_0001	Standard/Scoped item 1
0x0000_0002	Standard/Scoped item 2
0x0000_FFFE	Standard/Scoped item 65534
0x0001_0000	MC 1 item 0
0x0001_0001	MC 1 item 1
0x0001_0002	MC 1 item 2
0x0001_FFFE	MC 1 item 65534
0x0002_0000	MC 2 item 0
0x0002_0001	MC 2 item 1
0x0002_0002	MC 2 item 2
0x0002_FFFE	MC 2 item 65534
0xFFFF_0000	Invalid

7.21.3. Manufacturer Extensions

A manufacturer extensible context MAY be extended with items from any manufacturer. Such extensions SHALL be identified using an MEI with prefix for that particular manufacturer, and SHALL NOT use a standard/scoped prefix.

There are further constraints:

- MS extensions SHALL only be permitted on standard clusters or another existing MS extension of a standard cluster from another manufacturer.
- An extended cluster MAY instantiate a struct definition defined in the standard cluster.
- A struct that has been extended with new fields SHALL have the same definition in all instances of that struct within a given cluster definition.
- A defined element (struct, command, event) SHALL NOT be re-used or instantiable in a different cluster (except in extended clusters)

This is illustrated by the following hypothetical scenario.

Suppose the standard provides cluster ABCD which contains related counters and their recent statistics. The counter values are available as attributes 1 and 2, which are reset daily. The statistics are grouped into a SummarizedStats struct, available as attributes 3 and 4, and track summary statistics for each counter over a recent period (last month). Each instance of the statistics struct has fields 1, 2, and 3, for minimum, maximum, and mean values for that period.

Suppose manufacturer A extends the standard cluster with additional statistics (marked with [1] below). A adds lifetime counts as attributes 0x000A_0001 and 0x000A_0002, which are never reset. A also adds quartiles Q1, Q2, and Q3 to the standard SummarizedStats struct, as fields 0x000A_0001, 0x000A_0002, and 0x000A_0003. These quartiles are available for all existing instances of the standard struct, such as standard attributes 3 and 4.