

Term	Definition
Certification Declaration	A digitally signed token that conveys Matter certification status of a vendor's certified Device.
Client	A Cluster interface that typically sends commands that manipulate the attributes on the corresponding server cluster. A client cluster communicates with a corresponding remote server cluster with the same cluster identifier.
Cluster	A specification defining one or more attributes, commands, behaviors and dependencies, that supports an independent utility or application function. The term may also be used for an implementation or instance of such a specification on an endpoint.
Command	Requests for action on a value with an expected response which may have parameters and a response with a status and parameters.
Commission	To bring a Node into a Fabric.
Commissionable Node	A Node that is able to be commissioned. Specific actions such as a button press may be required to put a Commissionable Node into Commissioning Mode in order for it to allow Commissioning.
Commissionable Node Discovery	Discovery of a Node that is able to be Commissioned, but not necessarily in Commissioning Mode, for the purpose of performing Commissioning. The Node may be brand new, after factory reset, or it may have already been Commissioned.
Commissioner	A Role of a Node that performs Commissioning.
Commissioner Discovery	Discovery of a Commissioner.
Commissionee	An entity that is being Commissioned to become a Node.
Commissioning	Sequence of operations to bring a Node into a Fabric by assigning an Operational Node ID and Node Operational credentials.
Commissioning Channel	A Secure Channel used to perform Commissioning.
Commissioning Mode	The mode of a Node in which it allows Commissioning.
Controller	A Role of a Node that has permissions to enable it to control one or more Nodes.
Controlee	A Role of a Node that has permissions defined to enable it to be controlled by one or more Nodes.
Device	A piece of equipment containing one or more Nodes.
Device Attestation Certificate	An RFC 5280 [https://www.rfc-editor.org/rfc/rfc5280] compliant X.509 v3 document with attestable attributes.
Discriminator	A 12-bit value used to discern between multiple commissionable Matter device advertisements. See Discriminator value .