

[CommissioningCustomFlowUrl](#) of the [DeviceModel schema](#) entry indexed by the Vendor ID and Product ID in the [Distributed Compliance Ledger](#) and utilize flows described in [Custom Commissioning Flow](#) to redirect the user to a custom app or website specified by the device vendor, and receive the user back following the callback flow which contains the onboarding payload. The [Custom Commissioning Flow](#) can provide a deterministic user experience for putting the device into commissioning mode and transferring the onboarding payload to the Commissioner. The Commissioner then verifies the new Commissioning Mode state using [Commissionable Node Discovery](#).

8. Commissioner instructs the user to locate and input the onboarding payload if needed. When a Vendor ID and Product ID is available to the Commissioner, the [Distributed Compliance Ledger](#) may also provide a URL for the Device User Guide which can contain additional information to help in locating the onboarding payload. The Commissioner may have additional data sets available for assisting the user.
9. Commissioner begins the Commissioning process (see [Section 5.5, “Commissioning Flows”](#)).

5.2.2.3.3. Variation - Filter by Device Type

A variation on this use case is when a user action causes the Commissioner to ask the user for permission to discover devices or to discover a specific type of device on the network, such as a TV for remote controlling playback or a Home Router Access Point for managing network credentials.

The user may indicate the type of device to the Commissioner when initiating this flow. For example, the user might speak the following to a voice agent: "Agent, Discover TVs".

Example User interactions which are tied to discovery of specific device types include:

1. When a user indicates their desire to use a specific Matter Admin/Commissioner, the Commissioner might attempt to discover devices of type Network Infrastructure Manager on the network, and prompt the user with instructions for connecting to it.
2. When a user indicates their desire to use a specific Matter Video Remote Control, the Video Remote Control might look for Video Players on the network, and prompt the user with instructions for connecting to it.

When discovering TVs or any other specific device type on the IP network, this flow will be the same except that a subtype which specifies the device type identifier is passed to the [Commissionable Node Discovery](#) method (see [Section 4.3.1.3, “Commissioning Subtypes”](#)).

5.2.2.3.4. Misuse Considerations

When a Device implements [Commissionable Node Discovery](#) while not in Commissioning Mode, the time period during which it may unintentionally provide information to a malicious actor on the network is longer than it otherwise would be. This additional information could potentially be associated with the user in ways that the user did not intend. See [Commissionable Node Discovery Privacy Considerations](#) for device requirements relating to this risk.

When a device includes device-specific information such as Vendor ID, Product ID and Device Type, or user-generated data such as Device Name, in the DNS-SD TXT record, then a malicious actor on the network can detect this information and potentially associate it with the user in ways that the user did not intend.