

```

    message = Attestation Information TBS (attestation\_tbs),
    signature = Device Attestation Signature (attestation\_signature)
)

```

where the fields are encoded as described in [Section 11.18.4.7, “Attestation Information”](#).

- The [AttestationChallenge](#) SHALL be obtained from a [CASE session](#), [resumed CASE session](#), or [PASE session](#) depending on the method used to establish the secure session within which device attestation is conducted.
- The [AttestationNonce](#) in [Device Attestation elements](#) SHALL match the Commissioner’s provided [AttestationNonce](#).
- The Certification Declaration signature SHALL be validated using the [Crypto_Verify\(\)](#) function and the public key obtained from the Connectivity Standards Alliance’s Certificate Authority Certificate.
- The [Certification Declaration](#) SHALL be validated:
 - The [vendor_id](#) field in the [Certification Declaration](#) SHALL match the [VendorID attribute](#) found in the Basic Information cluster.
 - The [product_id_array](#) field in the [Certification Declaration](#) SHALL contain the value of the [ProductID attribute](#) found in the Basic Information cluster.
 - The Certification Declaration SHALL be considered valid only if it contains both or neither of the [dac_origin_vendor_id](#) and [dac_origin_product_id](#) fields.
 - If the Certification Declaration has both the [dac_origin_vendor_id](#) and the [dac_origin_product_id](#) fields, the following validation SHALL be done:
 - The [VendorID](#) value from the subject DN in the DAC SHALL match the [dac_origin_vendor_id](#) field in the [Certification Declaration](#).
 - The [VendorID](#) value from the subject DN in the PAI SHALL match the [dac_origin_vendor_id](#) field in the [Certification Declaration](#).
 - The [ProductID](#) value from the subject DN in the DAC SHALL match the [dac_origin_product_id](#) field in the [Certification Declaration](#).
 - The [ProductID](#) value from the subject DN in the PAI, if such a ProductID value appears, SHALL match the [dac_origin_product_id](#) field in the [Certification Declaration](#).
 - If the Certification Declaration has neither the [dac_origin_vendor_id](#) nor the [dac_origin_product_id](#) fields, the following validation SHALL be done:
 - The [VendorID](#) value from the subject DN in the DAC SHALL match the [vendor_id](#) field in the [Certification Declaration](#).
 - The [VendorID](#) value from the subject DN in the PAI SHALL match the [vendor_id](#) field in the [Certification Declaration](#).
 - The [ProductID](#) value from the subject DN in the DAC SHALL be present in the [product_id_array](#) field in the [Certification Declaration](#).
 - The [ProductID](#) value from the subject DN in the PAI, if such a Product ID is present, SHALL match one of the values present in the [product_id_array](#) field in the [Certification Declaration](#).