

```

    prime256v1 = 1,
  }

```

The following values SHALL be defined for **elliptic-curve-id**:

Table 89. Elliptic Curve Object Identifiers

Value	ASN.1 OID
1	iso(1) member_body(2) us(840) ansi-x962(10045) curves(3) prime(1) prime256v1(7)

6.5.10. Public Key

The context-specific tag **ec-pub-key** [9] SHALL be used to identify the elliptic curve public key material field in the Matter certificate structure. The public key SHALL be a byte string representation of an uncompressed elliptic curve point as defined in section 2.3.3 of [SEC 1](#).

6.5.11. Extensions

The context-specific tag **extensions** [10] SHALL be used to identify the extensions field in the Matter certificate structure. The **extensions** list SHALL NOT contain more than one instance of a particular extension. The following table summarizes context-specific tags defined for the certificate extension types used in Matter.

```

extension => CHOICE OF
{
    basic-cnstr [1]           : basic-constraints,
    key-usage [2]            : UNSIGNED INTEGER [ range 16-bits ],
    extended-key-usage [3]   : ARRAY [ length 1.. ] OF key-purpose-id,
    subject-key-id [4]       : OCTET STRING [ length 20 ],
    authority-key-id [5]     : OCTET STRING [ length 20 ],
    future-extension [6]     : OCTET STRING,
}

```

Table 90. Extensions Object Identifiers

Tag	Matter Name	ASN.1 OID
1	basic-cnstr	joint-iso-itu-t(2) ds(5) certificateExtension(29) basic-Constraints(19)
2	key-usage	joint-iso-itu-t(2) ds(5) certificateExtension(29) keyUsage(15)
3	extended-key-usage	joint-iso-itu-t(2) ds(5) certificateExtension(29) extended-KeyUsage(37)
4	subject-key-id	joint-iso-itu-t(2) ds(5) certificateExtension(29) subjectKeyIdentifier(14)
5	authority-key-id	joint-iso-itu-t(2) ds(5) certificateExtension(29) authorityKeyIdentifier(35)