

Conformance Column	Name	Summary
M	Mandatory	This is part of the base mandatory feature set and is mandatory for current revision.
O	Optional	This is a purely optional element with no dependencies, except the M set.
P	Provisional	See Provisional below.
D	Deprecated	This is a deprecated item that MAY occur in legacy implementations, but not in the current revision.
X	Disallowed	This is disallowed for the cluster derivation.
<i>AB</i>	Mandatory	This SHALL be supported if <i>AB</i> is true. <i>AB</i> is a boolean expression
[<i>AB</i>]	Optional	This MAY be supported only if <i>AB</i> is true. Brackets also act as parentheses.
<i>EF</i>	Operand	True if <i>EF</i> feature or element is supported.
<i>EF</i> == <i>x</i>	Equal	True if <i>EF</i> is equal to the non-changing value <i>x</i> .
<i>EF</i> != <i>x</i>	Unequal	True if <i>EF</i> does not equal the non-changing value <i>x</i> .
<i>x</i> <= <i>EF</i> & <i>EF</i> <= <i>y</i>	Range	True if <i>EF</i> is with in the range defined by the non-changing values <i>x</i> and <i>y</i> (inclusive).
<i>AB</i> <i>CD</i>	Or	True if either <i>AB</i> or <i>CD</i> is true.
<i>AB</i> ^ <i>CD</i>	Xor	True if only one of <i>AB</i> or <i>CD</i> is true, not both.
<i>AB</i> & <i>CD</i>	And	True if both <i>AB</i> and <i>CD</i> are true.
! <i>AB</i>	Exclusivity	True if <i>AB</i> is false.
(<i>AB</i> & <i>CD</i>)	Parentheses	Parentheses can be put around any conformance expression to combine.
<i>C1</i> , <i>C2</i> ...	Otherwise	A conformance that is a list of boolean expressions, processed left to right.