

It is recommended to not use exclusive conformance. Inclusive conformance is recommended.

For example: Excluding an element with "!RareCondition" means that it is mandatory otherwise. Better to use inclusive conformance with (e.g. "Condition"). For example: Excluding an element with "[!RareCondition]" means that it is optional otherwise. Better to use inclusive conformance with (e.g. "[Condition]").

7.3.11. Otherwise Conformance

Otherwise conformance is a list evaluated from top to bottom (see [Quality Conformance](#)), and left to right, where an expression is mutually exclusive to the previous expressions (above and to the left). It is a shorthand that allows defining conformance which depends on the previously evaluated true expression.

Some examples:

- "AB, O" means mandatory for AB and optional otherwise.
- "AB, [CD]" means mandatory for AB, optional if CD is true and AB is false, otherwise not allowed.
- "!AB, O" means mandatory if AB is false, otherwise optional (if AB is true).
- "[AB], M" is the equivalent to "!AB, O", and a clearer way to define the conformance.
- "[AA], [BB], [CC]" is the equivalent to "[AA | BB | CC]".

7.3.12. Quality Conformance

To support differing quality conformance for an element, the element row is duplicated with the qualities that differ and the conformance for those qualities. Duplicating the rows requires top to bottom evaluation, similar to left to right evaluation for [Otherwise Conformance](#). However, if 2 adjacent rows evaluate to the same conformance (e.g. "AB, O" and "O" when AB is false), then the choice of qualities is optional, if the row element is implemented.

For the example below, the MinLevel element is mandatory for LT with the minimum of 1 (not zero), mandatory for AB with the minimum of 0 (zero), otherwise the element is optional with a minimum of 0 (zero).

ID	Name	Type	Constraint	Quality	Access	Fallback	Conformance
43	MinLevel	uint8	1 to 100	F	R V	1	LT
43	MinLevel	uint8	0 to 100	F	R V	0	AB, O

For the example below, the MaxLevel element is fixed, read only and mandatory for LT, writeable and mandatory for AB, otherwise the element is optional and access may be read only or writable.

ID	Name	Type	Constraint	Quality	Access	Fallback	Conformance
44	MaxLevel	uint8	1 to 100	F	R V	100	LT
44	MaxLevel	uint8	0 to 100		RW VM	100	AB, O