

There is an inline shortcut to define the list entry data type constraints. See [List Constraints](#).

For example:

ID	Name	Type	Constraint	Quality	...
0	MonthNames	list[string]	12[3]	N	

It is RECOMMENDED to put a maximum [constraint](#) on the list and list entry data types.

It is RECOMMENDED that a list entry data type be a struct, to enable the addition of new fields to the list’s entries in the future.

- The cluster data version SHALL be incremented when the list order or entries change.
- An entry SHALL NOT be NULL.
- The list SHALL support reading and reporting all entries.
- The list SHALL support reporting, updates, and/or deletion of one or more entries.
- If the list is writable, it SHALL support writing or deleting the entire list.
- If the list is writable, it SHALL support updating one or more individual entries by indicating an index per updated entry.
- If the list is writable, it SHALL support deleting one or more individual entries by indicating an index per deleted entry.
- If the list is writable, it SHALL support adding one or more individual entries.
- A list MAY define an entry that is a struct that is fabric-scoped (see [Section 7.6.4, “Fabric-Scoped Access”](#)).

Fabric-Scoped List

- A fabric-scoped list SHALL define an entry data type that is a struct, which SHALL also be fabric-scoped (see [Fabric-Scoped Struct](#)).

Each entry in a fabric-scoped list SHALL be fabric-scoped to a particular fabric or no fabric.

Fabric-Filtered List

A fabric-scoped list supports a fabric-filter that filters the view of the list for [read](#) and [write](#) interactions. This filter simplifies client side logic that does not want to read or write fabric data that is not associated with the [accessing fabric](#).

- An interaction upon a list with fabric-filtering SHALL only indicate and access entries where the [associated fabric](#) matches the [accessing fabric](#), and all other entries SHALL be ignored.
- Fabric-filtered list entries SHALL be in the same order as the full list.
- Fabric-filtered list entries SHALL be indexed from 0 with no gaps, as if the other entries did not exist.
- For a [write](#) interaction, fabric-filtering SHALL be enabled.