

**Exception Value**

Indicates some action which the server will execute when a certain condition (which normally does not happen) is not met.

Example: lock the doors when the server's system has detected no one is at home while the doors are in the 'unlocked' state.

**Notification Value**

Indicates an action that can be triggered (e.g. by `InstantAction`) to notify the user.

Example: play a pattern on the lights in the living room if there is someone in the garden in the evening.

**Alarm Value**

Similar to Notification but with a higher priority (and might override other endpoint states which `Type=Notification` would *not* override).

Example: flash all lights in the house when CO sensor triggers.

**9.14.4.3. ActionStateEnum Type**

This data type is derived from [enum8](#).

| Value | Name            | Summary                      | Conformance |
|-------|-----------------|------------------------------|-------------|
| 0     | <b>Inactive</b> | The action is not active     | M           |
| 1     | <b>Active</b>   | The action is active         | M           |
| 2     | <b>Paused</b>   | The action has been paused   | M           |
| 3     | <b>Disabled</b> | The action has been disabled | M           |

Note that some of these states are applicable only for certain actions, as determined by their `SupportedCommands`.

**9.14.4.4. ActionErrorEnum Type**

This data type is derived from [enum8](#).

| Value | Name               | Summary                                                      | Conformance |
|-------|--------------------|--------------------------------------------------------------|-------------|
| 0     | <b>Unknown</b>     | Other reason not listed in the row(s) below                  | M           |
| 1     | <b>Interrupted</b> | The action was interrupted by another command or interaction | M           |

**9.14.4.5. EndpointListTypeEnum Type**

This data type is derived from `enum8` and has its values listed below.