

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	ActionID	uint16	all			M
1	InvokeID	uint32	all			O
2	Duration	uint32	all		MS	M

This command triggers the commencement of an action on the involved endpoints, and SHALL change the action's state to Active. After the specified Duration, the action will stop, and the action's state SHALL change to Inactive.

Example: start a dynamic lighting pattern (such as gradually rotating the colors around the set-points of the scene) on a set of lights for 1 hour (Duration=3600).

Duration Field

This field SHALL indicate the requested duration in seconds.

9.14.6.5. StopAction Command

This command is used to stop an action.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	ActionID	uint16	all			M
1	InvokeID	uint32	all			O

This command stops the ongoing action on the involved endpoints. Afterwards, the action's state SHALL be Inactive.

Example: stop a dynamic lighting pattern which was previously started with StartAction.

9.14.6.6. PauseAction Command

This command is used to pause an action.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	ActionID	uint16	all			M
1	InvokeID	uint32	all			O

This command pauses an ongoing action, and SHALL change the action's state to Paused.

Example: pause a dynamic lighting effect (the lights stay at their current color) which was previously started with StartAction.