

ID	Name	Type	Constraint	Quality	Fallback	Access	Conformance
2	Off-PremiseServicesReachableIPv4	bool		X	null		M
3	Off-PremiseServicesReachableIPv6	bool		X	null		M
4	HardwareAddress	hwaddr					M
5	IPv4Addresses	list[ipv4addr]	max 4				M
6	IPv6Addresses	list[ipv6addr]	max 8				M
7	Type	InterfaceTypeEnum					M

Name Field

This field SHALL indicate a human-readable (displayable) name for the network interface, that is different from all other interfaces.

IsOperational Field

This field SHALL indicate if the Node is currently advertising itself operationally on this network interface and is capable of successfully receiving incoming traffic from other Nodes.

OffPremiseServicesReachableIPv4 Field

This field SHALL indicate whether the Node is currently able to reach off-premise services it uses by utilizing IPv4. The value SHALL be null if the Node does not use such services or does not know whether it can reach them.

OffPremiseServicesReachableIPv6 Field

This field SHALL indicate whether the Node is currently able to reach off-premise services it uses by utilizing IPv6. The value SHALL be null if the Node does not use such services or does not know whether it can reach them.

HardwareAddress Field

This field SHALL contain the current link-layer address for a 802.3 or [IEEE 802.11-2020](#) network