

VIDVerificationStatement Field

This field, if present, SHALL contain a previously-installed administrator-set `vid_verification_statement` value (see [Section 6.4.10, “Fabric Table Vendor ID Verification Procedure”](#)) for the fabric referenced by `FabricIndex`. This field is set by the `SetVIDVerificationStatement` command.

11.18.4.6. Attestation Elements

The Attestation Elements contain the metadata related to attestation, encoded in [Matter TLV](#).

Attestation Elements TLV

```
attestation-elements => STRUCTURE [ tag-order ]
{
    certification_declaration[1]      : OCTET STRING,
    attestation_nonce[2]              : OCTET STRING [ length 32 ],
    timestamp[3]                     : UNSIGNED INTEGER [ range 32-bits ],
    firmware_information[4, optional] : OCTET STRING,
}
```

Any context-specific tags not listed in the above schema for Attestation Elements SHALL be reserved for future use, and SHALL be silently ignored if seen by a Commissioner which cannot understand them.

11.18.4.7. Attestation Information

The Attestation Information is the combination of a [Matter TLV](#) payload, containing the [Attestation Elements](#), as well as a signature over an `attestation_tbs` message containing the in-band-transmitted `attestation_elements_message` and a secret out-of-band Attestation Challenge.

The Attestation Information SHALL be computed as follows:

1. Encode the [attestation-elements](#) structure with an anonymous tag into an octet string called `attestation_elements_message`.
 - The `firmware_information` field SHALL be an octet string, as described in [Section 6.3.2, “Firmware Information”](#).
 - The `certification_declaration` field SHALL be the DER-encoded octet string representation of a [CMS\(RFC5652\)-encoded](#) certification declaration, as described in [Section 6.3, “Certification Declaration”](#).
 - The `timestamp` field SHALL be in [epoch-s](#).
 - The `attestation_nonce` field SHALL match the `AttestationNonce` field provided in the [AttestationRequest Command](#) that triggered the generation of the Attestation Elements.
 - Vendor specific information, if present, SHALL be encoded using [fully qualified tags](#). Such fields allow the Node taking part in the Device Attestation Procedure to communicate vendor-specific information that MAY aid in device commissioning. Commissioners that do not understand the format of the data MAY ignore them.