

11.18.6.13. AddTrustedRootCertificate Command

This command is used to add a trusted root certificate to the device.

This command SHALL add a [Trusted Root CA Certificate](#), provided as its [Matter Certificate Encoding](#) representation, to the [TrustedRootCertificates Attribute](#) list and SHALL ensure the next [AddNOC](#) command executed uses the provided certificate as its root of trust.

If the certificate from the RootCACertificate field is already installed, based on exact byte-for-byte equality, then this command SHALL succeed with no change to the list.

If this command is received without an armed fail-safe context (see [Section 11.10.7.2, “ArmFail-Safe”](#)), then this command SHALL fail with a FAILSAFE_REQUIRED status code sent back to the initiator.

If a prior AddTrustedRootCertificate command was successfully invoked within the fail-safe timer period, which would cause the new invocation to add a second root certificate within a given fail-safe timer period, then this command SHALL fail with a CONSTRAINT_ERROR status code sent back to the initiator.

If a prior UpdateNOC or AddNOC command was successfully executed within the fail-safe timer period, then this command SHALL fail with a CONSTRAINT_ERROR status code sent back to the initiator.

If the certificate from the RootCACertificate field fails any validity checks, not fulfilling all the requirements for a valid [Matter Certificate Encoding](#) representation, including a truncated or over-size value, then this command SHALL fail with an INVALID_COMMAND status code sent back to the initiator.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	RootCACertificate	octstr	max 400			M

Note that the only method of removing a trusted root is by removing the Fabric that uses it as its root of trust using the [RemoveFabric](#) command.

11.18.6.14. SetVIDVerificationStatement Command

This command is used to manage the VendorID and VIDVerificationStatement fields of the Fabrics attribute, and the VVSC field of an entry in the NOCs attribute.

This command SHALL be used to one or more of the following:

- Update the VendorID associated with an entry in the Fabrics attribute.
- Associate or remove a [VIDVerificationStatement](#) associated with an entry in the Fabrics attribute.
- Associate or remove a [VendorVerificationSigningCertificate \(VVSC\)](#) associated with an entry in the NOCs attribute.