

This command SHALL only operate against the Fabrics and NOCs attribute entries associated with the [accessing fabric index](#).

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	VendorID	vendor-id				O.a+
1	VIDVerificationStatement	octstr	max 85			O.a+
2	VVSC	octstr	max 400			O.a+

Effect on Receipt

If the **VendorID** field is present, the value of the **VendorID** in the [Fabrics](#) attribute entry associated with the [accessing fabric index](#) SHALL have its value replaced with the value from the command field.

If the **VVSC** field is present, but the **ICAC** field is already present in the [NOCs](#) attribute entry associated with the [accessing fabric index](#), then the command SHALL fail with a status code of INVALID_COMMAND.

If the **VIDVerificationStatement** field is present:

- If the length of the field's value is neither exactly 0 nor exactly 85, then the command SHALL fail with a status code of CONSTRAINT_ERROR.
- If the length of the field's value is exactly 0, then the **VIDVerificationStatement** field in the [Fabrics](#) attribute entry associated with the [accessing fabric index](#) SHALL be erased and the field SHALL disappear from the Fabrics entry.
- If the length of the field's value is exactly 85, then the **VIDVerificationStatement** field in the [Fabrics](#) attribute entry associated with the [accessing fabric index](#) SHALL have its value replaced with the value from the command field.

If the **VVSC** field is present:

- If the length of the field's value is exactly 0, then the **VVSC** field in the [NOCs](#) attribute entry associated with the [accessing fabric index](#) SHALL be erased and the field SHALL disappear from the NOCs entry.
- If the length of the field's value is not 0, then the **VVSC** field in the [NOCs](#) attribute entry associated with the [accessing fabric index](#) SHALL have its value replaced with the value from the command field. The contents of the certificate need not be validated by the server. Clients SHALL validate the contents at time of use.

If the command was invoked within a fail-safe context after a successful [AddNOC](#) or [UpdateNOC](#) command, then the field updates SHALL apply to the pending update state that will be reverted if fail-safe expires prior to a [CommissioningComplete](#) command. In other words, field updates apply to the state of the [Fabrics Attribute](#) as currently visible, even for an existing fabric currently in process of being updated.