

ferred, if a definite size had been given. If the Receiver finds a discrepancy between the pre-negotiated size of the file and the amount of data that the Sender has sent, then it MAY consider the transfer failed. In that case, the Receiver MAY respond with a **StatusReport(GeneralCode: FAILURE, ProtocolId: BDX, ProtocolCode: LENGTH_MISMATCH)** message.

Blocks SHALL be sent ascending and sequential block counter order (see [Section 11.22.6.1, “Block Ordering Rules”](#)). Block data payload length does not need to exactly match the Max Block Size for the transfer.

Table 120. BlockEOF message fields

Field	Size	Notes
Message ID: BlockEOF(0x12)		
Block Counter	4 octets	Unsigned little-endian
Data	Variable Length	- The data field’s length is that of the remainder of the message payload after the Block Counter field, since Matter messages have definite length. - The length SHALL be in the range $[0 \leq \text{Length} \leq \text{Max Block Size}]$, where Max Block Size is the negotiated Max Block Size matching the SendAccept / ReceiveAccept message that initiated the transfer. In contrast to the Block message, a length of 0 is permissible to indicate an empty file.

11.22.6.6. BlockAck Message

The **BlockAck** message is an application-level acknowledgement that a **Block** was received, and not necessarily that the Block’s data was stored.

If the Sender is driving in a synchronous transfer, the Receiver SHALL send a **BlockAck** in response to each block of data received. If the Receiver is driving in a synchronous transfer, the Receiver MAY send a **BlockAck** after receipt of a **Block**, and before its next **BlockQuery**. For example, the Receiver SHOULD send a **BlockAck** if it knows it will be going to sleep for some time before the next **BlockQuery**, so that the Sender can free resources associated with the last block.

In asynchronous transfers, no **BlockAck** messages are sent.

The Block Counter in a **BlockAck** SHALL correspond to the Block Counter which was embedded in the **Block** being acknowledged (see [Section 11.22.6.1, “Block Ordering Rules”](#)).

Table 121. BlockAck message fields

Field	Size	Notes
Message ID: BlockAck(0x13)		
BlockCounter	4 octets	Unsigned little-endian