

11.23.9.8. DataUrl

This field SHALL indicate the URL where to obtain the information in the format indicated by the RevocationType field. The syntax of this field SHALL follow the syntax as specified in [RFC 1738](#). The maximum length of this field is 256 ASCII characters. All URLs SHALL use either the [http](#) or [https](#) scheme.

For entries of RevocationType 1 ([RFC 5280](#) CRL):

- The content located at the [DataUrl](#) SHALL be a [RFC 5280](#) Certificate Revocation List document (see section 5 in the RFC) encoded in DER format.
 - Note that conformance to the [RFC 5280](#) CRL profile requires at least the [AuthorityKeyIdentifier](#) and [CRLNumber](#) extensions to be present in the document.
- If multiple entries exist in the schema, which match in VendorID and IssuerSubjectKeyID, then:
 - All entries SHALL have a different Label.
 - All entries SHALL have a different DataUrl.
 - The content located at the [DataUrl](#) SHALL have the Issuing Distribution Point critical CRL extension present (see [RFC 5280](#) section 5.2.5).
 - DCL software SHALL validate the uniqueness of Label and DataUrl of each entry.
 - Note that the content located at the [DataUrl](#) will never be accessed or validated by DCL software which cannot rely on out-of-ledger records or files.
 - Based on the Issuing Distribution Point critical CRL extension (see [RFC 5280](#) section 5.2.5), the following validation SHALL be applied:
 - The [distributionPoint](#) field of the extension SHALL have a single [GeneralName](#) of type [uniformResourceIdentifier](#).
 - The [uniformResourceIdentifier](#) SHALL match exactly, byte-for-byte, the value found in the [DataUrl](#) field of this schema entry.
 - If the value of the [CRLSignerCertificate](#) is a CRL signer certificate delegated by a PAA or delegated by a PAI, then the [indirectCRL](#) field of the extension SHALL be set to true. Otherwise, the [indirectCRL](#) field of the extension SHALL be set to false.

11.23.9.9. DataFileSize

This field, if present, SHALL indicate the total size in bytes of the file found at the DataUrl. This field SHALL be omitted if the RevocationType is 1, which refers to a type having built-in signatures.

11.23.9.10. DataDigest

This field, if present, SHALL contain the digest of the entire contents of the associated file downloaded from the [DataUrl](#) field, encoded in base64 string representation. The digest SHALL have been computed using the algorithm specified in [DataDigestType](#). This field SHALL be present if and only if the DataFileSize field is present.