

Threat Description			Threat Evaluation		Counter-measure
T79	Device marked for destruction reused in network.	Installer or return agent.	Damaged or obsolete Devices may re-enter the network.	Low	CM15, CM16, CM20, CM35
T81	Attacker uses predictable Initialization Vectors to derive crypto keys.	Attacker able to observe network traffic from the Device.	Attacker discovery of Device crypto keys and other secrets, which can lead to control of other Devices if the Device has such privileges.	High	CM78
T82	Device buyer dumps memory to find previous owner's user data.	Malicious Device buyer or dumpster diver.	User data may be leaked.	Medium	CM15, CM35
T84	Person with physical access to already installed Device resets Device then scans QR code to gain access.	Attacker with physical access to Device.	Control of Device and access to sensitive Device data (e.g. IP Camera traffic).	Medium	CM4
T86	Leak certificate or Device identity private key to appear as valid Device.	Physical or locally compromised attacker.	Device appears as valid Device.	Low	CM23
T87	Malicious Device or party poses as valid Matter Node using operational credentials	Attacker on the local network or remotely controlling a Node on the local network	Group keys and sensitive data revealed to an invalid Node	Medium	CM87
T90	Long range camera captures QR code at Commissioning time or otherwise.	Malicious neighbor, robber, or other nearby active attacker.	Attacker manages to connect Device to their gateway or account.	Medium	CM3, CM89