

```

accel-sample => STRUCTURE
{
    x [1] : SIGNED INTEGER [ range 16-bits ],
    y [2] : SIGNED INTEGER [ range 16-bits ],
    z [3] : SIGNED INTEGER [ range 16-bits ]
}

temp-features-enum => UNSIGNED INTEGER [ range 0...3 ]
{
    HAS_TEMP_COMPENSATION = 1,
    SUPPORTS_THRESHOLD_TRIGGERS = 2
}

accel-features-enum => UNSIGNED INTEGER [ range 0...3 ]
{
    SUPPORTS_HIGH_SAMPLING = 1,
    SUPPORTS_THRESHOLD_TRIGGERS = 2
}

sensor-state => STRUCTURE
{
    temperature-samples [1] : ARRAY OF temperature-sample,
    accel-samples [2] : ARRAY OF accel-sample,
    manufacturer-name [3]: STRING,

    // List of lists. If present, one or more of the feature lists will be present.
    feature-map [4,optional] : LIST {temp-features[1]: ARRAY OF temp-features-enum,
    accel-features[2]: ARRAY OF accel-features-enum},

    supports-idle [5] : BOOLEAN,

    num-power-modes[6]: UNSIGNED INTEGER [ range 8-bits ],

    supported-extensions[7] : LIST OF STRING
}

```

C.3.2. TLV Payloads

C.3.2.1. Temperature Sample

```

temperature-sample-example =
{

```