

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	GroupID	group-id	all			M
1	SceneID	uint8	max 254			M
2	Transition-Time	uint32	max 60000000			M
3	SceneName	string	max 16			M
4	Extension-FieldSet-Structs	list[ExtensionFieldSetStruct]	desc			M

It is not mandatory for an extension field set to be included in the command for every cluster on that endpoint that has a defined extension field set. Extension field sets MAY be omitted, including the case of no extension field sets at all.

1.4.9.2.1. GroupID Field

This field SHALL indicate the group identifier in the Group Table.

1.4.9.2.2. SceneID Field

This field SHALL indicate the scene identifier in the Scene Table.

1.4.9.2.3. TransitionTime Field

This field SHALL indicate the transition time of the scene, measured in milliseconds.

1.4.9.2.4. SceneName Field

This field SHALL indicate the name of the scene.

1.4.9.2.5. ExtensionFieldSetStructs Field

This field SHALL contain the list of extension fields.

1.4.9.2.6. Effect on Receipt

On receipt of this command, the server SHALL perform the following procedure:

1. If the value of the GroupID field is non-zero, the server verifies that the endpoint has an entry for that GroupID in the Group Table. If there is no such entry in the Group Table, the status SHALL be INVALID_COMMAND and the server continues from step 5.
2. If the ExtensionFieldSetStructs list is formatted in a way deemed invalid according to the ExtensionFieldSetStruct structure definition (see [ExtensionFieldSetStruct](#)), then the status SHALL be INVALID_COMMAND in the AddSceneResponse, and the server continues from step 5.
3. If a scene already exists under the same group/scene identifier pair, in step 4 the already existing scene entry SHALL be replaced with the new scene being added. Otherwise, if a scene cannot be created due to the lack of Scene Table capacity for the given fabric, the status SHALL be