

ID	Name	Type	Constraint	Quality	Fallback	Access	Conformance
0	AreaID	uint32			MS		M
1	MapID	uint32	desc	X	MS		M
2	AreaInfo	AreaInfoStruct			MS		M

1.17.5.4.1. AreaID Field

This field SHALL represent the identifier of the area.

1.17.5.4.2. MapID Field

This field SHALL indicate the map identifier which the area is associated with. A value of null indicates that the area is not associated with a map.

If the SupportedMaps attribute is not empty, this field SHALL match the MapID field of an entry from the SupportedMaps attribute's list. If the SupportedMaps attribute is empty, this field SHALL be null.

1.17.5.4.3. AreaInfo Field

This field SHALL contain data describing the area.

This SHOULD be used by clients to determine the name and/or the full, or the partial, semantics of a certain area.

NOTE

If any entries on the SupportedAreas attribute's list have the AreaInfo field missing the semantic data, the client MAY remind the user to assign the respective data.

1.17.5.5. ProgressStruct Type

This is a struct indicating the progress.

ID	Name	Type	Constraint	Quality	Fallback	Access	Conformance
0	AreaID	uint32			MS		M
1	Status	OperationalStatusEnum			MS		M
2	TotalOperational-Time	elapsed-s		X	MS		O
3	Estimated-Time	elapsed-s		X	MS		O