

2.9.5. Data Types

2.9.5.1. AirQualityEnum Type

This data type is derived from enum8.

The AirQualityEnum provides a representation of the quality of the analyzed air. It is up to the device manufacturer to determine the mapping between the measured values and their corresponding enumeration values.

Value	Name	Summary	Conformance
0	Unknown	The air quality is unknown.	M
1	Good	The air quality is good.	M
2	Fair	The air quality is fair.	FAIR
3	Moderate	The air quality is moderate.	MOD
4	Poor	The air quality is poor.	M
5	VeryPoor	The air quality is very poor.	VPOOR
6	ExtremelyPoor	The air quality is extremely poor.	XPOOR

2.9.6. Attributes

ID	Name	Type	Constraint	Quality	Fallback	Access	Conformance
0x0000	AirQuality	AirQualityEnum	desc			R V	M

2.9.6.1. AirQuality Attribute

This attribute SHALL indicate a value from [AirQualityEnum](#) that is indicative of the currently measured air quality.

2.10. Concentration Measurement Clusters

The server cluster provides an interface to concentration measurement functionality.

This cluster SHALL to be used via an alias to a specific substance (see [Cluster IDs](#)).

2.10.1. Revision History

The global ClusterRevision attribute value SHALL be the highest revision number in the table below.