

[CumulativeEnergyExported](#) attribute was most recently zero, or does not have the capability of determining the time in UTC, this field SHALL be indicated.

Otherwise, if the server had determined the time in UTC when the value of the [Energy](#) field on the [CumulativeEnergyExported](#) attribute was most recently zero, this field MAY be omitted; if it is indicated, its value SHALL be the time elapsed since boot at the UTC time indicated in [ImportedResetTimestamp](#).

2.12.6. Attributes

ID	Name	Type	Constraint	Quality	Fallback	Access	Conformance
0x0000	Accuracy	MeasurementAccuracyStruct		F		R V	M
0x0001	CumulativeEnergyImported	EnergyMeasurementStruct		Q X		R V	IMPE & CUME
0x0002	CumulativeEnergyExported	EnergyMeasurementStruct		Q X		R V	EXPE & CUME
0x0003	PeriodicEnergyImported	EnergyMeasurementStruct		Q X		R V	IMPE & PERE
0x0004	PeriodicEnergyExported	EnergyMeasurementStruct		Q X		R V	EXPE & PERE
0x0005	CumulativeEnergyReset	CumulativeEnergyResetStruct		X	null	R V	[CUME]

2.12.6.1. Accuracy Attribute

This attribute SHALL indicate the accuracy of energy measurement by this server. The value of the [MeasurementType](#) field on this [MeasurementAccuracyStruct](#) SHALL be [ElectricalEnergy](#).

2.12.6.2. CumulativeEnergyImported Attribute

This attribute SHALL indicate the most recent measurement of cumulative energy imported by the server over the lifetime of the device, and the timestamp of when the measurement was recorded.