

Bit	Name	Summary	Conformance
2	Occupancy	Occupancy is derived from a remote node	OCC

4.3.8.8. ScheduleTypeFeaturesBitmap Type

This data type is derived from map16.

Bit	Name	Summary	Conformance
0	SupportsPresets	Supports presets	[PRES].b+
1	SupportsSetpoints	Supports setpoints	O.b+
2	SupportsNames	Supports user-provided names	O
3	SupportsOff	Supports transitioning to SystemModeOff	O

4.3.8.8.1. SupportsPresets Bit

This bit SHALL indicate that any [ScheduleStruct](#) with a [SystemMode](#) field whose value matches the [SystemMode](#) field on the encompassing [ScheduleTypeStruct](#) supports specifying presets on [ScheduleTransitionStructs](#) contained in its [Transitions](#) field.

4.3.8.8.2. SupportsSetpoints Bit

This bit SHALL indicate that any [ScheduleStruct](#) with a [SystemMode](#) field whose value matches the [SystemMode](#) field on the encompassing [ScheduleTypeStruct](#) supports specifying setpoints on [ScheduleTransitionStructs](#) contained in its [Transitions](#) field.

4.3.8.8.3. SupportsNames Bit

This bit SHALL indicate that any [ScheduleStruct](#) with a [SystemMode](#) field whose value matches the [SystemMode](#) field on the encompassing [ScheduleTypeStruct](#) supports setting the value of the [Name](#) field.

4.3.8.8.4. SupportsOff Bit

This bit SHALL indicate that any [ScheduleStruct](#) with a [SystemMode](#) field whose value matches the [SystemMode](#) field on the encompassing [ScheduleTypeStruct](#) supports setting its [SystemMode](#) field to Off.

4.3.8.9. ScheduleDayOfWeekBitmap Type

This data type is derived from map8.

Bit	Name	Summary	Conformance
0	Sunday	Sunday	M
1	Monday	Monday	M