

4.3.10.1.3. Effect on Receipt

Upon receipt, the attributes for the indicated setpoint(s) SHALL have the amount specified in the Amount field added to them. If the resulting value is outside the limits imposed by [MinCoolSetpointLimit](#), [MaxCoolSetpointLimit](#), [MinHeatSetpointLimit](#) and [MaxHeatSetpointLimit](#), the value is clamped to those limits. This is not considered an error condition.

4.3.10.2. SetWeeklySchedule Command

This command is used to update the thermostat weekly setpoint schedule from a management system. If the thermostat already has a weekly setpoint schedule programmed, then it SHOULD replace each daily setpoint set as it receives the updates from the management system. For example, if the thermostat has 4 setpoints for every day of the week and is sent a SetWeeklySchedule command with one setpoint for Saturday then the thermostat SHOULD remove all 4 setpoints for Saturday and replace those with the updated setpoint but leave all other days unchanged. If the schedule is larger than what fits in one frame or contains more than 10 transitions, the schedule SHALL then be sent using multiple SetWeeklySchedule Commands.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	NumberOfTransitionsForSequence	uint8	all			M
1	DayOfWeekForSequence	Schedule-DayOfWeek-Bitmap	desc			M
2	ModeForSequence	Schedule-ModeBitmap	desc			M
3	Transitions	list[WeeklySchedule-Transition-Struct]	max 10			M

4.3.10.2.1. NumberOfTransitionsForSequence Field

This field SHALL indicate how many individual transitions to expect for this sequence of commands. If a device supports more than 10 transitions in its schedule they can send this by sending more than 1 “Set Weekly Schedule” command, each containing the separate information that the device needs to set.

4.3.10.2.2. DayOfWeekForSequence Field

This field SHALL represent the day of the week at which all the transitions within the payload of the command SHOULD be associated to. This field is a bitmap and therefore the associated setpoint could overlap onto multiple days (you could set one transition time for all “week days” or whatever combination of days the implementation requests).