

6.3.5.4. ProductID Attribute

This attribute, if present, SHALL specify a numeric ID assigned by the vendor to identify a specific Content App made by them. If the Content App is certified by the Connectivity Standards Alliance, then this would be the Product ID as specified by the vendor for the certification.

6.3.5.5. Application Attribute

This attribute SHALL specify a Content App which consists of an Application ID using a specified catalog.

6.3.5.6. Status Attribute

This attribute SHALL specify the current running status of the application.

6.3.5.7. ApplicationVersion Attribute

This attribute SHALL specify a human readable (displayable) version of the Content App assigned by the vendor.

6.3.5.8. AllowedVendorList Attribute

This attribute is a list of vendor IDs. Each entry is a vendor-id.

6.4. Application Launcher Cluster

This cluster provides an interface for launching applications on a Video Player device such as a TV.

This cluster is supported on endpoints that can launch Applications, such as a Casting Video Player device with a Content App Platform. It supports identifying an Application by global identifier from a given catalog, and launching it. It also supports tracking the currently in-focus Application.

Depending on the support for the Application Platform feature, the cluster can either support launching the application corresponding to the endpoint on which the cluster is supported (AP feature not supported) or it can support launching any application (AP feature supported).

6.4.1. Revision History

The global ClusterRevision attribute value SHALL be the highest revision number in the table below.

Revision	Description
1	Initial revision
2	Addition of new states to StatusEnum

6.4.2. Classification