

ID	Name	Type	Constraint	Quality	Fallback	Access	Conformance
17	CastList	list[ProgramCastStruct]	max 255		empty		O
18	ExternalIDList	list[AdditionalInfoStruct]	max 255		empty		O

6.6.5.7.1. Identifier Field

This field SHALL indicate a unique identifier for a program within an electronic program guide list. The identifier SHALL be unique across multiple channels.

6.6.5.7.2. Channel Field

This field SHALL indicate the channel associated to the program.

6.6.5.7.3. StartTime Field

This field SHALL indicate an epoch time in seconds indicating the start time of a program, as a UTC time. This field can represent a past or future value.

6.6.5.7.4. EndTime Field

This field SHALL indicate an epoch time in seconds indicating the end time of a program, as a UTC time. This field can represent a past or future value but SHALL be greater than the StartTime.

6.6.5.7.5. Title Field

This field SHALL indicate the title or name for the specific program. For example, "MCIS: Los Angeles".

6.6.5.7.6. Subtitle Field

This field SHALL indicate the subtitle for the specific program. For example, "Maybe Today" which is an episode name for "MCIS: Los Angeles". This field is optional but SHALL be provided if applicable and known.

6.6.5.7.7. Description Field

This field SHALL indicate the brief description for the specific program. For example, a description of an episode. This field is optional but SHALL be provided if known.

6.6.5.7.8. AudioLanguages Field

This field SHALL indicate the audio language for the specific program. The value is a string containing one of the standard Tags for Identifying Languages [RFC 5646](#). This field is optional but SHALL be provided if known.