

6.7.6.1. AcceptHeader Attribute

This attribute SHALL provide a list of content types supported by the Video Player or Content App in the form of entries in the HTTP "Accept" request header.

6.7.6.2. SupportedStreamingProtocols Attribute

This attribute SHALL provide information about supported streaming protocols.

6.7.7. Commands

ID	Name	Direction	Response	Access	Conformance
0x00	LaunchContent	client ⇒ server	LauncherResponse	O	CS
0x01	LaunchURL	client ⇒ server	LauncherResponse	O	UP
0x02	LauncherResponse	client ⇐ server	N		CS UP

6.7.7.1. LaunchContent Command

Upon receipt, this SHALL launch the specified content with optional search criteria.

This command returns a Launch Response.

ID	Name	Type	Constraint	Quality	Fallback	Conformance
0	Search	ContentSearchStruct	desc			M
1	AutoPlay	bool	desc			M
2	Data	string			MS	O
3	Playback-Preferences	PlaybackPreferencesStruct	all		MS	O
4	UseCurrent-Context	bool	desc		TRUE	O

6.7.7.1.1. Search Field

This field SHALL indicate the content to launch.

6.7.7.1.2. AutoPlay Field

This field SHALL indicate whether to automatically start playing content, where:

- TRUE means best match should start playing automatically.