

11.2.8.4.6. MaxResolution Field

This field SHALL indicate the maximum resolution of the allocated video stream.

11.2.8.4.7. MinBitRate Field

This field SHALL indicate the minimum bitrate in bits per second of the allocated video stream.

11.2.8.4.8. MaxBitRate Field

This field SHALL indicate the maximum bitrate in bits per second of the allocated video stream.

11.2.8.4.9. KeyFrameInterval Field

This field SHALL indicate the duration in milliseconds before a regular key-frame is generated. See [KeyFrameInterval](#) for further details.

11.2.8.4.10. WatermarkEnabled Field

This field SHALL indicate whether a watermark can be applied on the video stream. A value of TRUE means that watermarking has been enabled for that stream.

11.2.8.4.11. OSDEnabled Field

This field SHALL indicate whether the OSD (On-Screen Display) can be applied on the video stream. A value of TRUE means that OSD has been enabled for that stream.

11.2.8.4.12. Effect on Receipt

The following process SHALL be followed when the server receives this command:

- If the requested StreamUsage is not found in the [StreamUsagePriorities](#):
 - Fail the command with the status code INVALID_IN_STATE, and end processing with no other side effects.
- If an unsupported VideoCodec, MinFrameRate, MaxFrameRate, MinResolution, MaxResolution, MinBitRate, MaxBitRate, or KeyFrameInterval is requested:
 - Fail the command with the status code DYNAMIC_CONSTRAINT_ERROR, and end processing with no other side effects.
- If there is an existing stream in [AllocatedVideoStreams](#) that matches this request:
 - Return the existing VideoStreamID in [VideoStreamAllocateResponse](#), and end processing with no other side effects.
- If there are not enough resources to allocate a new video stream:
 - Fail the command with the status code RESOURCE_EXHAUSTED, and end processing with no other side effects.
- Allocate a new VideoStreamID
- Create and store a new [VideoStreamStruct](#) for the allocated stream mapped against the new VideoStreamID.