

7.7.1. Changes Omitted Quality	474
7.7.2. Fixed Quality	474
7.7.3. Singleton Quality	474
7.7.4. Diagnostics Quality	474
7.7.5. Large Message Quality	475
7.7.6. Non-Volatile Quality	475
7.7.7. Reportable Quality	475
7.7.8. Quieter Reporting Quality	475
7.7.9. Scene Quality	476
7.7.10. Nullable Quality	476
7.7.11. Atomic Quality	476
7.8. Node	476
7.9. Endpoint	476
7.10. Cluster	477
7.10.1. Cluster Revision	477
7.10.2. Cluster Optional Features	478
7.10.3. Cluster Data Version	478
7.10.4. New Cluster	479
7.10.5. Cluster Aliasing	479
7.10.6. Cluster Inheritance	479
7.10.7. Status Codes	481
7.10.8. Cluster Classification	482
7.11. Command	482
7.11.1. Command Fields	484
7.12. Attribute	485
7.12.1. Persistence	485
7.13. Global Elements	486
7.13.1. ClusterRevision Attribute	487
7.13.2. FeatureMap Attribute	487
7.13.3. AttributeList Attribute	488
7.13.4. AcceptedCommandList Attribute	488
7.13.5. GeneratedCommandList Attribute	488
7.13.6. FabricIndex Field	489
7.13.7. AtomicRequest Command	489
7.13.8. AtomicResponse Command	489
7.14. Event	489
7.14.1. Event Record	490
7.14.2. Buffering	491
7.14.3. Event Filtering	491
7.14.4. Fabric-Sensitive Event	491
7.15. Atomic Writes	491