

B.3.8. STRING	1223
B.3.9. STRUCTURE	1223
B.4. Pseudo-Types	1226
B.4.1. ANY	1226
B.4.2. CHOICE OF	1226
B.5. Qualifiers	1229
B.5.1. any-order / schema-order / tag-order	1229
B.5.2. extensible	1229
B.5.3. id	1230
B.5.4. length	1231
B.5.5. nullable	1231
B.5.6. optional	1232
B.5.7. range	1232
B.5.8. tag	1233
B.5.9. Documentation and Comments	1235
Appendix C: Tag-length-value (TLV) Payload Text Representation Format	1237
C.1. Introduction	1237
C.2. Format Specification	1237
C.2.1. Tag/Value	1237
C.2.2. Context-Specific Tags	1237
C.2.3. Protocol-Specific Tags	1237
C.2.4. Anonymous Tags	1238
C.2.5. Primitive Types	1238
C.2.6. Complex Types: Structure	1239
C.2.7. Complex Types: Arrays	1239
C.2.8. Complex Types: List	1239
C.3. Examples	1239
C.3.1. TLV Schema	1239
C.3.2. TLV Payloads	1240
Appendix D: Status Report Messages	1243
D.1. Overview	1243
D.2. Status Report elements	1243
D.3. Message Format	1243
D.3.1. General status codes (GeneralCode)	1244
D.3.2. Protocol-specific codes (ProtocolId and ProtocolCode)	1244
D.3.3. Protocol-specific data (ProtocolData)	1245
D.4. Presenting StatusReport messages in protocol specifications	1245
Appendix E: Matter-Specific ASN.1 Object Identifiers (OIDs)	1247
Appendix F: Cryptographic test vectors for some procedures	1249
F.1. Certification Declaration CMS test vector	1249
F.2. Device Attestation Response test vector	1252